

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091718\
 Data File : BG036784.D
 Acq On : 18 Sep 2018 11:54
 Operator : JU/SJ
 Sample : J4936-34
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PHASE-3

Quant Time: Sep 18 12:40:54 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	59264	20.00	ng	-0.01
21) Naphthalene-d8	10.86	136	240536	20.00	ng	-0.01
38) Acenaphthene-d10	14.67	164	151396	20.00	ng	-0.01
63) Phenanthrene-d10	17.42	188	380150	20.00	ng	-0.01
75) Chrysene-d12	21.68	240	388512	20.00	ng	-0.01
86) Perylene-d12	24.89	264	377602	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	387695	103.77	ng	0.00
7) Phenol-d6	7.21	99	486921	91.03	ng	-0.01
23) Nitrobenzene-d5	9.21	82	386051	87.08	ng	-0.01
41) 2,4,6-Tribromophenol	16.16	330	225089	124.60	ng	-0.01
44) 2-Fluorobiphenyl	13.30	172	836870	78.93	ng	-0.01
78) Terphenyl-d14	20.03	244	1376682	82.82	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091718\
Data File : BG036784.D
Acq On : 18 Sep 2018 11:54
Operator : JU/SJ
Sample : J4936-34
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PHASE-3

Quant Time: Sep 18 12:40:54 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 811
Delta R.T. -0.01 min
Lab File: BG036784.D
Acq: 18 Sep 2018 11:54

Instrument :
BNA_G
ClientSampleId :
PHASE-3

Tot Ion:152 Resp: 59264
Ion Ratio Lower Upper
152 100
150 143.5 119.5 179.3
115 56.3 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 103.773 ng
RT: 5.62 min Scan# 397
Delta R.T. -0.00 min
Lab File: BG036784.D
Acq: 18 Sep 2018 11:54

Tgt Ion:112 Resp: 387695
Ion Ratio Lower Upper
112 100
64 71.8 57.2 85.8
63 38.4 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 91.030 ng

RT: 7.21 min Scan# 667

Delta R.T. -0.01 min

Lab File: BG036784.D

Acq: 18 Sep 2018 11:54

Instrument :

BNA_G

ClientSampleId :

PHASE-3


Tot Ion: 99 Resp: 486921

Ion Ratio Lower Upper



99 100

42 20.2 16.5 24.7

71 36.3 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.86 min Scan# 1288

Delta R.T. -0.01 min

Lab File: BG036784.D

Acq: 18 Sep 2018 11:54

Tgt Ion: 136 Resp: 240536


Ion Ratio Lower Upper

136 100



137 11.0 8.8 13.2


54 11.0 9.2 13.8

68 7.2 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 87.080 ng

RT: 9.21 min Scan# 1008

Delta R.T. -0.01 min

Lab File: BG036784.D

Acq: 18 Sep 2018 11:54

Instrument :

BNA_G

ClientSampleId :

PHASE-3


Tot Ion: 82 Resp: 386051

Ion Ratio Lower Upper




82 100

128 39.9 33.3 49.9

54 56.2 45.1 67.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.67 min Scan# 1938

Delta R.T. -0.01 min

Lab File: BG036784.D

Acq: 18 Sep 2018 11:54


Tgt Ion:164 Resp: 151396

Ion Ratio Lower Upper



164 100


162 103.9 80.7 121.1

160 45.8 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 124.600 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.01 min
 Lab File: BG036784.D
 Acq: 18 Sep 2018 11:54

Instrument :
 BNA_G
 ClientSampleId :
 PHASE-3

Tot Ion:330 Resp: 225089
 Ion Ratio Lower Upper
 330 100
 332 95.8 75.4 113.2
 141 37.5 30.7 46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 78.925 ng
 RT: 13.30 min Scan# 1704
 Delta R.T. -0.01 min
 Lab File: BG036784.D
 Acq: 18 Sep 2018 11:54

Tgt Ion:172 Resp: 836870
 Ion Ratio Lower Upper
 172 100
 171 38.2 31.3 46.9
 170 24.8 21.0 31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2405
Delta R.T. -0.01 min
Lab File: BG036784.D
Acq: 18 Sep 2018 11:54




Instrument :
BNA_G
ClientSampleId :
PHASE-3

Tot Ion:188 Resp: 380150
Ion Ratio Lower Upper
188 100
94 7.7 6.7 10.1
80 8.8 8.1 12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3131
Delta R.T. -0.01 min
Lab File: BG036784.D
Acq: 18 Sep 2018 11:54

Tgt Ion:240 Resp: 388512
Ion Ratio Lower Upper
240 100
120 8.1 6.9 10.3
236 26.9 21.2 31.8





#78

Terphenyl-d14

Concen: 82.823 ng

RT: 20.03 min Scan# 2849

Delta R.T. -0.00 min

Lab File: BG036784.D

Acq: 18 Sep 2018 11:54

Instrument :

BNA_G

ClientSampled :

PHASE-3


Tot Ion:244 Resp: 1376682

Ion Ratio Lower Upper

244 100

212 8.9 7.0 10.6




122 8.7 7.1 10.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 24.89 min Scan# 3677

Delta R.T. -0.01 min

Lab File: BG036784.D

Acq: 18 Sep 2018 11:54


Tgt Ion:264 Resp: 377602

Ion Ratio Lower Upper

264 100

260 22.4 19.6 29.4

265 19.8 17.4 26.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

