

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091818\
 Data File : BG036808.D
 Acq On : 19 Sep 2018 6:13
 Operator : JU/SJ
 Sample : J4948-03
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Sep 19 07:40:37 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	50672	20.00	ng	-0.02
21) Naphthalene-d8	10.85	136	208942	20.00	ng	-0.02
38) Acenaphthene-d10	14.67	164	132879	20.00	ng	-0.02
63) Phenanthrene-d10	17.42	188	320531	20.00	ng	-0.01
75) Chrysene-d12	21.68	240	344168	20.00	ng	-0.02
86) Perylene-d12	24.89	264	344407	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	337772	105.74	ng	0.00
7) Phenol-d6	7.21	99	439232	96.04	ng	-0.01
23) Nitrobenzene-d5	9.21	82	335281	87.06	ng	-0.01
41) 2,4,6-Tribromophenol	16.16	330	181856	114.70	ng	-0.01
44) 2-Fluorobiphenyl	13.29	172	751513	80.75	ng	-0.02
78) Terphenyl-d14	20.02	244	1175668	79.84	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.21	70	45802	13.400	ng	Qvalue # 73
31) Naphthalene	10.90	128	21638	2.072	ng	97
50) 2,6-Dinitrotoluene	14.67	165	17347	7.770	ng	# 23
56) 2,4-Dinitrotoluene	14.67	165	17347	5.961	ng	# 21
66) 4-Bromophenyl-phenylether	16.16	248	13256	3.532	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091818\
Data File : BG036808.D
Acq On : 19 Sep 2018 6:13
Operator : JU/SJ
Sample : J4948-03
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Sep 19 07:40:37 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 810
Delta R.T. -0.02 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 50672
Ion Ratio Lower Upper
152 100
150 151.1 119.5 179.3
115 55.5 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 105.740 ng
RT: 5.62 min Scan# 397
Delta R.T. -0.00 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Tgt Ion:112 Resp: 337772
Ion Ratio Lower Upper
112 100
64 70.2 57.2 85.8
63 38.0 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 96.038 ng

RT: 7.21 min Scan# 667

Delta R.T. -0.01 min

Lab File: BG036808.D

Acq: 19 Sep 2018 6:13

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 439232

Ion Ratio Lower Upper




99 100

42 21.3 16.5 24.7

71 37.6 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.400 ng

RT: 9.21 min Scan# 1008

Delta R.T. 0.35 min

Lab File: BG036808.D

Acq: 19 Sep 2018 6:13

Tgt Ion: 70 Resp: 45802


Ion Ratio Lower Upper

70 100



42 51.2 56.2 84.4#


101 0.0 7.8 11.6#

130 2.4 16.2 24.2#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.85 min Scan# 1287
Delta R.T. -0.02 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Instrument :
BNA_G
ClientSampleId :

Tot Ion:136	Resp:	208942
Ion Ratio	Lower	Upper
136	100	
137	11.7	8.8 13.2
54	10.9	9.2 13.8
68	7.1	5.8 8.6




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 87.064 ng
RT: 9.21 min Scan# 1008
Delta R.T. -0.01 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Tgt Ion: 82	Resp:	335281
Ion Ratio	Lower	Upper
82	100	
128	41.4	33.3 49.9
54	57.9	45.1 67.7



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC









#31
Naphthalene
Concen: 2.072 ng
RT: 10.90 min Scan# 1296
Delta R.T. -0.02 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Instrument :
BNA_G
ClientSampleId :

Tot Ion:128 Resp: 21638
Ion Ratio Lower Upper
128 100
129 10.2 9.4 14.2
127 13.1 11.0 16.4




Abundance Ion 128.00 (127.70 to 128.70): E
Ion 129.00 (128.70 to 129.70): E
Ion 127.00 (126.70 to 127.70): E






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1937
Delta R.T. -0.02 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Tgt Ion:164 Resp: 132879
Ion Ratio Lower Upper
164 100
162 103.4 80.7 121.1
160 45.2 35.3 52.9



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 114.696 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.01 min
 Lab File: BG036808.D
 Acq: 19 Sep 2018 6:13

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
330	100		
332	98.2	75.4	113.2
141	37.8	30.7	46.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 80.752 ng
 RT: 13.29 min Scan# 1703
 Delta R.T. -0.02 min
 Lab File: BG036808.D
 Acq: 19 Sep 2018 6:13

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.6	31.3	46.9
170	25.1	21.0	31.6






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#50
2,6-Dinitrotoluene
Concen: 7.770 ng
RT: 14.67 min Scan# 1937
Delta R.T. 0.41 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13




Instrument :
BNA_G
ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.6	50.1	75.1#
89	3.3	47.8	71.6#



#56
2,4-Dinitrotoluene
Concen: 5.961 ng
RT: 14.67 min Scan# 1937
Delta R.T. -0.37 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Tgt Ion	Ratio	Lower	Upper
165	100		
63	1.6	40.1	60.1#
89	3.3	63.7	95.5#
182	0.0	2.5	3.7#









#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.42 min Scan# 2405
 Delta R.T. -0.01 min
 Lab File: BG036808.D
 Acq: 19 Sep 2018 6:13




Instrument :
 BNA_G
 ClientSampled :


Tot Ion:188 Resp: 320531
 Ion Ratio Lower Upper
 188 100
 94 7.7 6.7 10.1
 80 8.1 8.1 12.1



#66
 4-Bromophenyl-phenylether
 Concen: 3.532 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.46 min
 Lab File: BG036808.D
 Acq: 19 Sep 2018 6:13

Tgt Ion:248 Resp: 13256
 Ion Ratio Lower Upper
 248 100
 250 166.6 78.1 117.1#
 141 484.7 53.7 80.5#





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3130

Delta R.T. -0.02 min

Lab File: BG036808.D

Acq: 19 Sep 2018 6:13

Instrument :

BNA_G

ClientSampled :


Tot Ion:240 Resp: 344168

Ion Ratio Lower Upper

240 100

120 7.8 6.9 10.3




236 26.2 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 79.843 ng

RT: 20.02 min Scan# 2848

Delta R.T. -0.01 min

Lab File: BG036808.D

Acq: 19 Sep 2018 6:13


Tgt Ion:244 Resp: 1175668

Ion Ratio Lower Upper

244 100

212 9.0 7.0 10.6



122 8.9 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.89 min Scan# 3676
Delta R.T. -0.02 min
Lab File: BG036808.D
Acq: 19 Sep 2018 6:13

Instrument :
BNA_G
ClientSampleId :

Tot Ion:	264	Resp:	344407
Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.6	29.4
265	22.0	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

