

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091818\
 Data File : BG036817.D
 Acq On : 19 Sep 2018 12:02
 Operator : JU/SJ
 Sample : J4922-04RE
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 MW-5RE

Quant Time: Sep 19 13:53:57 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	50563	20.00	ng	-0.01
21) Naphthalene-d8	10.85	136	211863	20.00	ng	-0.01
38) Acenaphthene-d10	14.67	164	143939	20.00	ng	-0.01
63) Phenanthrene-d10	17.42	188	352130	20.00	ng	-0.01
75) Chrysene-d12	21.68	240	360116	20.00	ng	-0.01
86) Perylene-d12	24.89	264	373495	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	18189	5.71	ng	0.00
7) Phenol-d6	7.20	99	18365	4.02	ng	-0.01
23) Nitrobenzene-d5	9.20	82	115732	29.64	ng	-0.02
41) 2,4,6-Tribromophenol	16.16	330	14682	8.55	ng	-0.01
44) 2-Fluorobiphenyl	13.30	172	266732	26.46	ng	-0.01
78) Terphenyl-d14	20.02	244	471313	30.59	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	14.12	163	133803	11.384	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091818\
Data File : BG036817.D
Acq On : 19 Sep 2018 12:02
Operator : JU/SJ
Sample : J4922-04RE
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
MW-5RE

Quant Time: Sep 19 13:53:57 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 810
Delta R.T. -0.01 min
Lab File: BG036817.D
Acq: 19 Sep 2018 12:02

Instrument :
BNA_G
ClientSampleId :
MW-5RE

Tot Ion	Ratio	Lower	Upper
152	100		
150	143.7	119.5	179.3
115	56.7	44.5	66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 5.706 ng
RT: 5.62 min Scan# 396
Delta R.T. -0.01 min
Lab File: BG036817.D
Acq: 19 Sep 2018 12:02

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.9	57.2	85.8
63	34.4	30.8	46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 4.024 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG036817.D

Acq: 19 Sep 2018 12:02

Instrument :

BNA_G

ClientSampleId :

MW-5RE


Tot Ion: 99 Resp: 18365

Ion Ratio Lower Upper




99 100

42 16.8 16.5 24.7

71 31.7 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1287

Delta R.T. -0.01 min

Lab File: BG036817.D

Acq: 19 Sep 2018 12:02

Tgt Ion: 136 Resp: 211863


Ion Ratio Lower Upper

136 100



137 10.2 8.8 13.2


54 11.5 9.2 13.8

68 6.7 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 29.638 ng
RT: 9.20 min Scan# 1006
Delta R.T. -0.02 min
Lab File: BG036817.D
Acq: 19 Sep 2018 12:02




Instrument :
BNA_G
ClientSampleId :
MW-5RE


Tot Ion: 82 Resp: 115732
Ion Ratio Lower Upper
82 100
128 35.5 33.3 49.9
54 55.3 45.1 67.7



#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.67 min Scan# 1937
Delta R.T. -0.01 min
Lab File: BG036817.D
Acq: 19 Sep 2018 12:02

Tgt Ion:164 Resp: 143939
Ion Ratio Lower Upper
164 100
162 98.8 80.7 121.1
160 43.8 35.3 52.9









#41
 2,4,6-Tribromophenol
 Concen: 8.548 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.01 min
 Lab File: BG036817.D
 Acq: 19 Sep 2018 12:02

Instrument :
 BNA_G
 ClientSampleId :
 MW-5RE

Tot Ion:330 Resp: 14682
 Ion Ratio Lower Upper
 330 100
 332 96.9 75.4 113.2
 141 36.6 30.7 46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 26.459 ng
 RT: 13.30 min Scan# 1703
 Delta R.T. -0.01 min
 Lab File: BG036817.D
 Acq: 19 Sep 2018 12:02

Tgt Ion:172 Resp: 266732
 Ion Ratio Lower Upper
 172 100
 171 35.9 31.3 46.9
 170 23.8 21.0 31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#49
Dimethylphthalate
Concen: 11.384 ng
RT: 14.12 min Scan# 1843
Delta R.T. -0.02 min
Lab File: BG036817.D
Acq: 19 Sep 2018 12:02

Instrument :
BNA_G
ClientSampleId :
MW-5RE

Tot Ion:163 Resp: 133803
Ion Ratio Lower Upper
163 100
194 4.8 4.0 6.0
164 9.8 8.1 12.1




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E






#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2404
Delta R.T. -0.01 min
Lab File: BG036817.D
Acq: 19 Sep 2018 12:02

Tgt Ion:188 Resp: 352130
Ion Ratio Lower Upper
188 100
94 7.3 6.7 10.1
80 9.0 8.1 12.1



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3130

Delta R.T. -0.01 min

Lab File: BG036817.D

Acq: 19 Sep 2018 12:02

Instrument :

BNA_G

ClientSampleId :

MW-5RE


Tot Ion:240 Resp: 360116

Ion Ratio Lower Upper

240 100

120 8.1 6.9 10.3




236 25.2 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 30.591 ng

RT: 20.02 min Scan# 2847

Delta R.T. -0.01 min

Lab File: BG036817.D

Acq: 19 Sep 2018 12:02


Tgt Ion:244 Resp: 471313

Ion Ratio Lower Upper

244 100

212 8.3 7.0 10.6



122 8.4 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.89 min Scan# 3676
Delta R.T. -0.01 min
Lab File: BG036817.D
Acq: 19 Sep 2018 12:02

Instrument :
BNA_G
ClientSampleId :
MW-5RE

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.6	29.4
265	21.0	17.4	26.0

