

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091818\
 Data File : BG036821.D
 Acq On : 19 Sep 2018 14:38
 Operator : JU/SJ
 Sample : PB112901BL
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB112901BL

Quant Time: Sep 19 15:15:28 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 31 13:03:20 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	49934	20.00	ng	-0.02
21) Naphthalene-d8	10.85	136	206969	20.00	ng	-0.02
38) Acenaphthene-d10	14.67	164	142075	20.00	ng	-0.02
63) Phenanthrene-d10	17.42	188	377204	20.00	ng	-0.01
75) Chrysene-d12	21.68	240	380478	20.00	ng	-0.01
86) Perylene-d12	24.89	264	368463	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	393142	124.89	ng	0.00
7) Phenol-d6	7.21	99	561420	124.57	ng	-0.01
23) Nitrobenzene-d5	9.21	82	340517	89.27	ng	-0.01
41) 2,4,6-Tribromophenol	16.16	330	231301	136.44	ng	-0.01
44) 2-Fluorobiphenyl	13.29	172	816728	82.08	ng	-0.02
78) Terphenyl-d14	20.03	244	1387266	85.22	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG091818\
Data File : BG036821.D
Acq On : 19 Sep 2018 14:38
Operator : JU/SJ
Sample : PB112901BL
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB112901BL

Quant Time: Sep 19 15:15:28 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 31 13:03:20 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 810
Delta R.T. -0.02 min
Lab File: BG036821.D
Acq: 19 Sep 2018 14:38

Instrument :
BNA_G
ClientSampleId :
PB112901BL

Tot Ion:152 Resp: 49934
Ion Ratio Lower Upper
152 100
150 147.3 119.5 179.3
115 58.6 44.5 66.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 124.893 ng
RT: 5.62 min Scan# 397
Delta R.T. -0.01 min
Lab File: BG036821.D
Acq: 19 Sep 2018 14:38

Tgt Ion:112 Resp: 393142
Ion Ratio Lower Upper
112 100
64 70.1 57.2 85.8
63 37.5 30.8 46.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 124.568 ng

RT: 7.21 min Scan# 667

Delta R.T. -0.01 min

Lab File: BG036821.D

Acq: 19 Sep 2018 14:38

Instrument :

BNA_G

ClientSampleId :

PB112901BL


Tot Ion: 99 Resp: 561420

Ion Ratio Lower Upper



99 100

42 20.4 16.5 24.7

71 37.3 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1287

Delta R.T. -0.02 min

Lab File: BG036821.D

Acq: 19 Sep 2018 14:38

Tgt Ion: 136 Resp: 206969


Ion Ratio Lower Upper

136 100



137 12.1 8.8 13.2


54 11.5 9.2 13.8

68 7.2 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 89.266 ng
 RT: 9.21 min Scan# 1008
 Delta R.T. -0.01 min
 Lab File: BG036821.D
 Acq: 19 Sep 2018 14:38




Instrument :
 BNA_G
 ClientSampleID :
 PB112901BL

Tot Ion	Ratio	Lower	Upper
82	100		
128	41.8	33.3	49.9
54	53.6	45.1	67.7



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1937
 Delta R.T. -0.02 min
 Lab File: BG036821.D
 Acq: 19 Sep 2018 14:38

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.2	80.7	121.1
160	43.5	35.3	52.9









#41
 2,4,6-Tribromophenol
 Concen: 136.439 ng
 RT: 16.16 min Scan# 2191
 Delta R.T. -0.01 min
 Lab File: BG036821.D
 Acq: 19 Sep 2018 14:38

Instrument :
 BNA_G
 ClientSampleId :
 PB112901BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.9	75.4	113.2
141	37.1	30.7	46.1




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#44
 2-Fluorobiphenyl
 Concen: 82.079 ng
 RT: 13.29 min Scan# 1703
 Delta R.T. -0.02 min
 Lab File: BG036821.D
 Acq: 19 Sep 2018 14:38

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.2	31.3	46.9
170	25.9	21.0	31.6



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.42 min Scan# 2405
Delta R.T. -0.01 min
Lab File: BG036821.D
Acq: 19 Sep 2018 14:38




Instrument :
BNA_G
ClientSampleId :
PB112901BL


Tot Ion:188 Resp: 377204
Ion Ratio Lower Upper
188 100
94 7.2 6.7 10.1
80 8.3 8.1 12.1



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.68 min Scan# 3131
Delta R.T. -0.01 min
Lab File: BG036821.D
Acq: 19 Sep 2018 14:38

Tgt Ion:240 Resp: 380478
Ion Ratio Lower Upper
240 100
120 7.3 6.9 10.3
236 26.7 21.2 31.8









#78
 Terphenyl-d14
 Concen: 85.222 ng
 RT: 20.03 min Scan# 2849
 Delta R.T. -0.01 min
 Lab File: BG036821.D
 Acq: 19 Sep 2018 14:38

Instrument :
 BNA_G
 ClientSampleId :
 PB112901BL

Tot Ion:244 Resp: 1387266

Ion	Ratio	Lower	Upper
244	100		
212	8.8	7.0	10.6
122	8.7	7.1	10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.89 min Scan# 3677
 Delta R.T. -0.01 min
 Lab File: BG036821.D
 Acq: 19 Sep 2018 14:38

Tgt Ion:264 Resp: 368463

Ion	Ratio	Lower	Upper
264	100		
260	24.6	19.6	29.4
265	20.7	17.4	26.0

