

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092118\
 Data File : BG036897.D
 Acq On : 22 Sep 2018 16:50
 Operator : JU/SJ
 Sample : J5019-07
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 091918-SIDI-E-D-B

Quant Time: Sep 24 04:27:51 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 20 20:07:11 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	38142	20.00	ng	0.00
21) Naphthalene-d8	10.85	136	160114	20.00	ng	0.00
38) Acenaphthene-d10	14.67	164	113195	20.00	ng	0.00
63) Phenanthrene-d10	17.41	188	291282	20.00	ng	0.00
75) Chrysene-d12	21.68	240	307202	20.00	ng	0.00
86) Perylene-d12	24.89	264	305067	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	87812	44.15	ng	0.00
7) Phenol-d6	7.20	99	79879	25.96	ng	0.00
23) Nitrobenzene-d5	9.21	82	304798	101.94	ng	0.00
41) 2,4,6-Tribromophenol	16.16	330	142289	105.06	ng	0.00
44) 2-Fluorobiphenyl	13.30	172	761934	100.25	ng	0.00
78) Terphenyl-d14	20.02	244	1364390	116.78	ng	0.00
Target Compounds						
49) Dimethylphthalate	14.12	163	28271	3.103	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG092118\
Data File : BG036897.D
Acq On : 22 Sep 2018 16:50
Operator : JU/SJ
Sample : J5019-07
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
091918-SIDI-E-D-B

Quant Time: Sep 24 04:27:51 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 20 20:07:11 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 810
Delta R.T. 0.00 min
Lab File: BG036897.D
Acq: 22 Sep 2018 16:50

Instrument :
BNA_G
ClientSampleId :
091918-SIDI-E-D-B

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.1	119.5	179.3
115	57.9	44.5	66.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 44.152 ng
RT: 5.62 min Scan# 396
Delta R.T. -0.00 min
Lab File: BG036897.D
Acq: 22 Sep 2018 16:50

Tgt Ion	Ratio	Lower	Upper
112	100		
64	74.2	57.2	85.8
63	36.7	30.8	46.2






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 25.959 ng

RT: 7.20 min Scan# 666

Delta R.T. -0.01 min

Lab File: BG036897.D

Acq: 22 Sep 2018 16:50

Instrument :

BNA_G

ClientSampleId :

091918-SIDI-E-D-B


Tot Ion: 99 Resp: 79879

Ion Ratio Lower Upper




99 100

42 21.4 16.5 24.7

71 35.4 29.4 44.2



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.85 min Scan# 1287

Delta R.T. -0.00 min

Lab File: BG036897.D

Acq: 22 Sep 2018 16:50

Tgt Ion: 136 Resp: 160114


Ion Ratio Lower Upper

136 100



137 11.2 8.8 13.2


54 11.6 9.2 13.8

68 6.5 5.8 8.6



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 101.941 ng
 RT: 9.21 min Scan# 1007
 Delta R.T. -0.00 min
 Lab File: BG036897.D
 Acq: 22 Sep 2018 16:50

Instrument :
 BNA_G
 ClientSampleId :
 091918-SIDI-E-D-B

Tot Ion	Ratio	Lower	Upper
82	100		
128	40.6	33.3	49.9
54	56.2	45.1	67.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.67 min Scan# 1937
 Delta R.T. -0.00 min
 Lab File: BG036897.D
 Acq: 22 Sep 2018 16:50

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.0	80.7	121.1
160	44.6	35.3	52.9



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC






#41
 2,4,6-Tribromophenol
 Concen: 105.064 ng
 RT: 16.16 min Scan# 2190
 Delta R.T. -0.01 min
 Lab File: BG036897.D
 Acq: 22 Sep 2018 16:50

Instrument :
 BNA_G
 ClientSampleId :
 091918-SIDI-E-D-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.7	75.4	113.2
141	38.5	30.7	46.1






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44
 2-Fluorobiphenyl
 Concen: 100.253 ng
 RT: 13.30 min Scan# 1703
 Delta R.T. -0.00 min
 Lab File: BG036897.D
 Acq: 22 Sep 2018 16:50

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.0	31.3	46.9
170	25.1	21.0	31.6






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#49

Dimethylphthalate

Concen: 3.103 ng

RT: 14.12 min Scan# 1843

Delta R.T. -0.01 min

Lab File: BG036897.D

Acq: 22 Sep 2018 16:50

Instrument :

BNA_G

ClientSampleId :

091918-SIDI-E-D-B


Tot Ion:163 Resp: 28271

Ion Ratio Lower Upper

163 100

194 3.7 4.0 6.0#




164 9.5 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#63

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.41 min Scan# 2404

Delta R.T. -0.00 min

Lab File: BG036897.D

Acq: 22 Sep 2018 16:50


Tgt Ion:188 Resp: 291282

Ion Ratio Lower Upper

188 100

94 7.8 6.7 10.1



80 9.5 8.1 12.1




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#75

Chrysene-d12

Concen: 20.000 ng

RT: 21.68 min Scan# 3130

Delta R.T. -0.01 min

Lab File: BG036897.D

Acq: 22 Sep 2018 16:50

Instrument :

BNA_G

ClientSampleId :

091918-SIDI-E-D-B


Tot Ion:240 Resp: 307202

Ion Ratio Lower Upper

240 100

120 8.5 6.9 10.3




236 25.0 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 116.785 ng

RT: 20.02 min Scan# 2848

Delta R.T. -0.00 min

Lab File: BG036897.D

Acq: 22 Sep 2018 16:50


Tgt Ion:244 Resp: 1364390

Ion Ratio Lower Upper

244 100

212 9.1 7.0 10.6



122 9.3 7.1 10.7




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#86
Pervlene-d12
Concen: 20.000 ng
RT: 24.89 min Scan# 3676
Delta R.T. -0.02 min
Lab File: BG036897.D
Acq: 22 Sep 2018 16:50

Instrument :
BNA_G
ClientSampleId :
091918-SIDI-E-D-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.6	29.4
265	21.3	17.4	26.0



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

