

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG100219\
 Data File : BG043004.D
 Acq On : 3 Oct 2019 4:04
 Operator : JU
 Sample : PB123570TB
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB123570TB

Quant Time: Oct 03 06:37:59 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 25 15:35:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	67228	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	247105	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	174980	20.00	ng	0.00
64) Phenanthrene-d10	17.43	188	417414	20.00	ng	0.00
76) Chrysene-d12	21.69	240	439115	20.00	ng	-0.02
87) Perylene-d12	24.92	264	464464	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	481736	127.88	ng	0.00
7) Phenol-d6	7.24	99	659560	121.58	ng	0.00
23) Nitrobenzene-d5	9.23	82	462038	90.88	ng	0.00
42) 2,4,6-Tribromophenol	16.17	330	425120	141.29	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	1136211	94.13	ng	-0.01
79) Terphenyl-d14	20.04	244	2070942	100.50	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG100219\
Data File : BG043004.D
Acq On : 3 Oct 2019 4:04
Operator : JU
Sample : PB123570TB
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB123570TB

Quant Time: Oct 03 06:37:59 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 25 15:35:52 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.07 min Scan# 848
Delta R.T. -0.01 min
Lab File: BG043004.D
Acq: 3 Oct 2019 4:04

Instrument :
BNA_G
ClientSampleId :
PB123570TB

Tot Ion	Ratio	Lower	Upper
152	100		
150	143.5	115.0	172.4
115	61.8	47.0	70.6






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 127.881 ng
RT: 5.65 min Scan# 437
Delta R.T. -0.00 min
Lab File: BG043004.D
Acq: 3 Oct 2019 4:04

Tgt Ion	Ratio	Lower	Upper
112	100		
64	68.7	56.6	84.8
63	39.0	35.1	52.7






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 121.582 ng

RT: 7.24 min Scan# 707

Delta R.T. -0.00 min

Lab File: BG043004.D

Acq: 3 Oct 2019 4:04

Instrument :

BNA_G

ClientSampleId :

PB123570TB


Tot Ion: 99 Resp: 659560

Ion Ratio Lower Upper

99 100

42 21.1 17.2 25.8

71 42.9 33.1 49.7






Abundance

Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.87 min Scan# 1325

Delta R.T. -0.01 min

Lab File: BG043004.D

Acq: 3 Oct 2019 4:04

Tgt Ion: 136 Resp: 247105


Ion Ratio Lower Upper

136 100

137 11.1 8.5 12.7

54 9.5 7.4 11.2

68 4.2 3.6 5.4





Abundance


Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 90.882 ng
RT: 9.23 min Scan# 1045
Delta R.T. -0.01 min
Lab File: BG043004.D
Acq: 3 Oct 2019 4:04




Instrument :
BNA_G
ClientSampleId :
PB123570TB


Tot Ion	Ratio	Lower	Upper
82	100		
128	38.6	29.5	44.3
54	53.4	44.6	67.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.69 min Scan# 1974
Delta R.T. -0.01 min
Lab File: BG043004.D
Acq: 3 Oct 2019 4:04

Tgt Ion	Ratio	Lower	Upper
164	100		
162	106.1	78.5	117.7
160	50.6	35.9	53.9









#42
 2,4,6-Tribromophenol
 Concen: 141.288 ng
 RT: 16.17 min Scan# 2227
 Delta R.T. -0.01 min
 Lab File: BG043004.D
 Acq: 3 Oct 2019 4:04

Instrument :
 BNA_G
 ClientSampleId :
 PB123570TB

Tot Ion:330 Resp: 425120
 Ion Ratio Lower Upper
 330 100
 332 96.1 78.2 117.2
 141 29.9 26.0 39.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 94.134 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.01 min
 Lab File: BG043004.D
 Acq: 3 Oct 2019 4:04

Tgt Ion:172 Resp: 1136211
 Ion Ratio Lower Upper
 172 100
 171 35.9 29.6 44.4
 170 23.0 19.6 29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.43 min Scan# 2441

Delta R.T. -0.01 min

Lab File: BG043004.D

Acq: 3 Oct 2019 4:04

Instrument :

BNA_G

ClientSampleId :

PB123570TB


Tot Ion:188 Resp: 417414

Ion Ratio Lower Upper

188 100

94 5.7 5.7 8.5




80 7.2 6.5 9.7



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.69 min Scan# 3167

Delta R.T. -0.02 min

Lab File: BG043004.D

Acq: 3 Oct 2019 4:04


Tgt Ion:240 Resp: 439115

Ion Ratio Lower Upper

240 100

120 6.1 4.8 7.2



236 26.5 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 100.496 ng

RT: 20.04 min Scan# 2885

Delta R.T. -0.01 min

Lab File: BG043004.D

Acq: 3 Oct 2019 4:04

Instrument :


BNA_G

ClientSampleId :

PB123570TB

Tot Ion:244 Resp: 2070942

Ion	Ratio	Lower	Upper
244	100		
212	8.6	7.4	11.0
122	8.2	7.0	10.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 24.92 min Scan# 3716


Delta R.T. -0.04 min

Lab File: BG043004.D

Acq: 3 Oct 2019 4:04

Tgt Ion:264 Resp: 464464

Ion	Ratio	Lower	Upper
264	100		
260	25.1	18.7	28.1
265	20.8	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

