

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG100419\
 Data File : BG043032.D
 Acq On : 4 Oct 2019 17:39
 Operator : JU
 Sample : PB123594BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB123594BL

Quant Time: Oct 05 04:51:13 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 25 15:35:52 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	70735	20.00	ng	-0.02
21) Naphthalene-d8	10.86	136	254766	20.00	ng	-0.02
39) Acenaphthene-d10	14.68	164	177237	20.00	ng	-0.01
64) Phenanthrene-d10	17.42	188	423441	20.00	ng	-0.02
76) Chrysene-d12	21.69	240	467365	20.00	ng	-0.02
87) Perylene-d12	24.91	264	544001	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	472867	119.30	ng	-0.01
7) Phenol-d6	7.23	99	676307	118.49	ng	-0.01
23) Nitrobenzene-d5	9.22	82	419138	79.96	ng	-0.02
42) 2,4,6-Tribromophenol	16.17	330	415368	136.29	ng	-0.01
45) 2-Fluorobiphenyl	13.31	172	1075708	87.99	ng	-0.02
79) Terphenyl-d14	20.04	244	2082048	94.93	ng	-0.01
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.22	70	58503	15.610	ng	# 70
50) Dimethylphthalate	14.13	163	73573	5.540	ng	# 98
57) 2,4-Dinitrotoluene	14.68	165	25749	6.218	ng	# 27
67) 4-Bromophenyl-phenylether	16.17	248	28098	5.287	ng	# 1
77) Benzidine	20.04	184	35016	2.992	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG100419\
Data File : BG043032.D
Acq On : 4 Oct 2019 17:39
Operator : JU
Sample : PB123594BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB123594BL

Quant Time: Oct 05 04:51:13 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 25 15:35:52 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. -0.02 min
Lab File: BG043032.D
Acq: 4 Oct 2019 17:39

Instrument :
BNA_G
ClientSampleId :
PB123594BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.2	115.0	172.4
115	61.2	47.0	70.6






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 119.303 ng
RT: 5.65 min Scan# 435
Delta R.T. -0.01 min
Lab File: BG043032.D
Acq: 4 Oct 2019 17:39

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.9	56.6	84.8
63	38.4	35.1	52.7






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 118.488 ng

RT: 7.23 min Scan# 705

Delta R.T. -0.01 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39

Instrument :

BNA_G

ClientSampleId :

PB123594BL





Tot Ion: 99 Resp: 676307

Ion Ratio Lower Upper

99 100

42 18.6 17.2 25.8

71 41.4 33.1 49.7



#19

n-Nitroso-di-n-propylamine

Concen: 15.610 ng

RT: 9.22 min Scan# 1043

Delta R.T. 0.34 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39

Tgt Ion: 70 Resp: 58503




Ion Ratio Lower Upper


70 100

42 44.1 52.6 79.0#

101 0.0 8.7 13.1#

130 2.0 15.8 23.8#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.86 min Scan# 1323
Delta R.T. -0.02 min
Lab File: BG043032.D
Acq: 4 Oct 2019 17:39




Instrument :
BNA_G
ClientSampleId :
PB123594BL


Tot Ion:136	Resp:	254766
Ion Ratio	Lower	Upper
136	100	
137	11.3	8.5 12.7
54	9.3	7.4 11.2
68	3.6	3.6 5.4



#23
Nitrobenzene-d5
Concen: 79.965 ng
RT: 9.22 min Scan# 1043
Delta R.T. -0.02 min
Lab File: BG043032.D
Acq: 4 Oct 2019 17:39

Tgt Ion: 82	Resp:	419138
Ion Ratio	Lower	Upper
82	100	
128	39.0	29.5 44.3
54	51.9	44.6 67.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.68 min Scan# 1973

Delta R.T. -0.01 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39

Instrument :

BNA_G

ClientSampleId :

PB123594BL


Tot Ion:164 Resp: 177237

Ion Ratio Lower Upper

164 100

162 105.2 78.5 117.7




160 47.6 35.9 53.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 136.289 ng

RT: 16.17 min Scan# 2226

Delta R.T. -0.01 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39


Tgt Ion:330 Resp: 415368

Ion Ratio Lower Upper

330 100

332 96.0 78.2 117.2



141 30.2 26.0 39.0




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 87.987 ng
RT: 13.31 min Scan# 1739
Delta R.T. -0.02 min
Lab File: BG043032.D
Acq: 4 Oct 2019 17:39




Instrument :
BNA_G
ClientSampleId :
PB123594BL


Tot Ion:172 Resp: 1075708
Ion Ratio Lower Upper
172 100
171 36.3 29.6 44.4
170 24.0 19.6 29.4



#50
Dimethylphthalate
Concen: 5.540 ng
RT: 14.13 min Scan# 1879
Delta R.T. -0.02 min
Lab File: BG043032.D
Acq: 4 Oct 2019 17:39

Tgt Ion:163 Resp: 73573
Ion Ratio Lower Upper
163 100
194 4.7 4.4 6.6
164 10.2 8.6 12.8





#57

2,4-Dinitrotoluene

Concen: 6.218 ng

RT: 14.68 min Scan# 1972

Delta R.T. -0.38 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39

Instrument :

BNA_G

ClientSampleId :

PB123594BL

Tot Ion:165 Resp: 25749


Ion Ratio Lower Upper

165 100

63 3.5 36.5 54.7#

89 2.5 55.5 83.3#

182 0.0 2.4 3.6#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. -0.02 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39


Tgt Ion:188 Resp: 423441

Ion Ratio Lower Upper

188 100

94 6.2 5.7 8.5



80 7.6 6.5 9.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 5.287 ng
 RT: 16.17 min Scan# 2226
 Delta R.T. -0.46 min
 Lab File: BG043032.D
 Acq: 4 Oct 2019 17:39

Instrument :
 BNA_G
 ClientSampled :
 PB123594BL

Tot Ion:248 Resp: 28098
 Ion Ratio Lower Upper
 248 100
 250 209.1 75.8 113.8#
 141 429.4 51.1 76.7#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.69 min Scan# 3166
 Delta R.T. -0.02 min
 Lab File: BG043032.D
 Acq: 4 Oct 2019 17:39

Tgt Ion:240 Resp: 467365
 Ion Ratio Lower Upper
 240 100
 120 5.2 4.8 7.2
 236 26.2 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.992 ng

RT: 20.04 min Scan# 2884

Delta R.T. 0.36 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39

Instrument :

BNA_G

ClientSampleId :

PB123594BL


Tot Ion:184 Resp: 35016

Ion Ratio Lower Upper

184 100

185 14.4 11.8 17.8




183 8.7 10.1 15.1#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 94.928 ng

RT: 20.04 min Scan# 2884

Delta R.T. -0.01 min

Lab File: BG043032.D

Acq: 4 Oct 2019 17:39


Tgt Ion:244 Resp: 2082048

Ion Ratio Lower Upper

244 100

212 8.8 7.4 11.0



122 7.8 7.0 10.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.91 min Scan# 3714
Delta R.T. -0.05 min
Lab File: BG043032.D
Acq: 4 Oct 2019 17:39

Instrument :
BNA_G
ClientSampleId :
PB123594BL

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.5	18.7	28.1
265	22.3	17.7	26.5

