

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100920\
 Data File : BG046837.D
 Acq On : 9 Oct 2020 17:03
 Operator : CG/JU
 Sample : L4303-21
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 IDW-20201006

Quant Time: Oct 09 18:21:10 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 07 11:38:17 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.103	152	60927	20.00	ng	# 0.00
21) Naphthalene-d8	10.918	136	242451	20.00	ng	# 0.00
39) Acenaphthene-d10	14.725	164	163867	20.00	ng	-0.01
64) Phenanthrene-d10	17.469	188	396984	20.00	ng	#-0.01
76) Chrysene-d12	21.746	240	460124	20.00	ng	#-0.01
86) Perylene-d12	25.007	264	478291	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.665	112	379979	99.91	ng	0.00
7) Phenol-d6	7.257	99	499487	93.11	ng	0.00
23) Nitrobenzene-d5	9.267	82	360676	79.14	ng	0.00
42) 2,4,6-Tribromophenol	16.211	330	249639	115.54	ng	0.00
45) 2-Fluorobiphenyl	13.356	172	817304	70.61	ng	0.00
79) Terphenyl-d14	20.078	244	1446824	63.02	ng	0.00
Target Compounds						
50) Dimethylphthalate	14.173	163	64074	4.90	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG100920\
Data File : BG046837.D
Acq On : 9 Oct 2020 17:03
Operator : CG/JU
Sample : L4303-21
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
IDW-20201006

Quant Time: Oct 09 18:21:10 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG092220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 07 11:38:17 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 8.103 min Scan# 811
Delta R.T. -0.005 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
IDW-20201006


Tgt Ion:152 Resp: 60927
Ion Ratio Lower Upper
152 100
150 152.8 125.0 187.6
115 64.7 41.8 62.6#



#5
2-Fluorophenol
Concen: 99.91 ng
RT: 5.665 min Scan# 396
Delta R.T. -0.005 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03

Tgt Ion:112 Resp: 379979
Ion Ratio Lower Upper
112 100
64 63.6 46.7 70.1
63 36.3 22.8 34.2#









#7
Phenol-d6
Concen: 93.11 ng
RT: 7.257 min Scan# 667
Delta R.T. 0.001 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
IDW-20201006


Tgt Ion: 99 Resp: 499487
Ion Ratio Lower Upper
99 100
42 21.1 12.8 19.2#
71 41.6 24.6 36.8#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 10.918 min Scan# 1290
Delta R.T. -0.005 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03

Tgt Ion:136 Resp: 242451
Ion Ratio Lower Upper
136 100
137 11.8 9.1 13.7
54 9.4 6.2 9.4#
68 5.0 5.0 7.4









#23
Nitrobenzene-d5
Concen: 79.14 ng
RT: 9.267 min Scan# 1009
Delta R.T. -0.005 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
IDW-20201006


Tgt Ion: 82 Resp: 360676
Ion Ratio Lower Upper
82 100
128 40.8 37.0 55.6
54 52.0 39.0 58.4



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.725 min Scan# 1938
Delta R.T. -0.010 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03


Tgt Ion:164 Resp: 163867
Ion Ratio Lower Upper
164 100
162 103.4 82.3 123.5
160 42.5 35.3 52.9








#42
2,4,6-Tribromophenol
Concen: 115.54 ng
RT: 16.211 min Scan# 2191
Delta R.T. -0.005 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03


Instrument :
BNA_G
ClientSampleId :
IDW-20201006





Tgt Ion:330 Resp: 249639
Ion Ratio Lower Upper
330 100
332 94.5 76.5 114.7
141 34.0 26.0 39.0




#45
2-Fluorobiphenyl
Concen: 70.61 ng
RT: 13.356 min Scan# 1705
Delta R.T. -0.004 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03



Tgt Ion:172 Resp: 817304
Ion Ratio Lower Upper
172 100
171 36.8 31.3 46.9
170 23.2 20.8 31.2









#50
Dimethylphthalate
Concen: 4.90 ng
RT: 14.173 min Scan# 1844
Delta R.T. -0.010 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
IDW-20201006


Tgt Ion:163 Resp: 64074
Ion Ratio Lower Upper
163 100
194 4.8 3.8 5.8
164 8.5 8.8 13.2#



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 17.469 min Scan# 2405
Delta R.T. -0.010 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03

Tgt Ion:188 Resp: 396984
Ion Ratio Lower Upper
188 100
94 6.0 6.3 9.5#
80 7.4 7.0 10.6









#76
Chrysene-d12
Concen: 20.00 ng
RT: 21.746 min Scan# 3133
Delta R.T. -0.010 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03




Instrument :
BNA_G
ClientSampleId :
IDW-20201006


Tgt Ion:240 Resp: 460124
Ion Ratio Lower Upper
240 100
120 4.9 6.2 9.4#
236 24.7 20.5 30.7



#79
Terphenyl-d14
Concen: 63.02 ng
RT: 20.078 min Scan# 2849
Delta R.T. -0.004 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03


Tgt Ion:244 Resp: 1446824
Ion Ratio Lower Upper
244 100
212 7.9 6.7 10.1
122 6.4 7.8 11.6#





#86
Perylene-d12
Concen: 20.00 ng
RT: 25.007 min Scan# 3688
Delta R.T. -0.022 min
Lab File: BG046837.D
Acq: 9 Oct 2020 17:03

Instrument :
BNA_G
ClientSampleId :
IDW-20201006



Tgt Ion:264 Resp: 478291

Ion	Ratio	Lower	Upper
264	100		
260	22.8	18.8	28.2
265	22.5	17.8	26.8

