

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG101619\
 Data File : BG043249.D
 Acq On : 16 Oct 2019 17:40
 Operator : JU
 Sample : PB123988BL
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB123988BL

Quant Time: Oct 17 01:53:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 09 01:11:45 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	46933	20.00	ng	0.00
21) Naphthalene-d8	10.86	136	159616	20.00	ng	0.00
39) Acenaphthene-d10	14.68	164	116355	20.00	ng	0.00
64) Phenanthrene-d10	17.42	188	284620	20.00	ng	0.00
76) Chrysene-d12	21.70	240	345630	20.00	ng	0.00
87) Perylene-d12	24.92	264	400463	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	298662	113.57	ng	0.00
7) Phenol-d6	7.22	99	413242	109.12	ng	0.00
23) Nitrobenzene-d5	9.21	82	250376	76.24	ng	0.00
42) 2,4,6-Tribromophenol	16.16	330	246096	123.00	ng	0.00
45) 2-Fluorobiphenyl	13.30	172	649308	80.90	ng	0.00
79) Terphenyl-d14	20.03	244	1405687	86.66	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.21	70	34561	13.898	ng	# 67
51) 2,6-Dinitrotoluene	14.67	165	15789	8.504	ng	# 21
57) 2,4-Dinitrotoluene	14.67	165	15789	5.807	ng	# 24
67) 4-Bromophenyl-phenylether	16.16	248	15272	4.275	ng	# 1
77) Benzidine	20.03	184	21027	2.430	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG101619\
Data File : BG043249.D
Acq On : 16 Oct 2019 17:40
Operator : JU
Sample : PB123988BL
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB123988BL

Quant Time: Oct 17 01:53:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG092519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 09 01:11:45 2019
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 844
Delta R.T. -0.01 min
Lab File: BG043249.D
Acq: 16 Oct 2019 17:40

Instrument :
BNA_G
ClientSampleId :
PB123988BL

Tot Ion	Ratio	Lower	Upper
152	100		
150	139.1	115.0	172.4
115	57.6	47.0	70.6






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 113.566 ng
RT: 5.63 min Scan# 433
Delta R.T. -0.00 min
Lab File: BG043249.D
Acq: 16 Oct 2019 17:40

Tgt Ion	Ratio	Lower	Upper
112	100		
64	59.9	56.6	84.8
63	37.8	35.1	52.7






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG

Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 109.117 ng

RT: 7.22 min Scan# 703

Delta R.T. -0.01 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40

Instrument :

BNA_G

ClientSampleId :

PB123988BL


Tot Ion: 99 Resp: 413242

Ion Ratio Lower Upper




99 100

42 19.1 17.2 25.8

71 41.0 33.1 49.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.898 ng

RT: 9.21 min Scan# 1042

Delta R.T. 0.35 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40

Tgt Ion: 70 Resp: 34561


Ion Ratio Lower Upper

70 100



42 39.8 52.6 79.0#


101 0.0 8.7 13.1#

130 3.0 15.8 23.8#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.86 min Scan# 1322
Delta R.T. -0.00 min
Lab File: BG043249.D
Acq: 16 Oct 2019 17:40




Instrument :
BNA_G
ClientSampleId :
PB123988BL


Tot Ion:136	Resp:	159616
Ion Ratio	Lower	Upper
136	100	
137	11.1	8.5 12.7
54	7.5	7.4 11.2
68	3.7	3.6 5.4



#23
Nitrobenzene-d5
Concen: 76.243 ng
RT: 9.21 min Scan# 1042
Delta R.T. -0.00 min
Lab File: BG043249.D
Acq: 16 Oct 2019 17:40

Tgt Ion: 82	Resp:	250376
Ion Ratio	Lower	Upper
82	100	
128	40.2	29.5 44.3
54	50.2	44.6 67.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.68 min Scan# 1972

Delta R.T. -0.00 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40

Instrument :

BNA_G

ClientSampleId :

PB123988BL


Tot Ion:164 Resp: 116355

Ion Ratio Lower Upper

164 100

162 99.6 78.5 117.7




160 46.2 35.9 53.9



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 122.999 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.00 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40


Tgt Ion:330 Resp: 246096

Ion Ratio Lower Upper

330 100

332 94.7 78.2 117.2



141 27.5 26.0 39.0




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 80.899 ng
 RT: 13.30 min Scan# 1737
 Delta R.T. -0.01 min
 Lab File: BG043249.D
 Acq: 16 Oct 2019 17:40




Instrument :
 BNA_G
 ClientSampleId :
 PB123988BL


Tot Ion	Ratio	Lower	Upper
172	100		
171	35.6	29.6	44.4
170	23.1	19.6	29.4



#51
 2,6-Dinitrotoluene
 Concen: 8.504 ng
 RT: 14.67 min Scan# 1971
 Delta R.T. 0.42 min
 Lab File: BG043249.D
 Acq: 16 Oct 2019 17:40

Tgt Ion	Ratio	Lower	Upper
165	100		
63	2.5	50.3	75.5#
89	0.0	48.9	73.3#





#57

2,4-Dinitrotoluene

Concen: 5.807 ng

RT: 14.67 min Scan# 1971

Delta R.T. -0.36 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40

Instrument :

BNA_G

ClientSampleId :

PB123988BL

Tot Ion:165 Resp: 15789


Ion Ratio Lower Upper

165 100

63 2.5 36.5 54.7#

89 0.0 55.5 83.3#

182 0.0 2.4 3.6#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.42 min Scan# 2439

Delta R.T. 0.00 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40


Tgt Ion:188 Resp: 284620

Ion Ratio Lower Upper

188 100

94 5.3 5.7 8.5#



80 7.3 6.5 9.7




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC





#67

4-Bromophenyl-phenylether

Concen: 4.275 ng

RT: 16.16 min Scan# 2225

Delta R.T. -0.44 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40

Instrument :

BNA_G

ClientSampled :

PB123988BL


Tot Ion:248 Resp: 15272

Ion Ratio Lower Upper

248 100

250 195.4 75.8 113.8#




141 435.5 51.1 76.7#



Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.70 min Scan# 3167

Delta R.T. 0.01 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40


Tgt Ion:240 Resp: 345630

Ion Ratio Lower Upper

240 100

120 5.3 4.8 7.2



236 26.1 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.430 ng

RT: 20.03 min Scan# 2883

Delta R.T. 0.37 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40

Instrument :

BNA_G

ClientSampleId :

PB123988BL


Tot Ion:184 Resp: 21027

Ion Ratio Lower Upper

184 100

185 17.8 11.8 17.8#




183 9.7 10.1 15.1#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 86.664 ng

RT: 20.03 min Scan# 2883

Delta R.T. 0.00 min

Lab File: BG043249.D

Acq: 16 Oct 2019 17:40


Tgt Ion:244 Resp: 1405687

Ion Ratio Lower Upper

244 100

212 7.4 7.4 11.0



122 6.8 7.0 10.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87
Pervlene-d12
Concen: 20.000 ng
RT: 24.92 min Scan# 3716
Delta R.T. 0.01 min
Lab File: BG043249.D
Acq: 16 Oct 2019 17:40

Instrument :
BNA_G
ClientSampleId :
PB123988BL

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	18.7	28.1
265	22.0	17.7	26.5



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

