

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102220\
 Data File : BG047066.D
 Acq On : 23 Oct 2020 15:13
 Operator : CG/JU
 Sample : L4449-22
 Misc : GCMS CONFIRMATION
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0AF8

Quant Time: Oct 23 16:19:36 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG102220MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Oct 22 05:48:14 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	62971	20.00	ng/ul	0.00
18) Naphthalene-d8	10.87	136	235589	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.69	164	163476	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.44	188	330742	20.00	ng/ul	0.00
78) Chrysene-d12	21.70	240	346768	20.00	ng/ul	0.00
86) Perylene-d12	24.94	264	354307	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL
5) Phenol-d5	0.00	99	0d	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0d	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul
44) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul
47) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul
52) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
58) Fluorene-d10	0.00	176	0d	0.00	ng/ul
63) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul
79) Pyrene-d10	0.00	212	0d	0.00	ng/ul
90) Benzo(a)pyrene-d12	0.00	264	0	0.00	ng/ul


Target Compounds				Ovalue
70) Phenanthrene	17.48	178	21116	1.138 ng/ul 98
77) Fluoranthene	19.48	202	22577	1.011 ng/ul# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102220\
Data File : BG047066.D
Acq On : 23 Oct 2020 15:13
Operator : CG/JU
Sample : L4449-22
Misc : GCMS CONFIRMATION
ALS Vial : 40 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0AF8

Quant Time: Oct 23 16:19:36 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG102220MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Oct 22 05:48:14 2020
Response via : Initial Calibration





#70

Phenanthrene

Concen: 1.138 ng/ul

RT: 17.48 min Scan# 2406

Delta R.T. 0.00 min

Lab File: BG047066.D

Acq: 23 Oct 2020 15:13

Instrument :

BNA_G

ClientSampleId :

C0AF8


Tot Ion:178 Resp: 21116

Ion Ratio Lower Upper

178 100

179 15.9 13.0 19.4




176 21.1 15.5 23.3



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



#77

Fluoranthene

Concen: 1.011 ng/ul

RT: 19.48 min Scan# 2747

Delta R.T. -0.01 min

Lab File: BG047066.D

Acq: 23 Oct 2020 15:13


Tgt Ion:202 Resp: 22577

Ion Ratio Lower Upper

202 100

101 9.0 4.9 7.3#

100 4.8 4.2 6.4



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B

