

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102318\
 Data File : BG037484.D
 Acq On : 23 Oct 2018 20:08
 Operator : JU/SJ
 Sample : J5621-09
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 24 04:42:58 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	68004	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	303356	20.00	ng	0.00
39) Acenaphthene-d10	14.74	164	203699	20.00	ng	0.00
64) Phenanthrene-d10	17.49	188	493097	20.00	ng	0.00
76) Chrysene-d12	21.77	240	457990	20.00	ng	0.00
87) Perylene-d12	25.11	264	457361	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	231520	56.92	ng	0.00
7) Phenol-d6	7.24	99	250187	40.68	ng	0.00
23) Nitrobenzene-d5	9.28	82	433479	80.05	ng	0.00
42) 2,4,6-Tribromophenol	16.23	330	268208	120.72	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	1008204	74.64	ng	0.00
79) Terphenyl-d14	20.09	244	1532709	71.51	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.28	70	55337	13.065	ng	# 72
51) 2,6-Dinitrotoluene	14.74	165	26222	7.522	ng	# 26
57) 2,4-Dinitrotoluene	14.74	165	26222	5.730	ng	# 25
65) 4,6-Dinitro-2-methylphenol	16.22	198	859	8.781	ng	# 76
67) 4-Bromophenyl-phenylether	16.23	248	20221	3.734	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102318\
Data File : BG037484.D
Acq On : 23 Oct 2018 20:08
Operator : JU/SJ
Sample : J5621-09
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 24 04:42:58 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.00 min
Lab File: BG037484.D
Acq: 23 Oct 2018 20:08

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 68004
Ion Ratio Lower Upper
152 100
150 165.5 126.0 189.0
115 59.8 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 56.918 ng
RT: 5.65 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037484.D
Acq: 23 Oct 2018 20:08

Tgt Ion:112 Resp: 231520
Ion Ratio Lower Upper
112 100
64 63.7 53.1 79.7
63 32.1 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 40.676 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037484.D

Acq: 23 Oct 2018 20:08

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 250187

Ion Ratio Lower Upper




99 100

42 18.7 15.0 22.4

71 32.5 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.065 ng

RT: 9.28 min Scan# 1020

Delta R.T. 0.37 min

Lab File: BG037484.D

Acq: 23 Oct 2018 20:08

Tgt Ion: 70 Resp: 55337


Ion Ratio Lower Upper

70 100



42 49.1 53.9 80.9#

101 0.0 8.2 12.2#

130 2.7 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.93 min Scan# 1300
Delta R.T. -0.00 min
Lab File: BG037484.D
Acq: 23 Oct 2018 20:08

Instrument :
BNA_G
ClientSampled :

Tot Ion:136	Resp:	303356
Ion	Ratio	Lower Upper
136	100	
137	10.9	9.6 14.4
54	10.5	7.9 11.9
68	6.8	4.8 7.2




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23
Nitrobenzene-d5
Concen: 80.048 ng
RT: 9.28 min Scan# 1020
Delta R.T. -0.00 min
Lab File: BG037484.D
Acq: 23 Oct 2018 20:08

Tgt Ion: 82	Resp:	433479
Ion	Ratio	Lower Upper
82	100	
128	44.8	34.6 51.8
54	55.0	45.3 67.9



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1949

Delta R.T. -0.00 min

Lab File: BG037484.D

Acq: 23 Oct 2018 20:08

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 203699

Ion Ratio Lower Upper

164 100

162 100.9 81.3 121.9




160 45.2 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 120.721 ng

RT: 16.23 min Scan# 2202

Delta R.T. -0.00 min

Lab File: BG037484.D

Acq: 23 Oct 2018 20:08


Tgt Ion:330 Resp: 268208

Ion Ratio Lower Upper

330 100

332 95.5 78.4 117.6



141 40.2 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 74.635 ng
RT: 13.36 min Scan# 1714
Delta R.T. -0.01 min
Lab File: BG037484.D
Acq: 23 Oct 2018 20:08

Instrument :
BNA_G
ClientSampleId :

Tot Ion:172 Resp: 1008204
Ion Ratio Lower Upper
172 100
171 37.9 31.0 46.4
170 25.4 20.2 30.2




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#51
2,6-Dinitrotoluene
Concen: 7.522 ng
RT: 14.74 min Scan# 1948
Delta R.T. 0.42 min
Lab File: BG037484.D
Acq: 23 Oct 2018 20:08

Tgt Ion:165 Resp: 26222
Ion Ratio Lower Upper
165 100
63 1.4 43.4 65.2#
89 1.7 45.8 68.6#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BG
Ion 89.00 (88.70 to 89.70): BG






#57
 2,4-Dinitrotoluene
 Concen: 5.730 ng
 RT: 14.74 min Scan# 1948
 Delta R.T. -0.36 min
 Lab File: BG037484.D
 Acq: 23 Oct 2018 20:08

Instrument :
 BNA_G
 ClientSampled :

Tot Ion	Ratio	Lower	Upper
165	100		
63	1.4	33.4	50.0#
89	1.7	57.2	85.8#
182	0.0	2.6	4.0#






Abundance

Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.49 min Scan# 2416
 Delta R.T. -0.00 min
 Lab File: BG037484.D
 Acq: 23 Oct 2018 20:08

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.6	7.2	10.8
80	10.3	7.7	11.5






Abundance

Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC








#65
 4,6-Dinitro-2-methylphenol
 Concen: 8.781 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. 0.36 min
 Lab File: BG037484.D
 Acq: 23 Oct 2018 20:08

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:198 Resp: 859
 Ion Ratio Lower Upper
 198 100
 51 20.1 22.7 62.7#
 105 32.3 19.7 59.7




Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BG
 Ion 105.00 (104.70 to 105.70): E






#67
 4-Bromophenyl-phenylether
 Concen: 3.734 ng
 RT: 16.23 min Scan# 2202
 Delta R.T. -0.44 min
 Lab File: BG037484.D
 Acq: 23 Oct 2018 20:08

Tgt Ion:248 Resp: 20221
 Ion Ratio Lower Upper
 248 100
 250 193.1 77.0 115.6#
 141 406.2 55.5 83.3#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E









#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 21.77 min Scan# 3145
 Delta R.T. -0.01 min
 Lab File: BG037484.D
 Acq: 23 Oct 2018 20:08




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion:240 Resp: 457990
 Ion Ratio Lower Upper
 240 100
 120 11.5 8.1 12.1
 236 26.4 21.4 32.0



#79
 Terphenyl-d14
 Concen: 71.509 ng
 RT: 20.09 min Scan# 2859
 Delta R.T. -0.00 min
 Lab File: BG037484.D
 Acq: 23 Oct 2018 20:08

Tgt Ion:244 Resp: 1532709
 Ion Ratio Lower Upper
 244 100
 212 8.7 6.5 9.7
 122 11.9 9.0 13.4





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.11 min Scan# 3713
Delta R.T. -0.01 min
Lab File: BG037484.D
Acq: 23 Oct 2018 20:08

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.2	27.4
265	22.6	17.9	26.9

