

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102318\
 Data File : BG037504.D
 Acq On : 24 Oct 2018 10:16
 Operator : JU/SJ
 Sample : J5621-06
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SA-SB-01B

Quant Time: Oct 24 11:42:56 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.11	152	63087	20.00	ng	0.00
21) Naphthalene-d8	10.93	136	280647	20.00	ng	0.00
39) Acenaphthene-d10	14.74	164	194673	20.00	ng	0.00
64) Phenanthrene-d10	17.49	188	467572	20.00	ng	0.00
76) Chrysene-d12	21.77	240	416796	20.00	ng	0.00
87) Perylene-d12	25.11	264	420752	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.65	112	350725	92.94	ng	0.00
7) Phenol-d6	7.25	99	529507	92.80	ng	0.00
23) Nitrobenzene-d5	9.28	82	312192	62.32	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	166854	78.58	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	505519	39.16	ng	0.00
79) Terphenyl-d14	20.08	244	840170	43.07	ng	0.00
Target Compounds						
10) Phenol	7.27	94	63783	10.594	ng	98
50) Dimethylphthalate	14.18	163	117977	7.834	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102318\
Data File : BG037504.D
Acq On : 24 Oct 2018 10:16
Operator : JU/SJ
Sample : J5621-06
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SA-SB-01B

Quant Time: Oct 24 11:42:56 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.11 min Scan# 820
Delta R.T. -0.00 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16

Instrument :
BNA_G
ClientSampleId :
SA-SB-01B

Tot Ion:152 Resp: 63087
Ion Ratio Lower Upper
152 100
150 156.9 126.0 189.0
115 54.0 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 92.945 ng
RT: 5.65 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16

Tgt Ion:112 Resp: 350725
Ion Ratio Lower Upper
112 100
64 66.2 53.1 79.7
63 33.3 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 92.799 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037504.D

Acq: 24 Oct 2018 10:16

Instrument :

BNA_G

ClientSampleId :

SA-SB-01B


Tot Ion: 99 Resp: 529507

Ion Ratio Lower Upper




99 100

42 17.2 15.0 22.4

71 30.7 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 10.594 ng

RT: 7.27 min Scan# 678

Delta R.T. -0.00 min

Lab File: BG037504.D

Acq: 24 Oct 2018 10:16


Tgt Ion: 94 Resp: 63783

Ion Ratio Lower Upper



94 100


65 28.5 9.7 49.7

66 36.5 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.93 min Scan# 1300
Delta R.T. -0.00 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16




Instrument :
BNA_G
ClientSampleId :
SA-SB-01B


Tot Ion:136	Resp:	280647
Ion Ratio	Lower	Upper
136 100		
137 11.7	9.6	14.4
54 10.4	7.9	11.9
68 6.2	4.8	7.2



#23
Nitrobenzene-d5
Concen: 62.316 ng
RT: 9.28 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16

Tgt	Ion: 82	Resp:	312192
Ion	Ratio	Lower	Upper
82	100		
128	42.9	34.6	51.8
54	53.8	45.3	67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1948

Delta R.T. -0.01 min

Lab File: BG037504.D

Acq: 24 Oct 2018 10:16

Instrument :

BNA_G

ClientSampleId :

SA-SB-01B



Tot Ion:164 Resp: 194673

Ion Ratio Lower Upper

164 100

162 102.2 81.3 121.9



160 44.8 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 78.583 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.01 min

Lab File: BG037504.D

Acq: 24 Oct 2018 10:16



Tgt Ion:330 Resp: 166854

Ion Ratio Lower Upper

330 100

332 96.6 78.4 117.6


141 40.2 32.2 48.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 39.158 ng
RT: 13.36 min Scan# 1714
Delta R.T. -0.01 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16




Instrument :
BNA_G
ClientSampleId :
SA-SB-01B


Tot Ion:172 Resp: 505519
Ion Ratio Lower Upper
172 100
171 38.2 31.0 46.4
170 25.5 20.2 30.2



#50
Dimethylphthalate
Concen: 7.834 ng
RT: 14.18 min Scan# 1854
Delta R.T. -0.01 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16

Tgt Ion:163 Resp: 117977
Ion Ratio Lower Upper
163 100
194 4.0 3.5 5.3
164 9.9 8.5 12.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2416
Delta R.T. -0.00 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16

Instrument :
BNA_G
ClientSampleId :
SA-SB-01B

Tot Ion:188 Resp: 467572
Ion Ratio Lower Upper
188 100
94 9.1 7.2 10.8
80 10.2 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.01 min
Lab File: BG037504.D
Acq: 24 Oct 2018 10:16

Tgt Ion:240 Resp: 416796
Ion Ratio Lower Upper
240 100
120 11.0 8.1 12.1
236 27.4 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 43.073 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037504.D

Acq: 24 Oct 2018 10:16

Instrument :

BNA_G

ClientSampleId :

SA-SB-01B


Tot Ion:244 Resp: 840170

Ion Ratio Lower Upper

244 100

212 7.8 6.5 9.7




122 11.0 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.11 min Scan# 3713

Delta R.T. -0.01 min

Lab File: BG037504.D

Acq: 24 Oct 2018 10:16


Tgt Ion:264 Resp: 420752

Ion Ratio Lower Upper

264 100

260 22.6 18.2 27.4

265 22.1 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

