

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102518\
 Data File : BG037550.D
 Acq On : 25 Oct 2018 18:18
 Operator : JU/SJ
 Sample : J5621-07
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SA-SB-01C

Quant Time: Oct 26 08:05:35 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	56261	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	260372	20.00	ng	0.00
39) Acenaphthene-d10	14.74	164	179779	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	431431	20.00	ng	0.00
76) Chrysene-d12	21.76	240	391719	20.00	ng	-0.01
87) Perylene-d12	25.10	264	388910	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	367776	109.29	ng	0.00
7) Phenol-d6	7.24	99	545478	107.20	ng	0.00
23) Nitrobenzene-d5	9.28	82	312607	67.26	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	177242	90.39	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	584892	49.06	ng	0.00
79) Terphenyl-d14	20.08	244	947345	51.68	ng	0.00
Target Compounds						
10) Phenol	7.27	94	76351	14.221	ng	96
19) n-Nitroso-di-n-propylamine	9.28	70	38482	10.982	ng	# 73
50) Dimethylphthalate	14.18	163	106059	7.626	ng	97
57) 2,4-Dinitrotoluene	14.74	165	23718	5.873	ng	# 25
65) 4,6-Dinitro-2-methylphenol	16.22	198	377	8.645	ng	# 1
67) 4-Bromophenyl-phenylether	16.22	248	12887	2.720	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102518\
Data File : BG037550.D
Acq On : 25 Oct 2018 18:18
Operator : JU/SJ
Sample : J5621-07
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SA-SB-01C

Quant Time: Oct 26 08:05:35 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037550.D
Acq: 25 Oct 2018 18:18

Instrument :
BNA_G
ClientSampleId :
SA-SB-01C

Tot Ion:152 Resp: 56261
Ion Ratio Lower Upper
152 100
150 165.6 126.0 189.0
115 55.7 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 109.288 ng
RT: 5.64 min Scan# 400
Delta R.T. -0.01 min
Lab File: BG037550.D
Acq: 25 Oct 2018 18:18

Tgt Ion:112 Resp: 367776
Ion Ratio Lower Upper
112 100
64 66.0 53.1 79.7
63 33.3 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 107.196 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18

Instrument :

BNA_G

ClientSampleId :

SA-SB-01C


Tot Ion: 99 Resp: 545478

Ion Ratio Lower Upper




99 100

42 17.3 15.0 22.4

71 30.2 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 14.221 ng

RT: 7.27 min Scan# 678

Delta R.T. -0.00 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18


Tgt Ion: 94 Resp: 76351

Ion Ratio Lower Upper



94 100

65 28.7 9.7 49.7

66 32.9 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC








#19
n-Nitroso-di-n-propylamine
Concen: 10.982 ng
RT: 9.28 min Scan# 1020
Delta R.T. 0.37 min
Lab File: BG037550.D
Acq: 25 Oct 2018 18:18




Instrument :
BNA_G
ClientSampleId :
SA-SB-01C

Tot Ion: 70 Resp: 38482
Ion Ratio Lower Upper
70 100
42 49.6 53.9 80.9#
101 0.0 8.2 12.2#
130 3.2 18.2 27.4#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1299
Delta R.T. -0.01 min
Lab File: BG037550.D
Acq: 25 Oct 2018 18:18

Tgt Ion: 136 Resp: 260372
Ion Ratio Lower Upper
136 100
137 11.8 9.6 14.4
54 12.1 7.9 11.9#
68 7.0 4.8 7.2









#23
Nitrobenzene-d5
Concen: 67.257 ng
RT: 9.28 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG037550.D
Acq: 25 Oct 2018 18:18




Instrument :
BNA_G
ClientSampleId :
SA-SB-01C


Tot Ion	82	Resp	312607
Ion Ratio	100	Lower	Upper
128	42.7	34.6	51.8
54	52.0	45.3	67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.74 min Scan# 1948
Delta R.T. -0.01 min
Lab File: BG037550.D
Acq: 25 Oct 2018 18:18

Tgt Ion	164	Resp	179779
Ion Ratio	100	Lower	Upper
162	105.0	81.3	121.9
160	43.7	36.3	54.5








#42
 2,4,6-Tribromophenol
 Concen: 90.391 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.01 min
 Lab File: BG037550.D
 Acq: 25 Oct 2018 18:18

Instrument :
 BNA_G
 ClientSampleId :
 SA-SB-01C

Tot Ion:330 Resp: 177242
 Ion Ratio Lower Upper
 330 100
 332 96.2 78.4 117.6
 141 40.6 32.2 48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 49.059 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037550.D
 Acq: 25 Oct 2018 18:18

Tgt Ion:172 Resp: 584892
 Ion Ratio Lower Upper
 172 100
 171 37.2 31.0 46.4
 170 26.1 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 7.626 ng

RT: 14.18 min Scan# 1854

Delta R.T. -0.01 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18

Instrument :

BNA_G

ClientSampleId :

SA-SB-01C


Tot Ion:163 Resp: 106059

Ion Ratio Lower Upper

163 100

194 5.0 3.5 5.3




164 9.1 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57

2,4-Dinitrotoluene

Concen: 5.873 ng

RT: 14.74 min Scan# 1948

Delta R.T. -0.36 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18

Tgt Ion:165 Resp: 23718


Ion Ratio Lower Upper

165 100

63 1.9 33.4 50.0#

89 1.6 57.2 85.8#

182 0.0 2.6 4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.48 min Scan# 2415

Delta R.T. -0.01 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18

Instrument :

BNA_G

ClientSampleId :

SA-SB-01C


Tot Ion:188 Resp: 431431

Ion Ratio Lower Upper

188 100

94 9.8 7.2 10.8




80 10.5 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#65

4,6-Dinitro-2-methylphenol

Concen: 8.645 ng

RT: 16.22 min Scan# 2201

Delta R.T. 0.36 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18


Tgt Ion:198 Resp: 377

Ion Ratio Lower Upper

198 100

51 111.0 22.7 62.7#



105 187.0 19.7 59.7#




Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BGC

Ion 105.00 (104.70 to 105.70): E









#67
 4-Bromophenyl-phenylether
 Concen: 2.720 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.45 min
 Lab File: BG037550.D
 Acq: 25 Oct 2018 18:18

Instrument :
 BNA_G
 ClientSampleId :
 SA-SB-01C

Tot Ion:248 Resp: 12887
 Ion Ratio Lower Upper
 248 100
 250 203.7 77.0 115.6#
 141 456.1 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E





#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.76 min Scan# 3144
 Delta R.T. -0.01 min
 Lab File: BG037550.D
 Acq: 25 Oct 2018 18:18

Tgt Ion:240 Resp: 391719
 Ion Ratio Lower Upper
 240 100
 120 11.0 8.1 12.1
 236 26.4 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 51.676 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18

Instrument :

BNA_G

ClientSampleId :

SA-SB-01C


Tot Ion:244 Resp: 947345

Ion Ratio Lower Upper

244 100

212 7.5 6.5 9.7




122 10.2 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3712

Delta R.T. -0.01 min

Lab File: BG037550.D

Acq: 25 Oct 2018 18:18


Tgt Ion:264 Resp: 388910

Ion Ratio Lower Upper

264 100

260 23.5 18.2 27.4

265 20.8 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

