

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102618\
 Data File : BG037604.D
 Acq On : 27 Oct 2018 6:15
 Operator : JU/SJ
 Sample : J5675-04
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Oct 29 02:14:20 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	52024	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	231547	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	156487	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	372607	20.00	ng	0.00
76) Chrysene-d12	21.77	240	339991	20.00	ng	0.00
87) Perylene-d12	25.10	264	303316	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	355962	114.39	ng	0.00
7) Phenol-d6	7.24	99	454137	96.51	ng	0.00
23) Nitrobenzene-d5	9.28	82	333499	80.68	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	158902	93.10	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	803361	77.41	ng	0.00
79) Terphenyl-d14	20.08	244	1245076	78.25	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.28	70	40785	12.587	ng	# 75
51) 2,6-Dinitrotoluene	14.73	165	20956	7.825	ng	# 26
57) 2,4-Dinitrotoluene	14.73	165	20956	5.961	ng	# 26
65) 4,6-Dinitro-2-methylphenol	16.23	198	520	8.726	ng	# 74
67) 4-Bromophenyl-phenylether	16.22	248	11251	2.750	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102618\
Data File : BG037604.D
Acq On : 27 Oct 2018 6:15
Operator : JU/SJ
Sample : J5675-04
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Oct 29 02:14:20 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037604.D
Acq: 27 Oct 2018 6:15

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 52024
Ion Ratio Lower Upper
152 100
150 165.5 126.0 189.0
115 59.1 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 114.393 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037604.D
Acq: 27 Oct 2018 6:15

Tgt Ion:112 Resp: 355962
Ion Ratio Lower Upper
112 100
64 65.5 53.1 79.7
63 33.8 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 96.515 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037604.D

Acq: 27 Oct 2018 6:15

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 454137

Ion Ratio Lower Upper




99 100

42 18.1 15.0 22.4

71 30.5 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 12.587 ng

RT: 9.28 min Scan# 1020

Delta R.T. 0.37 min

Lab File: BG037604.D

Acq: 27 Oct 2018 6:15

Tgt Ion: 70 Resp: 40785


Ion Ratio Lower Upper

70 100



42 52.7 53.9 80.9#


101 0.0 8.2 12.2#

130 1.9 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1299
Delta R.T. -0.01 min
Lab File: BG037604.D
Acq: 27 Oct 2018 6:15




Instrument :
BNA_G
ClientSampleId :


Tot Ion:136	Resp:	231547
Ion Ratio	Lower	Upper
136	100	
137	11.1	9.6 14.4
54	10.4	7.9 11.9
68	6.0	4.8 7.2



#23
Nitrobenzene-d5
Concen: 80.685 ng
RT: 9.28 min Scan# 1020
Delta R.T. -0.00 min
Lab File: BG037604.D
Acq: 27 Oct 2018 6:15

Tgt Ion: 82	Resp:	333499
Ion Ratio	Lower	Upper
82	100	
128	43.4	34.6 51.8
54	52.6	45.3 67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.73 min Scan# 1948

Delta R.T. -0.01 min

Lab File: BG037604.D

Acq: 27 Oct 2018 6:15

Instrument :

BNA_G

ClientSampleId :


Tot Ion:164 Resp: 156487

Ion Ratio Lower Upper

164 100

162 107.7 81.3 121.9




160 49.1 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 93.100 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.01 min

Lab File: BG037604.D

Acq: 27 Oct 2018 6:15


Tgt Ion:330 Resp: 158902

Ion Ratio Lower Upper

330 100

332 94.3 78.4 117.6



141 39.5 32.2 48.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 77.414 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
172	100		
171	38.1	31.0	46.4
170	25.3	20.2	30.2



#51
 2,6-Dinitrotoluene
 Concen: 7.825 ng
 RT: 14.73 min Scan# 1948
 Delta R.T. 0.41 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	43.4	65.2#
89	3.3	45.8	68.6#









#57
 2,4-Dinitrotoluene
 Concen: 5.961 ng
 RT: 14.73 min Scan# 1948
 Delta R.T. -0.37 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	33.4	50.0#
89	3.3	57.2	85.8#
182	0.0	2.6	4.0#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.48 min Scan# 2416
 Delta R.T. -0.00 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.8	7.2	10.8
80	9.7	7.7	11.5









#65
 4,6-Dinitro-2-methylphenol
 Concen: 8.726 ng
 RT: 16.23 min Scan# 2202
 Delta R.T. 0.37 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:198 Resp: 520
 Ion Ratio Lower Upper
 198 100
 51 20.4 22.7 62.7#
 105 29.2 19.7 59.7




Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BG
 Ion 105.00 (104.70 to 105.70): E






#67
 4-Bromophenyl-phenylether
 Concen: 2.750 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.45 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15

Tgt Ion:248 Resp: 11251
 Ion Ratio Lower Upper
 248 100
 250 203.2 77.0 115.6#
 141 440.4 55.5 83.3#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E









#76
 Chrvsene-d12
 Concen: 20.000 ng
 RT: 21.77 min Scan# 3145
 Delta R.T. -0.01 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
240	100		
120	10.3	8.1	12.1
236	27.2	21.4	32.0



#79
 Terphenyl-d14
 Concen: 78.250 ng
 RT: 20.08 min Scan# 2858
 Delta R.T. -0.01 min
 Lab File: BG037604.D
 Acq: 27 Oct 2018 6:15

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.6	6.5	9.7
122	11.6	9.0	13.4





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.10 min Scan# 3712
Delta R.T. -0.01 min
Lab File: BG037604.D
Acq: 27 Oct 2018 6:15

Instrument :
BNA_G
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	21.8	18.2	27.4
265	20.8	17.9	26.9

