

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102618\
 Data File : BG037594.D
 Acq On : 26 Oct 2018 23:43
 Operator : JU/SJ
 Sample : PB114204BL
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB114204BL

Quant Time: Oct 27 04:06:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	51639	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	220329	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	149002	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	384861	20.00	ng	0.00
76) Chrysene-d12	21.77	240	358613	20.00	ng	0.00
87) Perylene-d12	25.09	264	334201	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	380441	123.17	ng	0.00
7) Phenol-d6	7.25	99	544004	116.48	ng	0.00
23) Nitrobenzene-d5	9.28	82	311582	79.22	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	199529	122.78	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	781836	79.12	ng	0.00
79) Terphenyl-d14	20.08	244	1290513	76.89	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102618\
Data File : BG037594.D
Acq On : 26 Oct 2018 23:43
Operator : JU/SJ
Sample : PB114204BL
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB114204BL

Quant Time: Oct 27 04:06:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037594.D
Acq: 26 Oct 2018 23:43

Instrument :
BNA_G
ClientSampleId :
PB114204BL

Tot Ion:152 Resp: 51639
Ion Ratio Lower Upper
152 100
150 156.0 126.0 189.0
115 54.6 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 123.171 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037594.D
Acq: 26 Oct 2018 23:43

Tgt Ion:112 Resp: 380441
Ion Ratio Lower Upper
112 100
64 66.3 53.1 79.7
63 32.5 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 116.476 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037594.D

Acq: 26 Oct 2018 23:43

Instrument :

BNA_G

ClientSampleId :

PB114204BL


Tot Ion: 99 Resp: 544004

Ion Ratio Lower Upper




99 100

42 17.7 15.0 22.4

71 30.6 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1299

Delta R.T. -0.01 min

Lab File: BG037594.D

Acq: 26 Oct 2018 23:43

Tgt Ion: 136 Resp: 220329


Ion Ratio Lower Upper

136 100



137 10.5 9.6 14.4


54 10.7 7.9 11.9

68 6.9 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 79.220 ng
 RT: 9.28 min Scan# 1020
 Delta R.T. -0.00 min
 Lab File: BG037594.D
 Acq: 26 Oct 2018 23:43

Instrument :
 BNA_G
 ClientSampleId :
 PB114204BL

Tot Ion	Ratio	Lower	Upper
82	100		
128	44.4	34.6	51.8
54	54.4	45.3	67.9




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.73 min Scan# 1948
 Delta R.T. -0.01 min
 Lab File: BG037594.D
 Acq: 26 Oct 2018 23:43

Tgt Ion	Ratio	Lower	Upper
164	100		
162	104.6	81.3	121.9
160	45.6	36.3	54.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 122.776 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.01 min

Lab File: BG037594.D

Acq: 26 Oct 2018 23:43

Instrument :

BNA_G

ClientSampleId :

PB114204BL


Tot Ion:330 Resp: 199529

Ion Ratio Lower Upper




330 100

332 95.3 78.4 117.6

141 39.3 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 79.124 ng

RT: 13.36 min Scan# 1714

Delta R.T. -0.01 min

Lab File: BG037594.D

Acq: 26 Oct 2018 23:43


Tgt Ion:172 Resp: 781836

Ion Ratio Lower Upper



172 100


171 37.7 31.0 46.4

170 25.2 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.48 min Scan# 2416
Delta R.T. -0.00 min
Lab File: BG037594.D
Acq: 26 Oct 2018 23:43




Instrument :
BNA_G
ClientSampleId :
PB114204BL


Tot Ion:188 Resp: 384861
Ion Ratio Lower Upper
188 100
94 9.3 7.2 10.8
80 10.5 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.01 min
Lab File: BG037594.D
Acq: 26 Oct 2018 23:43

Tgt Ion:240 Resp: 358613
Ion Ratio Lower Upper
240 100
120 11.0 8.1 12.1
236 26.8 21.4 32.0





#79

Terphenyl-d14

Concen: 76.894 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037594.D

Acq: 26 Oct 2018 23:43

Instrument :

BNA_G

ClientSampleId :

PB114204BL


Tot Ion:244 Resp: 1290513

Ion Ratio Lower Upper

244 100

212 8.1 6.5 9.7




122 11.7 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.09 min Scan# 3711

Delta R.T. -0.02 min

Lab File: BG037594.D

Acq: 26 Oct 2018 23:43


Tgt Ion:264 Resp: 334201

Ion Ratio Lower Upper

264 100

260 23.1 18.2 27.4

265 21.0 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

