

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102918\
 Data File : BG037628.D
 Acq On : 29 Oct 2018 18:30
 Operator : JU/SJ
 Sample : J5691-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SB-8

Quant Time: Oct 30 04:43:24 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	55004	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	245467	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	165882	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	395187	20.00	ng	0.00
76) Chrysene-d12	21.76	240	361859	20.00	ng	-0.01
87) Perylene-d12	25.10	264	356533	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	450628	136.97	ng	0.00
7) Phenol-d6	7.25	99	659683	132.60	ng	0.00
23) Nitrobenzene-d5	9.28	82	383948	87.62	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	241744	133.62	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	856258	77.84	ng	0.00
79) Terphenyl-d14	20.08	244	1235967	72.98	ng	0.00
Target Compounds						
10) Phenol	7.27	94	34630	6.597	ng	96
19) n-Nitroso-di-n-propylamine	9.28	70	48424	14.135	ng	# 69
50) Dimethylphthalate	14.18	163	155615	12.126	ng	98
57) 2,4-Dinitrotoluene	14.73	165	21445	5.755	ng	# 24
65) 4,6-Dinitro-2-methylphenol	16.22	198	640	8.761	ng	81
67) 4-Bromophenyl-phenylether	16.22	248	17677	4.073	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102918\
Data File : BG037628.D
Acq On : 29 Oct 2018 18:30
Operator : JU/SJ
Sample : J5691-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
SB-8

Quant Time: Oct 30 04:43:24 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037628.D
Acq: 29 Oct 2018 18:30

Instrument :
BNA_G
ClientSampleId :
SB-8

Tot Ion:152 Resp: 55004
Ion Ratio Lower Upper
152 100
150 154.1 126.0 189.0
115 54.1 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 136.969 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037628.D
Acq: 29 Oct 2018 18:30

Tgt Ion:112 Resp: 450628
Ion Ratio Lower Upper
112 100
64 68.1 53.1 79.7
63 35.0 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 132.602 ng

RT: 7.25 min Scan# 674

Delta R.T. -0.00 min

Lab File: BG037628.D

Acq: 29 Oct 2018 18:30

Instrument :

BNA_G

ClientSampled :

SB-8


Tot Ion: 99 Resp: 659683

Ion Ratio Lower Upper




99 100

42 18.2 15.0 22.4

71 31.2 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 6.597 ng

RT: 7.27 min Scan# 678

Delta R.T. -0.00 min

Lab File: BG037628.D

Acq: 29 Oct 2018 18:30


Tgt Ion: 94 Resp: 34630

Ion Ratio Lower Upper



94 100


65 26.7 9.7 49.7

66 37.5 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#19
n-Nitroso-di-n-propylamine
Concen: 14.135 ng
RT: 9.28 min Scan# 1019
Delta R.T. 0.36 min
Lab File: BG037628.D
Acq: 29 Oct 2018 18:30




Instrument :
BNA_G
ClientSampleId :
SB-8


Tot Ion: 70 Resp: 48424
Ion Ratio Lower Upper
70 100
42 45.6 53.9 80.9#
101 0.0 8.2 12.2#
130 1.7 18.2 27.4#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1299
Delta R.T. -0.01 min
Lab File: BG037628.D
Acq: 29 Oct 2018 18:30

Tgt Ion: 136 Resp: 245467
Ion Ratio Lower Upper
136 100
137 11.1 9.6 14.4
54 10.3 7.9 11.9
68 6.0 4.8 7.2









#23
Nitrobenzene-d5
Concen: 87.622 ng
RT: 9.28 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG037628.D
Acq: 29 Oct 2018 18:30




Instrument :
BNA_G
ClientSampled :
SB-8


Tot Ion	82	Resp	383948
Ion Ratio	Lower	Upper	
82	100		
128	43.9	34.6	51.8
54	54.9	45.3	67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1948
Delta R.T. -0.01 min
Lab File: BG037628.D
Acq: 29 Oct 2018 18:30

Tgt Ion	164	Resp	165882
Ion Ratio	Lower	Upper	
164	100		
162	102.7	81.3	121.9
160	44.5	36.3	54.5






#42
 2,4,6-Tribromophenol
 Concen: 133.615 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.01 min
 Lab File: BG037628.D
 Acq: 29 Oct 2018 18:30

Instrument :
 BNA_G
 ClientSampleId :
 SB-8

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.0	78.4	117.6
141	39.0	32.2	48.2






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 77.838 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037628.D
 Acq: 29 Oct 2018 18:30

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.0	31.0	46.4
170	24.7	20.2	30.2






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 12.126 ng

RT: 14.18 min Scan# 1854

Delta R.T. -0.01 min

Lab File: BG037628.D

Acq: 29 Oct 2018 18:30

Instrument :

BNA_G

ClientSampleId :

SB-8


Tot Ion:163 Resp: 155615

Ion Ratio Lower Upper

163 100

194 4.4 3.5 5.3




164 9.4 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57

2,4-Dinitrotoluene

Concen: 5.755 ng

RT: 14.73 min Scan# 1948

Delta R.T. -0.37 min

Lab File: BG037628.D

Acq: 29 Oct 2018 18:30

Tgt Ion:165 Resp: 21445


Ion Ratio Lower Upper

165 100

63 1.7 33.4 50.0#

89 0.0 57.2 85.8#

182 0.0 2.6 4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.48 min Scan# 2416

Delta R.T. -0.00 min

Lab File: BG037628.D

Acq: 29 Oct 2018 18:30

Instrument :

BNA_G

ClientSampleId :

SB-8


Tot Ion:188 Resp: 395187

Ion Ratio Lower Upper

188 100

94 8.9 7.2 10.8




80 10.2 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#65

4,6-Dinitro-2-methylphenol

Concen: 8.761 ng

RT: 16.22 min Scan# 2201

Delta R.T. 0.36 min

Lab File: BG037628.D

Acq: 29 Oct 2018 18:30


Tgt Ion:198 Resp: 640

Ion Ratio Lower Upper

198 100

51 27.9 22.7 62.7



105 30.2 19.7 59.7




Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BG

Ion 105.00 (104.70 to 105.70): E









#67
 4-Bromophenyl-phenylether
 Concen: 4.073 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.45 min
 Lab File: BG037628.D
 Acq: 29 Oct 2018 18:30

Instrument :
 BNA_G
 ClientSampleId :
 SB-8

Tot Ion:248 Resp: 17677
 Ion Ratio Lower Upper
 248 100
 250 190.2 77.0 115.6#
 141 390.7 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.76 min Scan# 3144
 Delta R.T. -0.01 min
 Lab File: BG037628.D
 Acq: 29 Oct 2018 18:30

Tgt Ion:240 Resp: 361859
 Ion Ratio Lower Upper
 240 100
 120 10.6 8.1 12.1
 236 26.7 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 72.983 ng
 RT: 20.08 min Scan# 2858
 Delta R.T. -0.01 min
 Lab File: BG037628.D
 Acq: 29 Oct 2018 18:30

Instrument :
 BNA_G
 ClientSampleID :
 SB-8

Tot Ion:244 Resp: 1235967

Ion	Ratio	Lower	Upper
244	100		
212	8.0	6.5	9.7
122	11.0	9.0	13.4



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.10 min Scan# 3712
 Delta R.T. -0.01 min
 Lab File: BG037628.D
 Acq: 29 Oct 2018 18:30

Tgt Ion:264 Resp: 356533

Ion	Ratio	Lower	Upper
264	100		
260	23.8	18.2	27.4
265	22.1	17.9	26.9

