

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102918\
 Data File : BG037622.D
 Acq On : 29 Oct 2018 14:32
 Operator : JU/SJ
 Sample : J5696-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 DFTPP

Quant Time: Oct 30 04:43:16 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	120331	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	552819	20.00	ng	0.00
39) Acenaphthene-d10	14.74	164	375262	20.00	ng	0.00
64) Phenanthrene-d10	17.49	188	851448	20.00	ng	0.00
76) Chrysene-d12	21.77	240	757749	20.00	ng	0.00
87) Perylene-d12	25.10	264	789036	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	197656	27.46	ng	0.00
7) Phenol-d6	7.24	99	176611	16.23	ng	0.00
23) Nitrobenzene-d5	9.28	82	411038	41.65	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	248590	60.74	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	1002040	40.27	ng	0.00
79) Terphenyl-d14	20.08	244	1363568	38.45	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.28	70	50974	6.802	ng	# 72
51) 2,6-Dinitrotoluene	14.74	165	48551	7.560	ng	# 26
57) 2,4-Dinitrotoluene	14.74	165	48551	5.759	ng	# 25
65) 4,6-Dinitro-2-methylphenol	16.22	198	732	8.642	ng	71

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102918\
Data File : BG037622.D
Acq On : 29 Oct 2018 14:32
Operator : JU/SJ
Sample : J5696-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
DFTPP

Quant Time: Oct 30 04:43:16 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tot Ion	Ratio	Lower	Upper
152	100		
150	150.2	126.0	189.0
115	54.3	45.5	68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 27.462 ng
RT: 5.64 min Scan# 400
Delta R.T. -0.01 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.1	53.1	79.7
63	32.0	27.3	40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 16.227 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tot Ion: 99 Resp: 176611

Ion Ratio Lower Upper




99 100

42 17.9 15.0 22.4

71 29.7 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 6.802 ng

RT: 9.28 min Scan# 1019

Delta R.T. 0.36 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32

Tgt Ion: 70 Resp: 50974


Ion Ratio Lower Upper

70 100



42 49.3 53.9 80.9#

101 0.0 8.2 12.2#

130 2.0 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1299
Delta R.T. -0.01 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32




Instrument :
BNA_G
ClientSampleId :
DFTPP

Tot Ion:136	Resp:	552819
Ion	Ratio	Lower Upper
136	100	
137	12.1	9.6 14.4
54	10.7	7.9 11.9
68	6.7	4.8 7.2



#23
Nitrobenzene-d5
Concen: 41.652 ng
RT: 9.28 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32

Tgt Ion: 82	Resp:	411038
Ion	Ratio	Lower Upper
82	100	
128	44.1	34.6 51.8
54	54.4	45.3 67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.74 min Scan# 1948

Delta R.T. -0.01 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tot Ion:164 Resp: 375262

Ion Ratio Lower Upper

164 100

162 104.5 81.3 121.9



160 46.4 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 60.736 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.01 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32


Tgt Ion:330 Resp: 248590

Ion Ratio Lower Upper

330 100

332 95.9 78.4 117.6



141 39.8 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 40.266 ng
RT: 13.36 min Scan# 1714
Delta R.T. -0.01 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32

Instrument :
BNA_G
ClientSampleId :
DFTPP

Tot Ion:172 Resp: 1002040
Ion Ratio Lower Upper
172 100
171 37.8 31.0 46.4
170 24.9 20.2 30.2




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#51
2,6-Dinitrotoluene
Concen: 7.560 ng
RT: 14.74 min Scan# 1948
Delta R.T. 0.42 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32

Tgt Ion:165 Resp: 48551
Ion Ratio Lower Upper
165 100
63 1.6 43.4 65.2#
89 1.6 45.8 68.6#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 63.00 (62.70 to 63.70): BG
Ion 89.00 (88.70 to 89.70): BG









#57
2,4-Dinitrotoluene
Concen: 5.759 ng
RT: 14.74 min Scan# 1948
Delta R.T. -0.36 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32




Instrument :
BNA_G
ClientSampleId :
DFTPP


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.6	33.4	50.0#
89	1.6	57.2	85.8#
182	0.0	2.6	4.0#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2416
Delta R.T. -0.00 min
Lab File: BG037622.D
Acq: 29 Oct 2018 14:32

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.0	7.2	10.8
80	10.4	7.7	11.5





#65

4,6-Dinitro-2-methylphenol

Concen: 8.642 ng

RT: 16.22 min Scan# 2201

Delta R.T. 0.36 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32

Instrument :

BNA_G

ClientSampleId :

DFTPP


Tot Ion:198 Resp: 732

Ion Ratio Lower Upper

198 100

51 23.0 22.7 62.7




105 22.9 19.7 59.7



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): BG

Ion 105.00 (104.70 to 105.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.77 min Scan# 3145

Delta R.T. -0.01 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32


Tgt Ion:240 Resp: 757749

Ion Ratio Lower Upper

240 100

120 10.8 8.1 12.1



236 27.8 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 38.451 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32

Instrument :


BNA_G

ClientSampleId :

DFTPP

Tot Ion:244 Resp: 1363568

Ion	Ratio	Lower	Upper
244	100		
212	8.1	6.5	9.7
122	10.9	9.0	13.4






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3712


Delta R.T. -0.01 min

Lab File: BG037622.D

Acq: 29 Oct 2018 14:32

Tgt Ion:264 Resp: 789036

Ion	Ratio	Lower	Upper
264	100		
260	24.9	18.2	27.4
265	22.5	17.9	26.9



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

