

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102920\  
 Data File : BG047136.D  
 Acq On : 30 Oct 2020 2:45  
 Operator : CG/JU  
 Sample : L4506-04  
 Misc : GCMS CONFIRMATION  
 ALS Vial : 26 Sample Multiplier: 1

Instrument :  
 BNA\_G  
 ClientSampleId :  
 C0BG1

Quant Time: Oct 30 03:14:58 2020  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_G\METHODS\SOM-EPA-BG102220MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Thu Oct 29 16:49:45 2020  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 8.06  | 152  | 48713    | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.87 | 136  | 188077   | 20.00 | ng/ul | 0.00     |
| 36) Acenaphthene-d10      | 14.69 | 164  | 137489   | 20.00 | ng/ul | 0.00     |
| 62) Phenanthrene-d10      | 17.43 | 188  | 341763   | 20.00 | ng/ul | 0.00     |
| 78) Chrysene-d12          | 21.70 | 240  | 358257   | 20.00 | ng/ul | 0.00     |
| 86) Perylene-d12          | 24.94 | 264  | 370965   | 20.00 | ng/ul | -0.01    |

## System Monitoring Compounds

|                                |      |     |    |      |       |
|--------------------------------|------|-----|----|------|-------|
| 3) 1,4-Dioxane-d8              | 0.00 | 96  | 0  | 0.00 | ng/uL |
| 5) Phenol-d5                   | 0.00 | 99  | 0  | 0.00 | ng/ul |
| 7) Bis-(2-Chloroethyl)ether-d  | 0.00 | 67  | 0d | 0.00 | ng/ul |
| 9) 2-Chlorophenol-d4           | 0.00 | 132 | 0  | 0.00 | ng/ul |
| 13) 4-Methylphenol-d8          | 0.00 | 113 | 0  | 0.00 | ng/ul |
| 19) Nitrobenzene-d5            | 0.00 | 128 | 0  | 0.00 | ng/ul |
| 22) 2-Nitrophenol-d4           | 0.00 | 143 | 0  | 0.00 | ng/ul |
| 26) 2,4-Dichlorophenol-d3      | 0.00 | 165 | 0  | 0.00 | ng/ul |
| 29) 4-Chloroaniline-d4         | 0.00 | 131 | 0  | 0.00 | ng/ul |
| 44) Dimethylphthalate-d6       | 0.00 | 166 | 0  | 0.00 | ng/ul |
| 47) Acenaphthylene-d8          | 0.00 | 160 | 0  | 0.00 | ng/ul |
| 52) 4-Nitrophenol-d4           | 0.00 | 143 | 0  | 0.00 | ng/ul |
| 58) Fluorene-d10               | 0.00 | 176 | 0  | 0.00 | ng/ul |
| 63) 4,6-Dinitro-2-methylphenol | 0.00 | 200 | 0  | 0.00 | ng/ul |
| 71) Anthracene-d10             | 0.00 | 188 | 0d | 0.00 | ng/ul |
| 79) Pyrene-d10                 | 0.00 | 212 | 0  | 0.00 | ng/ul |
| 90) Benzo(a)pyrene-d12         | 0.00 | 264 | 0  | 0.00 | ng/ul |

Target Compounds Ovalue

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG102920\  
Data File : BG047136.D  
Acq On : 30 Oct 2020 2:45  
Operator : CG/JU  
Sample : L4506-04  
Misc : GCMS CONFIRMATION  
ALS Vial : 26 Sample Multiplier: 1

Instrument :  
BNA\_G  
ClientSampleId :  
C0BG1

Quant Time: Oct 30 03:14:58 2020  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA\_G\METHODS\SOM-EPA-BG102220MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Thu Oct 29 16:49:45 2020  
Response via : Initial Calibration

