

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102922\
 Data File : BG055373.D
 Acq On : 29 Oct 2022 20:13
 Operator : CG/JU
 Sample : N5316-08
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 COMPOSITE-PILE-2

Quant Time: Oct 31 02:45:15 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102422.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 29 04:52:38 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.259	152	30284	20.000	ng	0.00
21) Naphthalene-d8	11.091	136	130453	20.000	ng	# 0.00
39) Acenaphthene-d10	14.875	164	87042	20.000	ng	0.00
64) Phenanthrene-d10	17.607	188	187731	20.000	ng	# 0.00
76) Chrysene-d12	21.878	240	178212	20.000	ng	-0.01
86) Perylene-d12	25.274	264	193550	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.786	112	193978	112.155	ng	0.00
7) Phenol-d6	7.407	99	258369	103.112	ng	0.00
23) Nitrobenzene-d5	9.434	82	154514	60.482	ng	0.00
42) 2,4,6-Tribromophenol	16.355	330	116999	123.649	ng	0.00
45) 2-Fluorobiphenyl	13.500	172	370324	69.636	ng	-0.01
79) Terphenyl-d14	20.180	244	571043	66.575	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG102922\
Data File : BG055373.D
Acq On : 29 Oct 2022 20:13
Operator : CG/JU
Sample : N5316-08
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
COMPOSITE-PILE-2

Quant Time: Oct 31 02:45:15 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG102422.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 29 04:52:38 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.259 min Scan# 84
Delta R.T. -0.006 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13




Instrument :
BNA_G
ClientSampleId :
COMPOSITE-PILE-2


Tgt Ion:152 Resp: 30284
Ion Ratio Lower Upper
152 100
150 158.6 118.2 177.4
115 58.5 44.5 66.7



#5
2-Fluorophenol
Concen: 112.155 ng
RT: 5.786 min Scan# 425
Delta R.T. 0.000 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13

Tgt Ion:112 Resp: 193978
Ion Ratio Lower Upper
112 100
64 59.9 52.6 78.8
63 30.8 27.1 40.7









#7
Phenol-d6
Concen: 103.112 ng
RT: 7.407 min Scan# 70
Delta R.T. -0.006 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13




Instrument :
BNA_G
ClientSampleId :
COMPOSITE-PILE-2


Tgt Ion: 99 Resp: 258369
Ion Ratio Lower Upper
99 100
42 16.7 15.2 22.8
71 33.3 26.2 39.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.091 min Scan# 1328
Delta R.T. -0.006 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13

Tgt Ion: 136 Resp: 130453
Ion Ratio Lower Upper
136 100
137 11.0 9.2 13.8
54 7.7 7.8 11.8#
68 5.6 5.8 8.6#





#23

Nitrobenzene-d5

Concen: 60.482 ng

RT: 9.434 min Scan# 1046

Delta R.T. -0.006 min

Lab File: BG055373.D

Acq: 29 Oct 2022 20:13

Instrument :

BNA_G

ClientSampleId :

COMPOSITE-PILE-2





Tgt Ion: 82 Resp: 154514

Ion Ratio Lower Upper

82 100

128 44.6 32.0 48.0

54 47.0 40.9 61.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.875 min Scan# 1972

Delta R.T. -0.006 min

Lab File: BG055373.D

Acq: 29 Oct 2022 20:13




Tgt Ion:164 Resp: 87042


Ion Ratio Lower Upper

164 100

162 104.5 84.0 126.0

160 43.3 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 123.649 ng
RT: 16.355 min Scan# 21
Delta R.T. -0.006 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13




Instrument :
BNA_G
ClientSampleId :
COMPOSITE-PILE-2


Tgt Ion:330 Resp: 116999
Ion Ratio Lower Upper
330 100
332 95.6 77.4 116.0
141 31.0 29.8 44.8



#45
2-Fluorobiphenyl
Concen: 69.636 ng
RT: 13.500 min Scan# 1738
Delta R.T. -0.012 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13

Tgt Ion:172 Resp: 370324
Ion Ratio Lower Upper
172 100
171 36.5 29.7 44.5
170 23.8 20.2 30.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.607 min Scan# 2439
Delta R.T. -0.006 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13




Instrument :
BNA_G
ClientSampleId :
COMPOSITE-PILE-2


Tgt Ion:188 Resp: 187731
Ion Ratio Lower Upper
188 100
94 8.0 8.2 12.4#
80 9.4 10.1 15.1#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.878 min Scan# 3164
Delta R.T. -0.012 min
Lab File: BG055373.D
Acq: 29 Oct 2022 20:13

Tgt Ion:240 Resp: 178212
Ion Ratio Lower Upper
240 100
120 9.1 8.9 13.3
236 26.3 21.0 31.4









#79
 Terphenyl-d14
 Concen: 66.575 ng
 RT: 20.180 min Scan# 2875
 Delta R.T. -0.006 min
 Lab File: BG055373.D
 Acq: 29 Oct 2022 20:13

Instrument :
 BNA_G
 ClientSampleId :
 COMPOSITE-PILE-2

Tgt Ion:244 Resp: 571043
 Ion Ratio Lower Upper
 244 100
 212 6.9 6.0 9.0
 122 9.2 9.6 14.4#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.274 min Scan# 3742
 Delta R.T. -0.012 min
 Lab File: BG055373.D
 Acq: 29 Oct 2022 20:13

Tgt Ion:264 Resp: 193550
 Ion Ratio Lower Upper
 264 100
 260 23.1 19.5 29.3
 265 20.9 17.4 26.2

