

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103018\
 Data File : BG037674.D
 Acq On : 31 Oct 2018 5:03
 Operator : JU/SJ
 Sample : J5722-02
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 102618-SIDI-F-D-M

Quant Time: Oct 31 09:28:19 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	57070	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	249292	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	169729	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	388348	20.00	ng	0.00
76) Chrysene-d12	21.77	240	345223	20.00	ng	0.00
87) Perylene-d12	25.10	264	322532	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	139218	40.78	ng	0.00
7) Phenol-d6	7.24	99	127101	24.62	ng	0.00
23) Nitrobenzene-d5	9.27	82	429129	96.43	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	160601	86.75	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	1003465	89.15	ng	0.00
79) Terphenyl-d14	20.08	244	1469102	90.93	ng	0.00
Target Compounds						
10) Phenol	7.27	94	26119	4.796	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103018\
Data File : BG037674.D
Acq On : 31 Oct 2018 5:03
Operator : JU/SJ
Sample : J5722-02
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
102618-SIDI-F-D-M

Quant Time: Oct 31 09:28:19 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037674.D
Acq: 31 Oct 2018 5:03

Instrument :
BNA_G
ClientSampleId :
102618-SIDI-F-D-M

Tot Ion:152 Resp: 57070
Ion Ratio Lower Upper
152 100
150 154.4 126.0 189.0
115 56.8 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 40.784 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037674.D
Acq: 31 Oct 2018 5:03

Tgt Ion:112 Resp: 139218
Ion Ratio Lower Upper
112 100
64 64.1 53.1 79.7
63 31.6 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 24.624 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037674.D

Acq: 31 Oct 2018 5:03

Instrument :

BNA_G

ClientSampleId :

102618-SIDI-F-D-M





Tot Ion: 99 Resp: 127101

Ion Ratio Lower Upper

99 100

42 18.9 15.0 22.4

71 30.2 25.5 38.3



#10

Phenol

Concen: 4.796 ng

RT: 7.27 min Scan# 678

Delta R.T. -0.00 min

Lab File: BG037674.D

Acq: 31 Oct 2018 5:03




Tgt Ion: 94 Resp: 26119

Ion Ratio Lower Upper

94 100

65 29.6 9.7 49.7

66 34.4 15.9 55.9









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1299
Delta R.T. -0.01 min
Lab File: BG037674.D
Acq: 31 Oct 2018 5:03




Instrument :
BNA_G
ClientSampleId :
102618-SIDI-F-D-M

Tot Ion:	136	Resp:	249292
Ion	Ratio	Lower	Upper
136	100		
137	11.7	9.6	14.4
54	9.9	7.9	11.9
68	6.0	4.8	7.2



#23
Nitrobenzene-d5
Concen: 96.431 ng
RT: 9.27 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG037674.D
Acq: 31 Oct 2018 5:03

Tgt Ion:	82	Resp:	429129
Ion	Ratio	Lower	Upper
82	100		
128	45.3	34.6	51.8
54	55.6	45.3	67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.73 min Scan# 1948

Delta R.T. -0.01 min

Lab File: BG037674.D

Acq: 31 Oct 2018 5:03

Instrument :

BNA_G

ClientSampleId :

102618-SIDI-F-D-M


Tot Ion:164 Resp: 169729

Ion Ratio Lower Upper

164 100

162 102.4 81.3 121.9




160 44.2 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 86.754 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.01 min

Lab File: BG037674.D

Acq: 31 Oct 2018 5:03


Tgt Ion:330 Resp: 160601

Ion Ratio Lower Upper

330 100

332 94.1 78.4 117.6



141 38.9 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 89.152 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037674.D
 Acq: 31 Oct 2018 5:03

Instrument :
 BNA_G
 ClientSampleId :
 102618-SIDI-F-D-M

Tot Ion:172 Resp: 1003465




Ion	Ratio	Lower	Upper
172	100		
171	39.1	31.0	46.4
170	25.4	20.2	30.2




#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.48 min Scan# 2416
 Delta R.T. -0.00 min
 Lab File: BG037674.D
 Acq: 31 Oct 2018 5:03

Tgt Ion:188 Resp: 388348

Ion	Ratio	Lower	Upper
188	100		
94	8.7	7.2	10.8
80	10.3	7.7	11.5





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.77 min Scan# 3145

Delta R.T. -0.01 min

Lab File: BG037674.D

Acq: 31 Oct 2018 5:03

Instrument :

BNA_G

ClientSampleId :

102618-SIDI-F-D-M


Tot Ion:240 Resp: 345223

Ion Ratio Lower Upper

240 100

120 9.9 8.1 12.1




236 26.1 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 90.930 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037674.D

Acq: 31 Oct 2018 5:03


Tgt Ion:244 Resp: 1469102

Ion Ratio Lower Upper

244 100

212 8.4 6.5 9.7



122 11.7 9.0 13.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.10 min Scan# 3713
Delta R.T. -0.01 min
Lab File: BG037674.D
Acq: 31 Oct 2018 5:03

Instrument :
BNA_G
ClientSampleId :
102618-SIDI-F-D-M

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.1	18.2	27.4
265	20.8	17.9	26.9

