

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103118\
 Data File : BG037684.D
 Acq On : 31 Oct 2018 15:00
 Operator : JU/SJ
 Sample : PB114332BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB114332BL

Quant Time: Nov 01 06:47:36 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	54462	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	242238	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	172770	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	411526	20.00	ng	0.00
76) Chrysene-d12	21.77	240	379126	20.00	ng	0.00
87) Perylene-d12	25.10	264	320504	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	306719	94.16	ng	0.00
7) Phenol-d6	7.24	99	456130	92.60	ng	0.00
23) Nitrobenzene-d5	9.27	82	254992	58.97	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	152668	81.02	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	671956	58.65	ng	0.00
79) Terphenyl-d14	20.08	244	1025842	57.82	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103118\
Data File : BG037684.D
Acq On : 31 Oct 2018 15:00
Operator : JU/SJ
Sample : PB114332BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB114332BL

Quant Time: Nov 01 06:47:36 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037684.D
Acq: 31 Oct 2018 15:00

Instrument :
BNA_G
ClientSampleId :
PB114332BL

Tot Ion:152 Resp: 54462
Ion Ratio Lower Upper
152 100
150 164.0 126.0 189.0
115 60.9 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 94.155 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037684.D
Acq: 31 Oct 2018 15:00

Tgt Ion:112 Resp: 306719
Ion Ratio Lower Upper
112 100
64 62.8 53.1 79.7
63 32.6 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 92.599 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037684.D

Acq: 31 Oct 2018 15:00

Instrument :

BNA_G

ClientSampleId :

PB114332BL


Tot Ion: 99 Resp: 456130

Ion Ratio Lower Upper




99 100

42 17.2 15.0 22.4

71 29.5 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1299

Delta R.T. -0.01 min

Lab File: BG037684.D

Acq: 31 Oct 2018 15:00

Tgt Ion: 136 Resp: 242238


Ion Ratio Lower Upper

136 100



137 10.8 9.6 14.4

54 9.8 7.9 11.9

68 6.7 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 58.968 ng
RT: 9.27 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG037684.D
Acq: 31 Oct 2018 15:00




Instrument :
BNA_G
ClientSampleId :
PB114332BL

Tot Ion: 82 Resp: 254992
Ion Ratio Lower Upper
82 100
128 41.9 34.6 51.8
54 53.0 45.3 67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1948
Delta R.T. -0.01 min
Lab File: BG037684.D
Acq: 31 Oct 2018 15:00

Tgt Ion: 164 Resp: 172770
Ion Ratio Lower Upper
164 100
162 107.2 81.3 121.9
160 47.6 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 81.017 ng
 RT: 16.22 min Scan# 2201
 Delta R.T. -0.01 min
 Lab File: BG037684.D
 Acq: 31 Oct 2018 15:00

Instrument :
 BNA_G
 ClientSampleId :
 PB114332BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.2	78.4	117.6
141	37.2	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 58.649 ng
 RT: 13.36 min Scan# 1714
 Delta R.T. -0.01 min
 Lab File: BG037684.D
 Acq: 31 Oct 2018 15:00

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.1	31.0	46.4
170	24.8	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.48 min Scan# 2416
Delta R.T. -0.00 min
Lab File: BG037684.D
Acq: 31 Oct 2018 15:00

Instrument :
BNA_G
ClientSampleId :
PB114332BL

Tot Ion:188 Resp: 411526
Ion Ratio Lower Upper
188 100
94 8.8 7.2 10.8
80 10.5 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.01 min
Lab File: BG037684.D
Acq: 31 Oct 2018 15:00

Tgt Ion:240 Resp: 379126
Ion Ratio Lower Upper
240 100
120 10.1 8.1 12.1
236 26.5 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 57.817 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037684.D

Acq: 31 Oct 2018 15:00

Instrument :

BNA_G

ClientSampleId :

PB114332BL


Tot Ion:244 Resp: 1025842

Ion Ratio Lower Upper

244 100

212 7.7 6.5 9.7




122 10.6 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3713

Delta R.T. -0.01 min

Lab File: BG037684.D

Acq: 31 Oct 2018 15:00


Tgt Ion:264 Resp: 320504

Ion Ratio Lower Upper

264 100

260 23.6 18.2 27.4

265 21.6 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

