

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103118\
 Data File : BG037694.D
 Acq On : 31 Oct 2018 21:33
 Operator : JU/SJ
 Sample : J5202-12
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PL-02-103018-C

Quant Time: Nov 01 07:16:27 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.10	152	60286	20.00	ng	0.00
21) Naphthalene-d8	10.92	136	266504	20.00	ng	0.00
39) Acenaphthene-d10	14.73	164	183329	20.00	ng	0.00
64) Phenanthrene-d10	17.48	188	436682	20.00	ng	0.00
76) Chrysene-d12	21.76	240	398103	20.00	ng	-0.01
87) Perylene-d12	25.10	264	345830	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	391501	108.57	ng	0.00
7) Phenol-d6	7.24	99	514809	94.41	ng	0.00
23) Nitrobenzene-d5	9.28	82	392737	82.55	ng	0.00
42) 2,4,6-Tribromophenol	16.22	330	196499	98.27	ng	0.00
45) 2-Fluorobiphenyl	13.36	172	929119	76.42	ng	0.00
79) Terphenyl-d14	20.08	244	1427103	76.60	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG103118\
Data File : BG037694.D
Acq On : 31 Oct 2018 21:33
Operator : JU/SJ
Sample : J5202-12
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PL-02-103018-C

Quant Time: Nov 01 07:16:27 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.10 min Scan# 819
Delta R.T. -0.01 min
Lab File: BG037694.D
Acq: 31 Oct 2018 21:33

Instrument :
BNA_G
ClientSampleId :
PL-02-103018-C

Tot Ion:152 Resp: 60286
Ion Ratio Lower Upper
152 100
150 144.3 126.0 189.0
115 55.1 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.571 ng
RT: 5.64 min Scan# 401
Delta R.T. -0.00 min
Lab File: BG037694.D
Acq: 31 Oct 2018 21:33

Tgt Ion:112 Resp: 391501
Ion Ratio Lower Upper
112 100
64 66.8 53.1 79.7
63 34.3 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 94.415 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.01 min

Lab File: BG037694.D

Acq: 31 Oct 2018 21:33

Instrument :

BNA_G

ClientSampleId :

PL-02-103018-C


Tot Ion: 99 Resp: 514809

Ion Ratio Lower Upper




99 100

42 18.6 15.0 22.4

71 30.6 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.92 min Scan# 1299

Delta R.T. -0.01 min

Lab File: BG037694.D

Acq: 31 Oct 2018 21:33

Tgt Ion: 136 Resp: 266504


Ion Ratio Lower Upper

136 100



137 11.6 9.6 14.4


54 10.3 7.9 11.9

68 6.0 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 82.553 ng
RT: 9.28 min Scan# 1019
Delta R.T. -0.01 min
Lab File: BG037694.D
Acq: 31 Oct 2018 21:33




Instrument :
BNA_G
ClientSampleId :
PL-02-103018-C


Tot Ion	Ratio	Lower	Upper
82	100		
128	43.6	34.6	51.8
54	53.9	45.3	67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.73 min Scan# 1948
Delta R.T. -0.01 min
Lab File: BG037694.D
Acq: 31 Oct 2018 21:33

Tgt Ion	Ratio	Lower	Upper
164	100		
162	100.3	81.3	121.9
160	46.5	36.3	54.5





#42

2,4,6-Tribromophenol

Concen: 98.272 ng

RT: 16.22 min Scan# 2201

Delta R.T. -0.01 min

Lab File: BG037694.D

Acq: 31 Oct 2018 21:33

Instrument :

BNA_G

ClientSampleId :

PL-02-103018-C


Tot Ion:330 Resp: 196499

Ion Ratio Lower Upper

330 100

332 93.2 78.4 117.6




141 39.1 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 76.423 ng

RT: 13.36 min Scan# 1714

Delta R.T. -0.01 min

Lab File: BG037694.D

Acq: 31 Oct 2018 21:33


Tgt Ion:172 Resp: 929119

Ion Ratio Lower Upper

172 100

171 38.4 31.0 46.4



170 25.2 20.2 30.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.48 min Scan# 2415
Delta R.T. -0.01 min
Lab File: BG037694.D
Acq: 31 Oct 2018 21:33

Instrument :
BNA_G
ClientSampleId :
PL-02-103018-C

Tot Ion:188 Resp: 436682
Ion Ratio Lower Upper
188 100
94 9.2 7.2 10.8
80 9.5 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.76 min Scan# 3144
Delta R.T. -0.01 min
Lab File: BG037694.D
Acq: 31 Oct 2018 21:33

Tgt Ion:240 Resp: 398103
Ion Ratio Lower Upper
240 100
120 10.7 8.1 12.1
236 26.3 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 76.598 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG037694.D

Acq: 31 Oct 2018 21:33

Instrument :

BNA_G

ClientSampleId :

PL-02-103018-C


Tot Ion:244 Resp: 1427103

Ion Ratio Lower Upper

244 100

212 8.3 6.5 9.7




122 11.4 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.10 min Scan# 3712

Delta R.T. -0.01 min

Lab File: BG037694.D

Acq: 31 Oct 2018 21:33


Tgt Ion:264 Resp: 345830

Ion Ratio Lower Upper

264 100

260 25.1 18.2 27.4

265 21.2 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

