

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG110818\
 Data File : BG037905.D
 Acq On : 9 Nov 2018 4:58
 Operator : JU/SJ
 Sample : J5768-02
 Misc :
 ALS Vial : 22 Sample Multiplier: 1


Quant Time: Nov 09 14:44:44 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	48621	20.00	ng	-0.02
21) Naphthalene-d8	10.92	136	215726	20.00	ng	-0.01
39) Acenaphthene-d10	14.72	164	141760	20.00	ng	-0.02
64) Phenanthrene-d10	17.47	188	314827	20.00	ng	-0.01
76) Chrysene-d12	21.76	240	275337	20.00	ng	-0.02
87) Perylene-d12	25.09	264	223471	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	309097	106.28	ng	-0.01
7) Phenol-d6	7.24	99	398426	90.60	ng	-0.01
23) Nitrobenzene-d5	9.27	82	318600	82.73	ng	-0.01
42) 2,4,6-Tribromophenol	16.21	330	159096	102.90	ng	-0.01
45) 2-Fluorobiphenyl	13.35	172	778665	82.83	ng	-0.02
79) Terphenyl-d14	20.07	244	1153050	89.48	ng	-0.02
Target Compounds						Qvalue
19) n-Nitroso-di-n-propylamine	9.26	70	40178	13.268	ng	# 69
51) 2,6-Dinitrotoluene	14.72	165	18445	7.603	ng	# 25
57) 2,4-Dinitrotoluene	14.72	165	18445	5.792	ng	# 24
65) 4,6-Dinitro-2-methylphenol	16.21	198	452	8.733	ng	79
67) 4-Bromophenyl-phenylether	16.21	248	11121	3.217	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG110818\
Data File : BG037905.D
Acq On : 9 Nov 2018 4:58
Operator : JU/SJ
Sample : J5768-02
Misc :
ALS Vial : 22 Sample Multiplier: 1


Quant Time: Nov 09 14:44:44 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.09 min Scan# 817
 Delta R.T. -0.02 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58

Tgt Ion:152 Resp: 48621
 Ion Ratio Lower Upper
 152 100
 150 158.8 126.0 189.0
 115 52.2 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 106.284 ng
 RT: 5.63 min Scan# 399
 Delta R.T. -0.01 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58

Tgt Ion:112 Resp: 309097
 Ion Ratio Lower Upper
 112 100
 64 65.9 53.1 79.7
 63 31.9 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG0
 Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 90.601 ng

RT: 7.24 min Scan# 672

Delta R.T. -0.01 min

Lab File: BG037905.D

Acq: 9 Nov 2018 4:58


Tgt Ion: 99 Resp: 398426

Ion Ratio Lower Upper




99 100

42 17.6 15.0 22.4

71 30.3 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.268 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.35 min

Lab File: BG037905.D

Acq: 9 Nov 2018 4:58

Tgt Ion: 70 Resp: 40178


Ion Ratio Lower Upper

70 100



42 45.1 53.9 80.9#


101 0.0 8.2 12.2#

130 1.6 18.2 27.4#




Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.92 min Scan# 1298
Delta R.T. -0.01 min
Lab File: BG037905.D
Acq: 9 Nov 2018 4:58

Tgt Ion:	136	Resp:	215726
Ion	Ratio	Lower	Upper
136	100		
137	10.7	9.6	14.4
54	9.9	7.9	11.9
68	6.4	4.8	7.2




Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 82.733 ng
RT: 9.27 min Scan# 1018
Delta R.T. -0.01 min
Lab File: BG037905.D
Acq: 9 Nov 2018 4:58

Tgt Ion:	82	Resp:	318600
Ion	Ratio	Lower	Upper
82	100		
128	45.8	34.6	51.8
54	53.9	45.3	67.9




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.72 min Scan# 1946
Delta R.T. -0.02 min
Lab File: BG037905.D
Acq: 9 Nov 2018 4:58

Tgt Ion:164 Resp: 141760
Ion Ratio Lower Upper
164 100
162 104.3 81.3 121.9
160 44.1 36.3 54.5




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E





#42
2,4,6-Tribromophenol
Concen: 102.897 ng
RT: 16.21 min Scan# 2200
Delta R.T. -0.01 min
Lab File: BG037905.D
Acq: 9 Nov 2018 4:58

Tgt Ion:330 Resp: 159096
Ion Ratio Lower Upper
330 100
332 97.5 78.4 117.6
141 38.4 32.2 48.2







Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E








#45
 2-Fluorobiphenyl
 Concen: 82.829 ng
 RT: 13.35 min Scan# 1712
 Delta R.T. -0.02 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58


Tgt Ion:	172	Resp:	778665
Ion	Ratio	Lower	Upper
172	100		
171	38.5	31.0	46.4
170	25.6	20.2	30.2



#51
 2,6-Dinitrotoluene
 Concen: 7.603 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. 0.40 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58


Tgt Ion:	165	Resp:	18445
Ion	Ratio	Lower	Upper
165	100		
63	2.3	43.4	65.2#
89	0.0	45.8	68.6#





#57
 2,4-Dinitrotoluene
 Concen: 5.792 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. -0.38 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58

Tgt Ion:	165	Resp:	18445
Ion	Ratio	Lower	Upper
165	100		
63	2.3	33.4	50.0#
89	0.0	57.2	85.8#
182	0.0	2.6	4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2414
 Delta R.T. -0.01 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58



Tgt Ion:	188	Resp:	314827
Ion	Ratio	Lower	Upper
188	100		
94	9.9	7.2	10.8
80	10.1	7.7	11.5




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC


Ion 80.00 (79.70 to 80.70): BGC








#65
 4,6-Dinitro-2-methylphenol
 Concen: 8.733 ng
 RT: 16.21 min Scan# 2200
 Delta R.T. 0.36 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58

Tgt Ion	Ratio	Lower	Upper
198	100		
51	30.3	22.7	62.7
105	25.3	19.7	59.7




Abundance Ion 198.00 (197.70 to 198.70): E
 Ion 51.00 (50.70 to 51.70): BG
 Ion 105.00 (104.70 to 105.70): E






#67
 4-Bromophenyl-phenylether
 Concen: 3.217 ng
 RT: 16.21 min Scan# 2200
 Delta R.T. -0.45 min
 Lab File: BG037905.D
 Acq: 9 Nov 2018 4:58

Tgt Ion	Ratio	Lower	Upper
248	100		
250	181.9	77.0	115.6#
141	367.5	55.5	83.3#







Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E








#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.76 min Scan# 3143
Delta R.T. -0.02 min
Lab File: BG037905.D
Acq: 9 Nov 2018 4:58


Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.5	8.1	12.1
236	26.2	21.4	32.0



#79
Terphenyl-d14
Concen: 89.483 ng
RT: 20.07 min Scan# 2856
Delta R.T. -0.02 min
Lab File: BG037905.D
Acq: 9 Nov 2018 4:58

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.1	6.5	9.7
122	11.2	9.0	13.4





#87
Perylene-d12
Concen: 20.000 ng
RT: 25.09 min Scan# 3711
Delta R.T. -0.02 min
Lab File: BG037905.D
Acq: 9 Nov 2018 4:58

Tgt Ion:	264	Resp:	223471
Ion	Ratio	Lower	Upper
264	100		
260	21.8	18.2	27.4
265	21.8	17.9	26.9

