

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG110818\
 Data File : BG037908.D
 Acq On : 9 Nov 2018 6:55
 Operator : JU/SJ
 Sample : J5838-20
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Quant Time: Nov 09 15:35:32 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 18 14:06:42 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	48556	20.00	ng	-0.02
21) Naphthalene-d8	10.91	136	219075	20.00	ng	-0.02
39) Acenaphthene-d10	14.73	164	143879	20.00	ng	-0.02
64) Phenanthrene-d10	17.47	188	320137	20.00	ng	-0.02
76) Chrysene-d12	21.75	240	280166	20.00	ng	-0.02
87) Perylene-d12	25.09	264	213830	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.64	112	326585	112.45	ng	0.00
7) Phenol-d6	7.24	99	428952	97.67	ng	-0.02
23) Nitrobenzene-d5	9.27	82	325218	83.16	ng	-0.02
42) 2,4,6-Tribromophenol	16.21	330	152791	97.36	ng	-0.02
45) 2-Fluorobiphenyl	13.35	172	786546	82.44	ng	-0.02
79) Terphenyl-d14	20.07	244	1144040	87.25	ng	-0.02


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG110818\
Data File : BG037908.D
Acq On : 9 Nov 2018 6:55
Operator : JU/SJ
Sample : J5838-20
Misc :
ALS Vial : 25 Sample Multiplier: 1

Quant Time: Nov 09 15:35:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG101818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 18 14:06:42 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 818
Delta R.T. -0.02 min
Lab File: BG037908.D
Acq: 9 Nov 2018 6:55

Tot Ion	Ratio	Lower	Upper
152	100		
150	167.7	126.0	189.0
115	57.4	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 112.448 ng
RT: 5.64 min Scan# 400
Delta R.T. -0.01 min
Lab File: BG037908.D
Acq: 9 Nov 2018 6:55

Tgt Ion	Ratio	Lower	Upper
112	100		
64	63.8	53.1	79.7
63	31.1	27.3	40.9






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BGC

Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 97.673 ng

RT: 7.24 min Scan# 672


Delta R.T. -0.02 min

Lab File: BG037908.D

Acq: 9 Nov 2018 6:55

Tot Ion: 99 Resp: 428952

Ion	Ratio	Lower	Upper
99	100		
42	18.3	15.0	22.4
71	30.4	25.5	38.3





Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC

Time-->



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.91 min Scan# 1298



Delta R.T. -0.02 min

Lab File: BG037908.D

Acq: 9 Nov 2018 6:55

Tgt Ion: 136 Resp: 219075

Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.6	14.4
54	10.1	7.9	11.9
68	6.7	4.8	7.2




Abundance Ion 136.00 (135.70 to 136.70): BGC

Ion 137.00 (136.70 to 137.70): BGC

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC

Time-->



#23

Nitrobenzene-d5

Concen: 83.160 ng

RT: 9.27 min Scan# 1018

Delta R.T. -0.02 min

Lab File: BG037908.D

Acq: 9 Nov 2018 6:55


Tot Ion: 82 Resp: 325218

Ion Ratio Lower Upper




82 100

128 44.9 34.6 51.8

54 55.1 45.3 67.9



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.73 min Scan# 1947

Delta R.T. -0.02 min

Lab File: BG037908.D

Acq: 9 Nov 2018 6:55


Tgt Ion: 164 Resp: 143879

Ion Ratio Lower Upper



164 100


162 105.9 81.3 121.9

160 45.5 36.3 54.5




Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC








#42
 2,4,6-Tribromophenol
 Concen: 97.364 ng
 RT: 16.21 min Scan# 2200
 Delta R.T. -0.02 min
 Lab File: BG037908.D
 Acq: 9 Nov 2018 6:55

Tot Ion	Ratio	Lower	Upper
330	100		
332	92.9	78.4	117.6
141	38.0	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 82.435 ng
 RT: 13.35 min Scan# 1712
 Delta R.T. -0.02 min
 Lab File: BG037908.D
 Acq: 9 Nov 2018 6:55

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.3	31.0	46.4
170	25.3	20.2	30.2







Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.47 min Scan# 2414
Delta R.T. -0.02 min
Lab File: BG037908.D
Acq: 9 Nov 2018 6:55


Tot Ion:188 Resp: 320137
Ion Ratio Lower Upper
188 100
94 9.2 7.2 10.8
80 10.5 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3143
Delta R.T. -0.02 min
Lab File: BG037908.D
Acq: 9 Nov 2018 6:55

Tgt Ion:240 Resp: 280166
Ion Ratio Lower Upper
240 100
120 11.9 8.1 12.1
236 26.3 21.4 32.0









#79
 Terphenyl-d14
 Concen: 87.253 ng
 RT: 20.07 min Scan# 2857
 Delta R.T. -0.02 min
 Lab File: BG037908.D
 Acq: 9 Nov 2018 6:55

Tot Ion:244 Resp: 1144040

Ion	Ratio	Lower	Upper
244	100		
212	8.0	6.5	9.7
122	10.7	9.0	13.4



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.09 min Scan# 3710
 Delta R.T. -0.03 min
 Lab File: BG037908.D
 Acq: 9 Nov 2018 6:55

Tgt Ion:264 Resp: 213830

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.2	27.4
265	21.0	17.9	26.9

