

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111518\
 Data File : BG038027.D
 Acq On : 15 Nov 2018 20:55
 Operator : JU/SJ
 Sample : J5767-12
 Misc :
 ALS Vial : 13 Sample Multiplier: 1


Quant Time: Nov 16 06:28:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	44091	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	188136	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	119599	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	283900	20.00	ng	0.00
76) Chrysene-d12	21.75	240	267080	20.00	ng	0.00
87) Perylene-d12	25.07	264	270859	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	285737	111.89	ng	0.00
7) Phenol-d6	7.23	99	359011	98.49	ng	0.00
23) Nitrobenzene-d5	9.26	82	273897	77.93	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	151906	111.37	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	615135	74.93	ng	0.00
79) Terphenyl-d14	20.07	244	986821	86.94	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.26	70	34612	13.122	ng	# 70
51) 2,6-Dinitrotoluene	14.72	165	16036	7.473	ng	# 23
57) 2,4-Dinitrotoluene	14.72	165	16036	5.492	ng	# 23
67) 4-Bromophenyl-phenylether	16.21	248	10836	3.477	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111518\
Data File : BG038027.D
Acq On : 15 Nov 2018 20:55
Operator : JU/SJ
Sample : J5767-12
Misc :
ALS Vial : 13 Sample Multiplier: 1

Quant Time: Nov 16 06:28:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.08 min Scan# 816
 Delta R.T. -0.01 min
 Lab File: BG038027.D
 Acq: 15 Nov 2018 20:55

Tot Ion	Ratio	Lower	Upper
152	100		
150	158.0	126.0	189.0
115	56.8	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 111.892 ng
 RT: 5.63 min Scan# 399
 Delta R.T. 0.00 min
 Lab File: BG038027.D
 Acq: 15 Nov 2018 20:55

Tgt Ion	Ratio	Lower	Upper
112	100		
64	65.4	53.1	79.7
63	34.2	27.3	40.9





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 98.488 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038027.D

Acq: 15 Nov 2018 20:55


Tot Ion: 99 Resp: 359011

Ion Ratio Lower Upper




99 100

42 19.4 15.0 22.4

71 32.1 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 13.122 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.37 min

Lab File: BG038027.D

Acq: 15 Nov 2018 20:55

Tgt Ion: 70 Resp: 34612


Ion Ratio Lower Upper

70 100



42 45.6 53.9 80.9#

101 0.0 8.2 12.2#

130 2.8 18.2 27.4#







Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.90 min Scan# 1296
Delta R.T. -0.01 min
Lab File: BG038027.D
Acq: 15 Nov 2018 20:55


Tot Ion:136	Resp:	188136
Ion	Ratio	Lower Upper
136	100	
137	12.9	9.6 14.4
54	10.6	7.9 11.9
68	6.5	4.8 7.2



#23
Nitrobenzene-d5
Concen: 77.932 ng
RT: 9.26 min Scan# 1017
Delta R.T. 0.00 min
Lab File: BG038027.D
Acq: 15 Nov 2018 20:55

Tgt Ion: 82	Resp:	273897
Ion	Ratio	Lower Upper
82	100	
128	42.6	34.6 51.8
54	54.4	45.3 67.9





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1946

Delta R.T. 0.00 min

Lab File: BG038027.D

Acq: 15 Nov 2018 20:55



Tot Ion:164 Resp: 119599

Ion Ratio Lower Upper

164 100

162 102.8 81.3 121.9



160 47.7 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 111.368 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.01 min

Lab File: BG038027.D

Acq: 15 Nov 2018 20:55



Tgt Ion:330 Resp: 151906

Ion Ratio Lower Upper

330 100

332 94.1 78.4 117.6


141 41.7 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E


Ion 141.00 (140.70 to 141.70): E








#45
 2-Fluorobiphenyl
 Concen: 74.930 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG038027.D
 Acq: 15 Nov 2018 20:55

Tot Ion:	172	Resp:	615135
Ion	Ratio	Lower	Upper
172	100		
171	37.8	31.0	46.4
170	23.9	20.2	30.2




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#51
 2,6-Dinitrotoluene
 Concen: 7.473 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. 0.42 min
 Lab File: BG038027.D
 Acq: 15 Nov 2018 20:55

Tgt Ion:	165	Resp:	16036
Ion	Ratio	Lower	Upper
165	100		
63	0.0	43.4	65.2#
89	0.0	45.8	68.6#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BG0
 Ion 89.00 (88.70 to 89.70): BG0





#57
 2,4-Dinitrotoluene
 Concen: 5.492 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. -0.36 min
 Lab File: BG038027.D
 Acq: 15 Nov 2018 20:55

Tot Ion:165	Resp:	16036
Ion Ratio	Lower	Upper
165	100	
63	0.0	33.4 50.0#
89	0.0	57.2 85.8#
182	0.0	2.6 4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BG038027.D
 Acq: 15 Nov 2018 20:55



Tgt Ion:188	Resp:	283900
Ion Ratio	Lower	Upper
188	100	
94	9.2	7.2 10.8
80	10.5	7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC


Ion 80.00 (79.70 to 80.70): BGC








#67
4-Bromophenyl-phenylether
Concen: 3.477 ng
RT: 16.21 min Scan# 2199
Delta R.T. -0.45 min
Lab File: BG038027.D
Acq: 15 Nov 2018 20:55

Tot Ion:248 Resp: 10836
Ion Ratio Lower Upper
248 100
250 180.0 77.0 115.6#
141 411.3 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3142
Delta R.T. -0.01 min
Lab File: BG038027.D
Acq: 15 Nov 2018 20:55

Tgt Ion:240 Resp: 267080
Ion Ratio Lower Upper
240 100
120 11.6 8.1 12.1
236 26.1 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 86.940 ng

RT: 20.07 min Scan# 2856

Delta R.T. 0.00 min

Lab File: BG038027.D

Acq: 15 Nov 2018 20:55


Tot Ion:244 Resp: 986821

Ion Ratio Lower Upper

244 100

212 8.0 6.5 9.7




122 11.2 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.01 min

Lab File: BG038027.D

Acq: 15 Nov 2018 20:55


Tgt Ion:264 Resp: 270859

Ion Ratio Lower Upper

264 100

260 23.9 18.2 27.4

265 19.7 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

