

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111518\
 Data File : BG038024.D
 Acq On : 15 Nov 2018 18:58
 Operator : JU/SJ
 Sample : J5942-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Quant Time: Nov 16 06:47:05 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	46707	20.00	ng	0.00
21) Naphthalene-d8	10.91	136	196169	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	124726	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	297851	20.00	ng	0.00
76) Chrysene-d12	21.75	240	285083	20.00	ng	0.00
87) Perylene-d12	25.07	264	287887	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	283421	104.77	ng	0.00
7) Phenol-d6	7.23	99	353150	91.45	ng	0.00
23) Nitrobenzene-d5	9.26	82	274731	74.97	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	150672	105.92	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	623918	72.88	ng	0.00
79) Terphenyl-d14	20.07	244	1013553	83.66	ng	0.00


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG111518\
Data File : BG038024.D
Acq On : 15 Nov 2018 18:58
Operator : JU/SJ
Sample : J5942-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Quant Time: Nov 16 06:47:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 816
Delta R.T. -0.00 min
Lab File: BG038024.D
Acq: 15 Nov 2018 18:58

Tot Ion	Ratio	Lower	Upper
152	100		
150	160.1	126.0	189.0
115	57.5	45.5	68.3






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 104.769 ng
RT: 5.63 min Scan# 398
Delta R.T. -0.00 min
Lab File: BG038024.D
Acq: 15 Nov 2018 18:58

Tgt Ion	Ratio	Lower	Upper
112	100		
64	64.9	53.1	79.7
63	33.9	27.3	40.9





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BG0

Ion 63.00 (62.70 to 63.70): BG0





#7

Phenol-d6

Concen: 91.454 ng

RT: 7.23 min Scan# 670

Delta R.T. -0.00 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58


Tot Ion: 99 Resp: 353150

Ion Ratio Lower Upper




99 100

42 18.7 15.0 22.4

71 31.1 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.91 min Scan# 1296

Delta R.T. -0.00 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58

Tgt Ion: 136 Resp: 196169


Ion Ratio Lower Upper

136 100



137 11.6 9.6 14.4


54 10.2 7.9 11.9

68 6.7 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 74.968 ng

RT: 9.26 min Scan# 1016

Delta R.T. -0.00 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58





Tot Ion: 82 Resp: 274731

Ion Ratio Lower Upper

82 100

128 43.3 34.6 51.8

54 55.9 45.3 67.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1945

Delta R.T. -0.00 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58




Tgt Ion:164 Resp: 124726

Ion Ratio Lower Upper

164 100

162 100.8 81.3 121.9


160 45.4 36.3 54.5








#42
 2,4,6-Tribromophenol
 Concen: 105.923 ng
 RT: 16.21 min Scan# 2198
 Delta R.T. -0.01 min
 Lab File: BG038024.D
 Acq: 15 Nov 2018 18:58

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.5	78.4	117.6
141	41.1	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 72.876 ng
 RT: 13.34 min Scan# 1710
 Delta R.T. -0.01 min
 Lab File: BG038024.D
 Acq: 15 Nov 2018 18:58

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.0	31.0	46.4
170	24.8	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2413

Delta R.T. -0.00 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58


Tot Ion:188 Resp: 297851

Ion Ratio Lower Upper

188 100

94 8.6 7.2 10.8




80 10.2 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.75 min Scan# 3142

Delta R.T. -0.00 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58


Tgt Ion:240 Resp: 285083

Ion Ratio Lower Upper

240 100

120 9.8 8.1 12.1



236 25.7 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 83.656 ng

RT: 20.07 min Scan# 2855


Delta R.T. -0.00 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58

Tot Ion:244 Resp: 1013553




Ion	Ratio	Lower	Upper
244	100		
212	8.0	6.5	9.7
122	11.0	9.0	13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707


Delta R.T. -0.01 min

Lab File: BG038024.D

Acq: 15 Nov 2018 18:58

Tgt Ion:264 Resp: 287887

Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.2	27.4
265	21.2	17.9	26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

