

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112018\
 Data File : BG038092.D
 Acq On : 20 Nov 2018 19:27
 Operator : JU/SJ
 Sample : PB114970BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB114970BL

Quant Time: Nov 21 03:57:45 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	38941	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	164900	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	105309	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	251462	20.00	ng	0.00
76) Chrysene-d12	21.75	240	245960	20.00	ng	0.00
87) Perylene-d12	25.07	264	248156	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	244490	108.40	ng	0.00
7) Phenol-d6	7.23	99	349380	108.52	ng	0.00
23) Nitrobenzene-d5	9.26	82	212970	69.13	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	116756	97.21	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	496461	68.68	ng	0.00
79) Terphenyl-d14	20.07	244	795340	76.09	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112018\
Data File : BG038092.D
Acq On : 20 Nov 2018 19:27
Operator : JU/SJ
Sample : PB114970BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB114970BL

Quant Time: Nov 21 03:57:45 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.08 min Scan# 816
Delta R.T. -0.00 min
Lab File: BG038092.D
Acq: 20 Nov 2018 19:27

Instrument :
BNA_G
ClientSampleId :
PB114970BL

Tot Ion:152 Resp: 38941
Ion Ratio Lower Upper
152 100
150 168.7 126.0 189.0
115 62.2 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.402 ng
RT: 5.63 min Scan# 398
Delta R.T. -0.00 min
Lab File: BG038092.D
Acq: 20 Nov 2018 19:27

Tgt Ion:112 Resp: 244490
Ion Ratio Lower Upper
112 100
64 69.2 53.1 79.7
63 35.8 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 108.522 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038092.D

Acq: 20 Nov 2018 19:27

Instrument :

BNA_G

ClientSampleId :

PB114970BL


Tot Ion: 99 Resp: 349380

Ion Ratio Lower Upper




99 100

42 19.4 15.0 22.4

71 32.6 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.90 min Scan# 1296

Delta R.T. -0.00 min

Lab File: BG038092.D

Acq: 20 Nov 2018 19:27

Tgt Ion: 136 Resp: 164900


Ion Ratio Lower Upper

136 100



137 11.6 9.6 14.4


54 11.0 7.9 11.9

68 7.4 4.8 7.2#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 69.135 ng
RT: 9.26 min Scan# 1016
Delta R.T. -0.00 min
Lab File: BG038092.D
Acq: 20 Nov 2018 19:27

Instrument :
BNA_G
ClientSampleId :
PB114970BL

Tot Ion	82	Resp	212970
Ion Ratio	Lower	Upper	
82	100		
128	42.3	34.6	51.8
54	54.6	45.3	67.9






Abundance

Ion 82.00 (81.70 to 82.70): BGC


Ion 128.00 (127.70 to 128.70): BGC

Ion 54.00 (53.70 to 54.70): BGC



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.72 min Scan# 1945
Delta R.T. -0.00 min
Lab File: BG038092.D
Acq: 20 Nov 2018 19:27

Tgt Ion	164	Resp	105309
Ion Ratio	Lower	Upper	
164	100		
162	99.8	81.3	121.9
160	44.0	36.3	54.5






Abundance

Ion 164.00 (163.70 to 164.70): BGC

Ion 162.00 (161.70 to 162.70): BGC

Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 97.214 ng
 RT: 16.21 min Scan# 2199
 Delta R.T. -0.00 min
 Lab File: BG038092.D
 Acq: 20 Nov 2018 19:27

Instrument :
 BNA_G
 ClientSampleId :
 PB114970BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.8	78.4	117.6
141	39.6	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 68.681 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.00 min
 Lab File: BG038092.D
 Acq: 20 Nov 2018 19:27

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.3	31.0	46.4
170	24.5	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.47 min Scan# 2413
Delta R.T. -0.00 min
Lab File: BG038092.D
Acq: 20 Nov 2018 19:27




Instrument :
BNA_G
ClientSampleId :
PB114970BL


Tot Ion:188 Resp: 251462
Ion Ratio Lower Upper
188 100
94 8.4 7.2 10.8
80 10.1 7.7 11.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3142
Delta R.T. -0.00 min
Lab File: BG038092.D
Acq: 20 Nov 2018 19:27

Tgt Ion:240 Resp: 245960
Ion Ratio Lower Upper
240 100
120 10.5 8.1 12.1
236 26.7 21.4 32.0





#79

Terphenyl-d14

Concen: 76.087 ng

RT: 20.07 min Scan# 2856

Delta R.T. 0.00 min

Lab File: BG038092.D

Acq: 20 Nov 2018 19:27

Instrument :

BNA_G

ClientSampleId :

PB114970BL


Tot Ion:244 Resp: 795340

Ion Ratio Lower Upper

244 100

212 7.4 6.5 9.7




122 9.7 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.01 min

Lab File: BG038092.D

Acq: 20 Nov 2018 19:27


Tgt Ion:264 Resp: 248156

Ion Ratio Lower Upper

264 100

260 22.7 18.2 27.4

265 22.6 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

