

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112018\
 Data File : BG038109.D
 Acq On : 21 Nov 2018 7:53
 Operator : JU/SJ
 Sample : J6006-06
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 RS-CON-FLOOR

Quant Time: Nov 21 10:54:50 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	44932	20.00	ng	0.00
21) Naphthalene-d8	10.91	136	192395	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	122340	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	273113	20.00	ng	0.00
76) Chrysene-d12	21.75	240	267630	20.00	ng	0.00
87) Perylene-d12	25.08	264	256576	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	281841	108.30	ng	0.00
7) Phenol-d6	7.23	99	344514	92.74	ng	0.00
23) Nitrobenzene-d5	9.26	82	293295	81.60	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	137636	98.65	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	634675	75.58	ng	0.00
79) Terphenyl-d14	20.07	244	999710	87.89	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112018\
Data File : BG038109.D
Acq On : 21 Nov 2018 7:53
Operator : JU/SJ
Sample : J6006-06
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
RS-CON-FLOOR

Quant Time: Nov 21 10:54:50 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 817
Delta R.T. -0.00 min
Lab File: BG038109.D
Acq: 21 Nov 2018 7:53

Instrument :
BNA_G
ClientSampleId :
RS-CON-FLOOR

Tot Ion:152 Resp: 44932
Ion Ratio Lower Upper
152 100
150 158.7 126.0 189.0
115 55.5 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.301 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.00 min
Lab File: BG038109.D
Acq: 21 Nov 2018 7:53

Tgt Ion:112 Resp: 281841
Ion Ratio Lower Upper
112 100
64 67.7 53.1 79.7
63 34.4 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 92.742 ng

RT: 7.23 min Scan# 671

Delta R.T. -0.00 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53

Instrument :

BNA_G

ClientSampleId :

RS-CON-FLOOR


Tot Ion: 99 Resp: 344514

Ion Ratio Lower Upper




99 100

42 19.8 15.0 22.4

71 32.2 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.91 min Scan# 1297

Delta R.T. -0.00 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53

Tgt Ion: 136 Resp: 192395


Ion Ratio Lower Upper

136 100



137 11.6 9.6 14.4


54 10.5 7.9 11.9

68 5.9 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 81.604 ng
RT: 9.26 min Scan# 1017
Delta R.T. -0.00 min
Lab File: BG038109.D
Acq: 21 Nov 2018 7:53




Instrument :
BNA_G
ClientSampleId :
RS-CON-FLOOR


Tot Ion	Ratio	Lower	Upper
82	100		
128	43.9	34.6	51.8
54	55.9	45.3	67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.72 min Scan# 1946
Delta R.T. -0.00 min
Lab File: BG038109.D
Acq: 21 Nov 2018 7:53

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.4	81.3	121.9
160	46.0	36.3	54.5





#42

2,4,6-Tribromophenol

Concen: 98.646 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.01 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53

Instrument :

BNA_G

ClientSampleId :

RS-CON-FLOOR


Tot Ion:330 Resp: 137636

Ion Ratio Lower Upper




330 100

332 95.7 78.4 117.6

141 40.8 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 75.578 ng

RT: 13.34 min Scan# 1711

Delta R.T. -0.01 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53


Tgt Ion:172 Resp: 634675

Ion Ratio Lower Upper



172 100


171 39.0 31.0 46.4

170 25.5 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2414

Delta R.T. -0.00 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53

Instrument :

BNA_G

ClientSampleId :

RS-CON-FLOOR


Tot Ion:188 Resp: 273113

Ion Ratio Lower Upper

188 100

94 8.7 7.2 10.8




80 9.9 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BG

Ion 80.00 (79.70 to 80.70): BG



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.75 min Scan# 3142

Delta R.T. -0.01 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53


Tgt Ion:240 Resp: 267630

Ion Ratio Lower Upper

240 100

120 10.0 8.1 12.1



236 26.6 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 87.895 ng

RT: 20.07 min Scan# 2856

Delta R.T. -0.00 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53

Instrument :

BNA_G

ClientSampleId :

RS-CON-FLOOR


Tot Ion:244 Resp: 999710

Ion Ratio Lower Upper

244 100

212 8.2 6.5 9.7




122 10.9 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.08 min Scan# 3709

Delta R.T. -0.00 min

Lab File: BG038109.D

Acq: 21 Nov 2018 7:53


Tgt Ion:264 Resp: 256576

Ion Ratio Lower Upper

264 100

260 22.3 18.2 27.4

265 21.7 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

