

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112118\
 Data File : BG038132.D
 Acq On : 22 Nov 2018 00:51
 Operator : JU/SJ
 Sample : J6014-02
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TS-BUCKETS

Quant Time: Nov 22 01:44:47 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	48088	20.00	ng	0.00
21) Naphthalene-d8	10.91	136	212082	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	137329	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	310222	20.00	ng	0.00
76) Chrysene-d12	21.75	240	298584	20.00	ng	0.00
87) Perylene-d12	25.07	264	265979	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	294151	105.61	ng	0.00
7) Phenol-d6	7.23	99	385438	96.95	ng	0.00
23) Nitrobenzene-d5	9.26	82	304624	76.89	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	137297	87.66	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	669503	71.02	ng	0.00
79) Terphenyl-d14	20.07	244	1073795	84.62	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112118\
Data File : BG038132.D
Acq On : 22 Nov 2018 00:51
Operator : JU/SJ
Sample : J6014-02
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TS-BUCKETS

Quant Time: Nov 22 01:44:47 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 816
Delta R.T. -0.00 min
Lab File: BG038132.D
Acq: 22 Nov 2018 00:51

Instrument :
BNA_G
ClientSampleId :
TS-BUCKETS

Tot Ion:152 Resp: 48088
Ion Ratio Lower Upper
152 100
150 166.2 126.0 189.0
115 61.8 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 105.613 ng
RT: 5.63 min Scan# 398
Delta R.T. -0.00 min
Lab File: BG038132.D
Acq: 22 Nov 2018 00:51

Tgt Ion:112 Resp: 294151
Ion Ratio Lower Upper
112 100
64 67.0 53.1 79.7
63 34.4 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 96.949 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038132.D

Acq: 22 Nov 2018 00:51

Instrument :

BNA_G

ClientSampleId :

TS-BUCKETS


Tot Ion: 99 Resp: 385438

Ion Ratio Lower Upper




99 100

42 19.7 15.0 22.4

71 31.6 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.91 min Scan# 1296

Delta R.T. -0.00 min

Lab File: BG038132.D

Acq: 22 Nov 2018 00:51

Tgt Ion: 136 Resp: 212082


Ion Ratio Lower Upper

136 100



137 11.4 9.6 14.4


54 11.6 7.9 11.9

68 6.0 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 76.888 ng
 RT: 9.26 min Scan# 1016
 Delta R.T. -0.00 min
 Lab File: BG038132.D
 Acq: 22 Nov 2018 00:51

Instrument :
 BNA_G
 ClientSampleId :
 TS-BUCKETS

Tot Ion: 82 Resp: 304624
 Ion Ratio Lower Upper
 82 100
 128 42.6 34.6 51.8
 54 58.4 45.3 67.9




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC





#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.72 min Scan# 1945
 Delta R.T. -0.00 min
 Lab File: BG038132.D
 Acq: 22 Nov 2018 00:51

Tgt Ion:164 Resp: 137329
 Ion Ratio Lower Upper
 164 100
 162 107.5 81.3 121.9
 160 45.8 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC








#42
 2,4,6-Tribromophenol
 Concen: 87.662 ng
 RT: 16.21 min Scan# 2199
 Delta R.T. -0.00 min
 Lab File: BG038132.D
 Acq: 22 Nov 2018 00:51

Instrument :
 BNA_G
 ClientSampleId :
 TS-BUCKETS

Tot Ion:330 Resp: 137297
 Ion Ratio Lower Upper
 330 100
 332 95.1 78.4 117.6
 141 41.8 32.2 48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 71.024 ng
 RT: 13.34 min Scan# 1710
 Delta R.T. -0.01 min
 Lab File: BG038132.D
 Acq: 22 Nov 2018 00:51

Tgt Ion:172 Resp: 669503
 Ion Ratio Lower Upper
 172 100
 171 36.3 31.0 46.4
 170 24.5 20.2 30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.47 min Scan# 2413

Delta R.T. -0.00 min

Lab File: BG038132.D

Acq: 22 Nov 2018 00:51

Instrument :

BNA_G

ClientSampleId :

TS-BUCKETS


Tot Ion:188 Resp: 310222

Ion Ratio Lower Upper

188 100

94 9.2 7.2 10.8




80 10.4 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.75 min Scan# 3142

Delta R.T. -0.00 min

Lab File: BG038132.D

Acq: 22 Nov 2018 00:51


Tgt Ion:240 Resp: 298584

Ion Ratio Lower Upper

240 100

120 9.6 8.1 12.1



236 26.6 21.4 32.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 84.621 ng

RT: 20.07 min Scan# 2855

Delta R.T. -0.00 min

Lab File: BG038132.D

Acq: 22 Nov 2018 00:51

Instrument :

BNA_G

ClientSampleId :

TS-BUCKETS


Tot Ion:244 Resp: 1073795

Ion Ratio Lower Upper

244 100

212 7.8 6.5 9.7




122 11.0 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. -0.01 min

Lab File: BG038132.D

Acq: 22 Nov 2018 00:51


Tgt Ion:264 Resp: 265979

Ion Ratio Lower Upper

264 100

260 22.2 18.2 27.4

265 21.4 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

