

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG112322\
 Data File : BG055760.D
 Acq On : 23 Nov 2022 18:11
 Operator : CG/JU
 Sample : PB149062BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB149062BS

Quant Time: Nov 24 06:07:20 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 24 06:05:02 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.235	152	31295	20.000	ng	0.00
21) Naphthalene-d8	11.067	136	148103	20.000	ng	0.00
39) Acenaphthene-d10	14.862	164	120758	20.000	ng	0.00
64) Phenanthrene-d10	17.606	188	297332	20.000	ng	0.00
76) Chrysene-d12	21.901	240	283480	20.000	ng	0.00
86) Perylene-d12	25.303	264	296521	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.767	112	242572	140.103	ng	0.00
7) Phenol-d6	7.389	99	327103	141.926	ng	0.00
23) Nitrobenzene-d5	9.410	82	198749	70.929	ng	0.00
42) 2,4,6-Tribromophenol	16.349	330	212500	124.968	ng	0.00
45) 2-Fluorobiphenyl	13.488	172	557113	69.116	ng	0.00
79) Terphenyl-d14	20.192	244	1095362	77.285	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.593	88	21311	28.802	ng	96
3) Pyridine	4.005	79	63741	28.081	ng	99
4) n-Nitrosodimethylamine	3.917	42	45056	37.492	ng	94
6) Aniline	7.553	93	123822	42.773	ng	97
8) 2-Chlorophenol	7.800	128	93267	47.122	ng	100
9) Benzaldehyde	7.365	77	53233	34.010	ng	98
10) Phenol	7.412	94	120964	46.874	ng	99
11) bis(2-Chloroethyl)ether	7.642	93	80132	40.519	ng	98
12) 1,3-Dichlorobenzene	8.123	146	90147	38.739	ng	98
13) 1,4-Dichlorobenzene	8.270	146	92666	39.407	ng	98
14) 1,2-Dichlorobenzene	8.593	146	92771	41.170	ng	97
15) Benzyl Alcohol	8.470	79	92101	49.171	ng	98
16) 2,2'-oxybis(1-Chloropr...	8.758	45	147305	41.145	ng	98
17) 2-Methylphenol	8.676	107	86063	46.974	ng	99
18) Hexachloroethane	9.334	117	31891	39.403	ng	95
19) n-Nitroso-di-n-propyla...	9.040	70	76723	43.326	ng	97
20) 3+4-Methylphenols	9.005	107	122223	47.755	ng	97
22) Acetophenone	9.063	105	141832	36.854	ng	# 96
24) Nitrobenzene	9.451	77	107349	36.677	ng	99
25) Isophorone	9.974	82	214233	40.351	ng	99
26) 2-Nitrophenol	10.168	139	55511	41.085	ng	98
27) 2,4-Dimethylphenol	10.215	122	96012	46.690	ng	99
28) bis(2-Chloroethoxy)met...	10.450	93	121152	42.506	ng	100
29) 2,4-Dichlorophenol	10.709	162	105964	43.052	ng	99
30) 1,2,4-Trichlorobenzene	10.926	180	105658	36.950	ng	100
31) Naphthalene	11.120	128	291204	36.372	ng	99
32) Benzoic acid	10.368	122	56487	33.388	ng	95
33) 4-Chloroaniline	11.220	127	105020	31.798	ng	99
34) Hexachlorobutadiene	11.396	225	70447	36.080	ng	97
35) Caprolactam	11.989	113	21809	25.605	ng	96
36) 4-Chloro-3-methylphenol	12.324	107	119386	44.132	ng	99
37) 2-Methylnaphthalene	12.706	142	232767	38.829	ng	98
38) 1-Methylnaphthalene	12.924	142	218413	37.531	ng	100
40) 1,2,4,5-Tetrachloroben...	13.070	216	138790	36.573	ng	99
41) Hexachlorocyclopentadiene	13.041	237	155026	81.054	ng	99
43) 2,4,6-Trichlorophenol	13.306	196	99685	38.509	ng	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG112322\
 Data File : BG055760.D
 Acq On : 23 Nov 2022 18:11
 Operator : CG/JU
 Sample : PB149062BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB149062BS

Quant Time: Nov 24 06:07:20 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 24 06:05:02 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.376	196	110931	38.995	ng	98
46) 1,1'-Biphenyl	13.699	154	328189	37.295	ng	99
47) 2-Chloronaphthalene	13.746	162	247602	36.200	ng	98
48) 2-Nitroaniline	13.940	65	85052	37.822	ng	96
49) Acenaphthylene	14.586	152	418456	37.152	ng	99
50) Dimethylphthalate	14.304	163	361299	37.532	ng	99
51) 2,6-Dinitrotoluene	14.428	165	77596	39.423	ng	96
52) Acenaphthene	14.927	154	247583	33.633	ng	97
53) 3-Nitroaniline	14.763	138	68291	31.606	ng	96
54) 2,4-Dinitrophenol	14.974	184	95896	84.737	ng	97
55) Dibenzofuran	15.256	168	423220	37.268	ng	99
56) 4-Nitrophenol	15.068	139	130004	76.661	ng	97
57) 2,4-Dinitrotoluene	15.215	165	112822	40.655	ng	97
58) Fluorene	15.908	166	338824	37.357	ng	99
59) 2,3,4,6-Tetrachlorophenol	15.479	232	105709	38.350	ng	99
60) Diethylphthalate	15.656	149	363546	37.354	ng	99
61) 4-Chlorophenyl-phenyle...	15.891	204	192122	38.534	ng	100
62) 4-Nitroaniline	15.926	138	82921	36.713	ng	97
63) Azobenzene	16.184	77	309685	36.447	ng	98
65) 4,6-Dinitro-2-methylph...	15.979	198	67546	40.684	ng	99
66) n-Nitrosodiphenylamine	16.102	169	310045	37.837	ng	99
67) 4-Bromophenyl-phenylether	16.784	248	130678	38.574	ng	97
68) Hexachlorobenzene	16.907	284	145415	38.711	ng	98
69) Atrazine	17.042	200	132851	40.994	ng	99
70) Pentachlorophenol	17.254	266	166619	72.508	ng	98
71) Phenanthrene	17.647	178	585347	36.481	ng	99
72) Anthracene	17.741	178	589044	37.784	ng	100
73) Carbazole	18.006	167	535129	38.182	ng	100
74) Di-n-butylphthalate	18.541	149	646659	37.159	ng	99
75) Fluoranthene	19.645	202	707255	36.232	ng	100
77) Benzidine	19.816	184	341161	52.021	ng	99
78) Pyrene	20.004	202	715374	37.282	ng	100
80) Butylbenzylphthalate	20.867	149	281106	37.422	ng	100
81) Benzo(a)anthracene	21.878	228	722754	37.017	ng	100
82) 3,3'-Dichlorobenzidine	21.784	252	241330	35.175	ng	97
83) Chrysene	21.948	228	685048	36.855	ng	99
84) Bis(2-ethylhexyl)phtha...	21.749	149	407223	37.722	ng	99
85) Di-n-octyl phthalate	23.018	149	696434	37.697	ng	100
87) Indeno(1,2,3-cd)pyrene	29.228	276	871350	35.870	ng	99
88) Benzo(b)fluoranthene	24.216	252	771015	39.926	ng	99
89) Benzo(k)fluoranthene	24.287	252	742042	38.549	ng	99
90) Benzo(a)pyrene	25.145	252	678465	40.942	ng	99
91) Dibenzo(a,h)anthracene	29.287	278	740587	37.308	ng	99
92) Benzo(g,h,i)perylene	30.462	276	728475	36.411	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG112322\
 Data File : BG055760.D
 Acq On : 23 Nov 2022 18:11
 Operator : CG/JU
 Sample : PB149062BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB149062BS

Quant Time: Nov 24 06:07:20 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG11622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 24 06:05:02 2022
 Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.235 min Scan# 84
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:152 Resp: 31295
Ion Ratio Lower Upper
152 100
150 151.2 123.0 184.6
115 59.4 47.0 70.4



#2
1,4-Dioxane
Concen: 28.802 ng
RT: 3.593 min Scan# 52
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion: 88 Resp: 21311
Ion Ratio Lower Upper
88 100
58 92.2 71.3 106.9
43 38.6 28.6 43.0





#3

Pyridine

Concen: 28.081 ng

RT: 4.005 min Scan# 11

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion: 79 Resp: 63741

Ion Ratio Lower Upper

79 100

52 85.8 68.9 103.3

51 45.3 34.8 52.2



#4

n-Nitrosodimethylamine

Concen: 37.492 ng

RT: 3.917 min Scan# 107

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion: 42 Resp: 45056

Ion Ratio Lower Upper

42 100

74 112.7 84.7 127.1

44 6.8 5.4 8.0









#5
2-Fluorophenol
Concen: 140.103 ng
RT: 5.767 min Scan# 41
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:112 Resp: 242572
Ion Ratio Lower Upper
112 100
64 65.4 50.6 76.0
63 35.0 27.5 41.3



#6
Aniline
Concen: 42.773 ng
RT: 7.553 min Scan# 726
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion: 93 Resp: 123822
Ion Ratio Lower Upper
93 100
66 42.1 31.7 47.5
65 22.7 17.9 26.9









#7
Phenol-d6
Concen: 141.926 ng
RT: 7.389 min Scan# 698
Delta R.T. 0.005 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion: 99 Resp: 327103
Ion Ratio Lower Upper
99 100
42 22.8 18.0 27.0
71 36.7 29.0 43.6



#8
2-Chlorophenol
Concen: 47.122 ng
RT: 7.800 min Scan# 768
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion: 128 Resp: 93267
Ion Ratio Lower Upper
128 100
130 33.1 13.1 53.1
64 50.4 30.2 70.2









#9
Benzaldehyde
Concen: 34.010 ng
RT: 7.365 min Scan# 697
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion: 77 Resp: 53233
Ion Ratio Lower Upper
77 100
105 96.4 76.3 116.3
106 86.3 69.8 109.8



#10
Phenol
Concen: 46.874 ng
RT: 7.412 min Scan# 702
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion: 94 Resp: 120964
Ion Ratio Lower Upper
94 100
65 31.3 11.8 51.8
66 41.6 20.5 60.5









#11
bis(2-Chloroethyl)ether
Concen: 40.519 ng
RT: 7.642 min Scan# 741
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion: 93 Resp: 80132
Ion Ratio Lower Upper
93 100
63 89.4 67.6 107.6
95 33.2 11.8 51.8



#12
1,3-Dichlorobenzene
Concen: 38.739 ng
RT: 8.123 min Scan# 823
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:146 Resp: 90147
Ion Ratio Lower Upper
146 100
148 66.6 54.6 81.8
75 31.8 25.8 38.6









#13
1,4-Dichlorobenzene
Concen: 39.407 ng
RT: 8.270 min Scan# 84
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS

Tgt Ion:146 Resp: 92666
Ion Ratio Lower Upper
146 100
148 66.6 52.1 78.1
111 39.4 33.0 49.4



#14
1,2-Dichlorobenzene
Concen: 41.170 ng
RT: 8.593 min Scan# 903
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:146 Resp: 92771
Ion Ratio Lower Upper
146 100
148 66.3 50.9 76.3
111 41.2 34.5 51.7









#15
Benzyl Alcohol
Concen: 49.171 ng
RT: 8.470 min Scan# 81
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion: 79 Resp: 92101
Ion Ratio Lower Upper
79 100
108 75.7 62.6 93.8
77 65.3 52.4 78.6



#16
2,2'-oxybis(1-Chloropropane)
Concen: 41.145 ng
RT: 8.758 min Scan# 931
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion: 45 Resp: 147305
Ion Ratio Lower Upper
45 100
77 12.5 0.0 31.7
79 9.0 0.0 29.5





#17

2-Methylphenol

Concen: 46.974 ng

RT: 8.676 min Scan# 91

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS

Tgt Ion:107 Resp: 86063





Ion Ratio Lower Upper

107 100

108 111.3 87.3 130.9

77 49.7 39.4 59.0

79 46.6 37.3 55.9



#18

Hexachloroethane

Concen: 39.403 ng

RT: 9.334 min Scan# 1029

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:117 Resp: 31891


Ion Ratio Lower Upper

117 100

119 99.3 76.0 114.0

201 129.9 98.6 148.0









#19
n-Nitroso-di-n-propylamine
Concen: 43.326 ng
RT: 9.040 min Scan# 91
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:	70	Resp:	76723
Ion	Ratio	Lower	Upper
70	100		
42	65.6	55.2	82.8
101	9.5	7.1	10.7
130	20.3	16.1	24.1



#20
3+4-Methylphenols
Concen: 47.755 ng
RT: 9.005 min Scan# 973
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:	107	Resp:	122223
Ion	Ratio	Lower	Upper
107	100		
108	88.6	65.5	105.5
77	35.5	14.6	54.6
79	30.0	9.4	49.4









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 11.067 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:	136	Resp:	148103
Ion Ratio	Lower	Upper	
136	100		
137	10.7	9.0	13.6
54	9.5	7.8	11.6
68	5.6	5.0	7.4



#22
Acetophenone
Concen: 36.854 ng
RT: 9.063 min Scan# 983
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:	105	Resp:	141832
Ion Ratio	Lower	Upper	
105	100		
71	1.0	0.6	1.0#
51	33.8	24.5	36.7
120	20.6	16.6	25.0









#23
Nitrobenzene-d5
Concen: 70.929 ng
RT: 9.410 min Scan# 1042
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion: 82 Resp: 198749
Ion Ratio Lower Upper
82 100
128 41.6 34.1 51.1
54 60.1 47.3 70.9



#24
Nitrobenzene
Concen: 36.677 ng
RT: 9.451 min Scan# 1049
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion: 77 Resp: 107349
Ion Ratio Lower Upper
77 100
123 43.7 35.5 53.3
65 13.8 11.5 17.3





#25

Isophorone

Concen: 40.351 ng

RT: 9.974 min Scan# 1138

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion: 82 Resp: 214233

Ion Ratio Lower Upper

82 100

95 7.4 5.5 8.3

138 17.6 14.2 21.4



#26

2-Nitrophenol

Concen: 41.085 ng

RT: 10.168 min Scan# 1171

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:139 Resp: 55511


Ion Ratio Lower Upper

139 100

109 31.4 24.4 36.6

65 51.7 40.2 60.2





#27

2,4-Dimethylphenol

Concen: 46.690 ng

RT: 10.215 min Scan# 11

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:122 Resp: 96012

Ion Ratio Lower Upper

122 100

107 120.2 95.8 143.6

121 59.9 49.6 74.4



#28

bis(2-Chloroethoxy)methane

Concen: 42.506 ng

RT: 10.450 min Scan# 1219

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion: 93 Resp: 121152


Ion Ratio Lower Upper

93 100

95 32.1 25.7 38.5

123 11.1 8.9 13.3





#29

2,4-Dichlorophenol

Concen: 43.052 ng

RT: 10.709 min Scan# 1

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:162 Resp: 105964

Ion Ratio Lower Upper

162 100

164 67.0 46.7 86.7

98 33.7 12.8 52.8



#30

1,2,4-Trichlorobenzene

Concen: 36.950 ng

RT: 10.926 min Scan# 1300

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:180 Resp: 105658


Ion Ratio Lower Upper

180 100

182 96.9 77.1 115.7

145 28.6 22.9 34.3









#31
Naphthalene
Concen: 36.372 ng
RT: 11.120 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:128 Resp: 291204
Ion Ratio Lower Upper
128 100
129 11.1 8.7 13.1
127 13.4 10.9 16.3



#32
Benzoic acid
Concen: 33.388 ng
RT: 10.368 min Scan# 1205
Delta R.T. 0.005 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:122 Resp: 56487
Ion Ratio Lower Upper
122 100
105 122.4 104.3 144.3
77 91.0 79.9 119.9









#33
4-Chloroaniline
Concen: 31.798 ng
RT: 11.220 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:127	Resp: 105020
Ion Ratio	Lower Upper
127 100	
129 33.3	25.9 38.9
65 34.5	27.9 41.9
92 19.9	16.8 25.2



#34
Hexachlorobutadiene
Concen: 36.080 ng
RT: 11.396 min Scan# 1380
Delta R.T. 0.005 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:225	Resp: 70447
Ion Ratio	Lower Upper
225 100	
223 62.0	52.9 79.3
227 65.1	52.6 79.0









#35
 Caprolactam
 Concen: 25.605 ng
 RT: 11.989 min Scan# 1481
 Delta R.T. -0.006 min
 Lab File: BG055760.D
 Acq: 23 Nov 2022 18:11




Instrument :
 BNA_G
 ClientSampleId :
 PB149062BS


Tgt Ion:113 Resp: 21809
 Ion Ratio Lower Upper
 113 100
 55 208.6 193.5 233.5
 56 149.4 135.2 175.2



#36
 4-Chloro-3-methylphenol
 Concen: 44.132 ng
 RT: 12.324 min Scan# 1538
 Delta R.T. -0.001 min
 Lab File: BG055760.D
 Acq: 23 Nov 2022 18:11

Tgt Ion:107 Resp: 119386
 Ion Ratio Lower Upper
 107 100
 144 25.8 21.0 31.4
 142 81.0 65.9 98.9









#37
2-Methylnaphthalene
Concen: 38.829 ng
RT: 12.706 min Scan# 1
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:142 Resp: 232767
Ion Ratio Lower Upper
142 100
141 89.2 70.3 105.5
115 36.4 27.9 41.9



#38
1-Methylnaphthalene
Concen: 37.531 ng
RT: 12.924 min Scan# 1640
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:142 Resp: 218413
Ion Ratio Lower Upper
142 100
141 91.3 73.0 109.4
116 3.7 3.1 4.7









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.862 min Scan# 1972
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:164 Resp: 120758
Ion Ratio Lower Upper
164 100
162 100.8 81.1 121.7
160 44.6 34.8 52.2



#40
1,2,4,5-Tetrachlorobenzene
Concen: 36.573 ng
RT: 13.070 min Scan# 1665
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11


Tgt Ion:216 Resp: 138790
Ion Ratio Lower Upper
216 100
214 77.8 62.1 93.1
179 20.0 16.5 24.7
108 16.4 12.6 18.8








#41
Hexachlorocyclopentadiene
Concen: 81.054 ng
RT: 13.041 min Scan# 1
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Instrument :
BNA_G
ClientSampleId :
PB149062BS







Tgt Ion:237 Resp: 155026
Ion Ratio Lower Upper
237 100
235 63.6 43.7 83.7
272 12.6 0.0 33.6



#42
2,4,6-Tribromophenol
Concen: 124.968 ng
RT: 16.349 min Scan# 2223
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:330 Resp: 212500
Ion Ratio Lower Upper
330 100
332 96.1 77.8 116.8
141 28.9 23.9 35.9





#43

2,4,6-Trichlorophenol

Concen: 38.509 ng

RT: 13.306 min Scan# 1

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:196 Resp: 99685

Ion Ratio Lower Upper

196 100

198 94.9 74.6 112.0

200 30.6 23.7 35.5



#44

2,4,5-Trichlorophenol

Concen: 38.995 ng

RT: 13.376 min Scan# 1717

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Tgt Ion:196 Resp: 110931




Ion Ratio Lower Upper


196 100

198 92.1 74.1 111.1

97 41.2 34.8 52.2

132 23.9 20.1 30.1









#45
2-Fluorobiphenyl
Concen: 69.116 ng
RT: 13.488 min Scan# 1736
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:172 Resp: 557113
Ion Ratio Lower Upper
172 100
171 37.1 29.8 44.6
170 24.9 20.2 30.4



#46
1,1'-Biphenyl
Concen: 37.295 ng
RT: 13.699 min Scan# 1772
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:154 Resp: 328189
Ion Ratio Lower Upper
154 100
153 41.4 20.6 60.6
76 11.5 0.0 32.4









#47
2-Chloronaphthalene
Concen: 36.200 ng
RT: 13.746 min Scan# 1
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:162 Resp: 247602
Ion Ratio Lower Upper
162 100
127 38.3 29.9 44.9
164 34.6 26.4 39.6



#48
2-Nitroaniline
Concen: 37.822 ng
RT: 13.940 min Scan# 1813
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11


Tgt Ion: 65 Resp: 85052
Ion Ratio Lower Upper
65 100
92 65.5 50.1 75.1
138 104.0 79.4 119.0








#49
Acenaphthylene
Concen: 37.152 ng
RT: 14.586 min Scan# 1923
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Instrument :
BNA_G
ClientSampleId :
PB149062BS







Tgt Ion:152 Resp: 418456
Ion Ratio Lower Upper
152 100
151 20.1 16.4 24.6
153 13.2 11.0 16.4



#50
Dimethylphthalate
Concen: 37.532 ng
RT: 14.304 min Scan# 1875
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:163 Resp: 361299
Ion Ratio Lower Upper
163 100
194 4.0 3.0 4.4
164 10.4 8.6 12.8









#51
2,6-Dinitrotoluene
Concen: 39.423 ng
RT: 14.428 min Scan# 1896
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:165 Resp: 77596
Ion Ratio Lower Upper
165 100
63 58.4 44.6 66.8
89 55.3 42.2 63.4



#52
Acenaphthene
Concen: 33.633 ng
RT: 14.927 min Scan# 1981
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:154 Resp: 247583
Ion Ratio Lower Upper
154 100
153 115.8 95.0 142.4
152 55.2 46.1 69.1









#53
3-Nitroaniline
Concen: 31.606 ng
RT: 14.763 min Scan# 1953
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:138 Resp: 68291
Ion Ratio Lower Upper
138 100
108 10.3 8.5 12.7
92 109.0 91.0 136.6



#54
2,4-Dinitrophenol
Concen: 84.737 ng
RT: 14.974 min Scan# 1989
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:184 Resp: 95896
Ion Ratio Lower Upper
184 100
63 58.5 49.5 74.3
154 63.5 52.0 78.0





#55

Dibenzenofuran

Concen: 37.268 ng

RT: 15.256 min Scan# 20

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:168 Resp: 423220

Ion Ratio Lower Upper

168 100

139 37.0 28.8 43.2

169 14.1 11.0 16.4



#56

4-Nitrophenol

Concen: 76.661 ng

RT: 15.068 min Scan# 2005

Delta R.T. 0.005 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:139 Resp: 130004


Ion Ratio Lower Upper

139 100

109 82.4 58.6 98.6

65 101.9 80.5 120.5





#57

2,4-Dinitrotoluene

Concen: 40.655 ng

RT: 15.215 min Scan# 2031

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS

Tgt Ion:165 Resp: 112822





Ion Ratio Lower Upper

165 100

63 44.3 35.8 53.8

89 66.6 56.2 84.4

182 2.5 1.8 2.8



#58

Fluorene

Concen: 37.357 ng

RT: 15.908 min Scan# 2148

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:166 Resp: 338824


Ion Ratio Lower Upper

166 100

165 100.6 79.3 118.9

167 13.5 10.6 15.8









#59
2,3,4,6-Tetrachlorophenol
Concen: 38.350 ng
RT: 15.479 min Scan# 2075
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:232 Resp: 105709
Ion Ratio Lower Upper
232 100
131 36.8 29.8 44.8
130 2.0 1.7 2.5
166 27.5 22.2 33.2



#60
Diethylphthalate
Concen: 37.354 ng
RT: 15.656 min Scan# 2105
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:149 Resp: 363546
Ion Ratio Lower Upper
149 100
177 22.9 18.3 27.5
150 13.2 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 38.534 ng
RT: 15.891 min Scan# 2145
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:204 Resp: 192122
Ion Ratio Lower Upper
204 100
206 33.2 26.6 40.0
141 51.3 40.6 61.0



#62
4-Nitroaniline
Concen: 36.713 ng
RT: 15.926 min Scan# 2151
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:138 Resp: 82921
Ion Ratio Lower Upper
138 100
92 50.4 27.3 67.3
108 84.4 62.8 102.8





#63

Azobenzene

Concen: 36.447 ng

RT: 16.184 min Scan# 21

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS

Tgt Ion: 77 Resp: 309685





Ion Ratio Lower Upper

77 100

182 29.7 8.1 48.1

105 21.2 1.8 41.8

51 33.5 14.3 54.3



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.606 min Scan# 2437

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:188 Resp: 297332


Ion Ratio Lower Upper

188 100

94 6.6 5.4 8.2

80 7.8 6.6 10.0









#65
4,6-Dinitro-2-methylphenol
Concen: 40.684 ng
RT: 15.979 min Scan# 2160
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:198 Resp: 67546
Ion Ratio Lower Upper
198 100
51 46.8 27.7 67.7
105 38.3 19.3 59.3



#66
n-Nitrosodiphenylamine
Concen: 37.837 ng
RT: 16.102 min Scan# 2181
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:169 Resp: 310045
Ion Ratio Lower Upper
169 100
168 69.0 56.6 85.0
167 37.3 29.9 44.9









#67
4-Bromophenyl-phenylether
Concen: 38.574 ng
RT: 16.784 min Scan# 2118
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:248 Resp: 130678
Ion Ratio Lower Upper
248 100
250 96.0 79.0 118.4
141 63.1 52.9 79.3



#68
Hexachlorobenzene
Concen: 38.711 ng
RT: 16.907 min Scan# 2318
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:284 Resp: 145415
Ion Ratio Lower Upper
284 100
142 29.4 24.8 37.2
249 32.4 25.7 38.5





#69

Atrazine

Concen: 40.994 ng

RT: 17.042 min Scan# 21

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:200 Resp: 132851

Ion Ratio Lower Upper

200 100

173 24.8 5.6 45.6

215 47.5 27.2 67.2



#70

Pentachlorophenol

Concen: 72.508 ng

RT: 17.254 min Scan# 2377

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:266 Resp: 166619


Ion Ratio Lower Upper

266 100

268 61.9 51.2 76.8

264 63.1 49.5 74.3









#71
Phenanthrene
Concen: 36.481 ng
RT: 17.647 min Scan# 2446
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:178 Resp: 585347
Ion Ratio Lower Upper
178 100
176 19.1 16.0 24.0
179 15.9 12.7 19.1



#72
Anthracene
Concen: 37.784 ng
RT: 17.741 min Scan# 2460
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:178 Resp: 589044
Ion Ratio Lower Upper
178 100
176 19.3 15.5 23.3
179 15.8 12.5 18.7





#73

Carbazole

Concen: 38.182 ng

RT: 18.006 min Scan# 2505

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:167 Resp: 535129

Ion Ratio Lower Upper

167 100

166 22.7 18.2 27.2

139 12.5 10.2 15.4



#74

Di-n-butylphthalate

Concen: 37.159 ng

RT: 18.541 min Scan# 2596

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:149 Resp: 646659


Ion Ratio Lower Upper

149 100

150 9.4 7.8 11.6

104 5.1 4.0 6.0









#75
Fluoranthene
Concen: 36.232 ng
RT: 19.645 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:202 Resp: 707255
Ion Ratio Lower Upper
202 100
101 8.8 0.0 28.8
203 18.2 0.0 38.1



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.901 min Scan# 3168
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:240 Resp: 283480
Ion Ratio Lower Upper
240 100
120 7.5 6.3 9.5
236 25.9 21.9 32.9









#77
Benzidine
Concen: 52.021 ng
RT: 19.816 min Scan# 2813
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:184 Resp: 341161
Ion Ratio Lower Upper
184 100
185 14.2 11.8 17.8
183 12.6 10.6 15.8



#78
Pyrene
Concen: 37.282 ng
RT: 20.004 min Scan# 2845
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:202 Resp: 715374
Ion Ratio Lower Upper
202 100
200 22.1 17.8 26.6
203 18.1 14.4 21.6









#79
 Terphenyl-d14
 Concen: 77.285 ng
 RT: 20.192 min Scan# 21
 Delta R.T. -0.001 min
 Lab File: BG055760.D
 Acq: 23 Nov 2022 18:11




Instrument :
 BNA_G
 ClientSampleId :
 PB149062BS


Tgt Ion:244 Resp: 1095362
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.3 9.5
 122 7.8 6.9 10.3



#80
 Butylbenzylphthalate
 Concen: 37.422 ng
 RT: 20.867 min Scan# 2992
 Delta R.T. -0.001 min
 Lab File: BG055760.D
 Acq: 23 Nov 2022 18:11

Tgt Ion:149 Resp: 281106
 Ion Ratio Lower Upper
 149 100
 91 68.2 54.6 81.8
 206 23.5 18.3 27.5





#81

Benzo(a)anthracene

Concen: 37.017 ng

RT: 21.878 min Scan# 3164

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:228 Resp: 722754

Ion Ratio Lower Upper

228 100

226 28.7 22.7 34.1

229 20.6 16.5 24.7



#82

3,3'-Dichlorobenzidine

Concen: 35.175 ng

RT: 21.784 min Scan# 3148

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:252 Resp: 241330


Ion Ratio Lower Upper

252 100

254 63.4 53.0 79.6

126 7.7 6.7 10.1





#83

Chrysene

Concen: 36.855 ng

RT: 21.948 min Scan# 3176

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:228 Resp: 685048

Ion Ratio Lower Upper

228 100

226 32.0 25.4 38.2

229 20.2 17.1 25.7



#84

Bis(2-ethylhexyl)phthalate

Concen: 37.722 ng

RT: 21.749 min Scan# 3142

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:149 Resp: 407223


Ion Ratio Lower Upper

149 100

167 28.0 22.0 33.0

279 4.3 3.7 5.5





#85

Di-n-octyl phthalate

Concen: 37.697 ng

RT: 23.018 min Scan# 31

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:149 Resp: 696434

Ion Ratio Lower Upper

149 100

167 1.7 1.3 1.9

43 10.4 8.4 12.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.303 min Scan# 3747

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:264 Resp: 296521


Ion Ratio Lower Upper

264 100

260 24.9 19.5 29.3

265 21.5 17.1 25.7









#87
Indeno(1,2,3-cd)pyrene
Concen: 35.870 ng
RT: 29.228 min Scan# 4420
Delta R.T. -0.006 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11




Instrument :
BNA_G
ClientSampleId :
PB149062BS


Tgt Ion:276 Resp: 871350
Ion Ratio Lower Upper
276 100
138 11.9 10.4 15.6
277 25.7 20.2 30.4



#88
Benzo(b)fluoranthene
Concen: 39.926 ng
RT: 24.216 min Scan# 3562
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:252 Resp: 771015
Ion Ratio Lower Upper
252 100
253 22.9 18.0 27.0
125 7.4 6.2 9.2





#89

Benzo(k)fluoranthene

Concen: 38.549 ng

RT: 24.287 min Scan# 3

Delta R.T. -0.006 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11

Instrument :

BNA_G

ClientSampleId :

PB149062BS





Tgt Ion:252 Resp: 742042

Ion Ratio Lower Upper

252 100

253 22.4 17.8 26.6

125 7.1 6.1 9.1



#90

Benzo(a)pyrene

Concen: 40.942 ng

RT: 25.145 min Scan# 3720

Delta R.T. -0.001 min

Lab File: BG055760.D

Acq: 23 Nov 2022 18:11




Tgt Ion:252 Resp: 678465


Ion Ratio Lower Upper

252 100

253 21.9 17.8 26.6

125 7.7 6.4 9.6









#91
Dibenzo(a,h)anthracene
Concen: 37.308 ng
RT: 29.287 min Scan# 4432
Delta R.T. -0.012 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Instrument :
BNA_G
ClientSampleId :
PB149062BS

Tgt Ion:278 Resp: 740587
Ion Ratio Lower Upper
278 100
139 11.5 9.8 14.8
279 24.2 19.8 29.6



#92
Benzo(g,h,i)perylene
Concen: 36.411 ng
RT: 30.462 min Scan# 4625
Delta R.T. -0.001 min
Lab File: BG055760.D
Acq: 23 Nov 2022 18:11

Tgt Ion:276 Resp: 728475
Ion Ratio Lower Upper
276 100
277 23.8 19.8 29.6
138 15.5 13.1 19.7

