

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG112423\
 Data File : BG059886.D
 Acq On : 25 Nov 2023 11:15
 Operator : MA/JU
 Sample : 05366-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 P-14(10-15)

Quant Time: Nov 27 03:20:06 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111623.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 24 15:11:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.314	152	25505	20.000	ng	0.00
21) Naphthalene-d8	11.164	136	112550	20.000	ng	# 0.00
39) Acenaphthene-d10	14.948	164	82402	20.000	ng	# 0.00
64) Phenanthrene-d10	17.697	188	176385	20.000	ng	#-0.01
76) Chrysene-d12	22.016	240	134852	20.000	ng	#-0.02
86) Perylene-d12	25.588	264	159753	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.811	112	147383	97.262	ng	0.00
7) Phenol-d6	7.439	99	206127	91.793	ng	0.00
23) Nitrobenzene-d5	9.513	82	182257	61.846	ng	-0.01
42) 2,4,6-Tribromophenol	16.434	330	93824	100.352	ng	0.00
45) 2-Fluorobiphenyl	13.573	172	369533	60.364	ng	0.00
79) Terphenyl-d14	20.271	244	561631	61.483	ng	-0.01
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	9.519	70	28355	16.035	ng	# 79
67) 4-Bromophenyl-phenylether	16.434	248	5775	3.048	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG112423\
Data File : BG059886.D
Acq On : 25 Nov 2023 11:15
Operator : MA/JU
Sample : 05366-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
P-14(10-15)

Quant Time: Nov 27 03:20:06 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111623.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 24 15:11:07 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.314 min Scan# 81
Delta R.T. -0.001 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15




Instrument :
BNA_G
ClientSampleId :
P-14(10-15)


Tgt Ion:152 Resp: 25505
Ion Ratio Lower Upper
152 100
150 139.7 122.2 183.4
115 74.5 54.2 81.4



#5
2-Fluorophenol
Concen: 97.262 ng
RT: 5.811 min Scan# 412
Delta R.T. -0.001 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15

Tgt Ion:112 Resp: 147383
Ion Ratio Lower Upper
112 100
64 47.3 49.5 74.3#
63 47.0 37.4 56.2









#7
Phenol-d6
Concen: 91.793 ng
RT: 7.439 min Scan# 61
Delta R.T. -0.006 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15




Instrument :
BNA_G
ClientSampleId :
P-14(10-15)


Tgt Ion: 99 Resp: 206127
Ion Ratio Lower Upper
99 100
42 19.5 14.3 21.5
71 61.7 59.3 88.9



#19
n-Nitroso-di-n-propylamine
Concen: 16.035 ng
RT: 9.519 min Scan# 1043
Delta R.T. 0.387 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15

Tgt Ion: 70 Resp: 28355
Ion Ratio Lower Upper
70 100
42 32.2 32.8 49.2#
101 0.0 7.7 11.5#
130 0.0 12.3 18.5#





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 11.164 min Scan# 11

Delta R.T. -0.006 min

Lab File: BG059886.D

Acq: 25 Nov 2023 11:15

Instrument :

BNA_G

ClientSampleId :

P-14(10-15)

Tgt Ion:136 Resp: 112550





Ion Ratio Lower Upper

136 100

137 8.7 7.4 11.0

54 8.4 3.1 4.7#

68 2.4 1.8 2.8



#23

Nitrobenzene-d5

Concen: 61.846 ng

RT: 9.513 min Scan# 1042

Delta R.T. -0.012 min

Lab File: BG059886.D

Acq: 25 Nov 2023 11:15




Tgt Ion: 82 Resp: 182257


Ion Ratio Lower Upper

82 100

128 25.3 23.0 34.6

54 43.3 28.7 43.1#





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.948 min Scan# 1971

Delta R.T. -0.006 min

Lab File: BG059886.D

Acq: 25 Nov 2023 11:15

Instrument :

BNA_G

ClientSampleId :

P-14(10-15)





Tgt Ion:164 Resp: 82402

Ion Ratio Lower Upper

164 100

162 112.1 73.3 109.9#

160 45.6 34.1 51.1



#42

2,4,6-Tribromophenol

Concen: 100.352 ng

RT: 16.434 min Scan# 2220

Delta R.T. -0.006 min

Lab File: BG059886.D

Acq: 25 Nov 2023 11:15




Tgt Ion:330 Resp: 93824


Ion Ratio Lower Upper

330 100

332 100.1 73.3 109.9

141 60.5 52.1 78.1









#45
2-Fluorobiphenyl
Concen: 60.364 ng
RT: 13.573 min Scan# 1
Delta R.T. -0.006 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15




Instrument :
BNA_G
ClientSampleId :
P-14(10-15)


Tgt Ion:172 Resp: 369533
Ion Ratio Lower Upper
172 100
171 34.2 27.7 41.5
170 23.2 18.4 27.6



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.697 min Scan# 2435
Delta R.T. -0.012 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15

Tgt Ion:188 Resp: 176385
Ion Ratio Lower Upper
188 100
94 3.0 3.0 4.4
80 3.6 4.2 6.4









#67
4-Bromophenyl-phenylether
Concen: 3.048 ng
RT: 16.434 min Scan# 21
Delta R.T. -0.447 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15




Instrument :
BNA_G
ClientSampleId :
P-14(10-15)


Tgt Ion:248 Resp: 5775
Ion Ratio Lower Upper
248 100
250 253.1 75.2 112.8#
141 1048.0 91.5 137.3#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 22.016 min Scan# 3170
Delta R.T. -0.018 min
Lab File: BG059886.D
Acq: 25 Nov 2023 11:15

Tgt Ion:240 Resp: 134852
Ion Ratio Lower Upper
240 100
120 2.1 2.2 3.2#
236 25.4 19.4 29.2









#79
 Terphenyl-d14
 Concen: 61.483 ng
 RT: 20.271 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BG059886.D
 Acq: 25 Nov 2023 11:15

Instrument :
 BNA_G
 ClientSampleId :
 P-14(10-15)

Tgt Ion:244 Resp: 561631
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.6 10.0
 122 5.5 4.4 6.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 25.588 min Scan# 3778
 Delta R.T. -0.024 min
 Lab File: BG059886.D
 Acq: 25 Nov 2023 11:15

Tgt Ion:264 Resp: 159753
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.5 27.7
 265 18.5 17.0 25.6

