

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG112718\
 Data File : BG038171.D
 Acq On : 27 Nov 2018 17:39
 Operator : JU/SJ
 Sample : J6047-05
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 EP2-FD-02

Quant Time: Nov 28 04:10:10 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.09	152	40517	20.00	ng	0.00
21) Naphthalene-d8	10.91	136	183828	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	115085	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	250807	20.00	ng	0.00
76) Chrysene-d12	21.75	240	229241	20.00	ng	0.00
87) Perylene-d12	25.08	264	237124	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	124413	53.02	ng	0.00
7) Phenol-d6	7.23	99	110811	33.08	ng	0.00
23) Nitrobenzene-d5	9.26	82	277353	80.76	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	142511	108.58	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	570274	72.19	ng	0.00
79) Terphenyl-d14	20.07	244	829968	85.19	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.26	70	34420	14.201	ng	# 76
51) 2,6-Dinitrotoluene	14.72	165	14712	7.125	ng	# 26
57) 2,4-Dinitrotoluene	14.72	165	14712	5.236	ng	# 26
67) 4-Bromophenyl-phenylether	16.21	248	10207	3.708	ng	# 1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG112718\
Data File : BG038171.D
Acq On : 27 Nov 2018 17:39
Operator : JU/SJ
Sample : J6047-05
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
EP2-FD-02

Quant Time: Nov 28 04:10:10 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.09 min Scan# 817
Delta R.T. -0.00 min
Lab File: BG038171.D
Acq: 27 Nov 2018 17:39

Instrument :
BNA_G
ClientSampleId :
EP2-FD-02

Tgt Ion:152 Resp: 40517
Ion Ratio Lower Upper
152 100
150 157.3 126.0 189.0
115 56.8 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 53.017 ng
RT: 5.63 min Scan# 399
Delta R.T. -0.00 min
Lab File: BG038171.D
Acq: 27 Nov 2018 17:39

Tgt Ion:112 Resp: 124413
Ion Ratio Lower Upper
112 100
64 69.0 53.1 79.7
63 34.6 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 33.080 ng

RT: 7.23 min Scan# 671

Delta R.T. -0.00 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39

Instrument :

BNA_G

ClientSampleId :

EP2-FD-02


Tgt Ion: 99 Resp: 110811

Ion Ratio Lower Upper




99 100

42 20.4 15.0 22.4

71 31.0 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 14.201 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.37 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39

Tgt Ion: 70 Resp: 34420


Ion Ratio Lower Upper

70 100



42 53.2 53.9 80.9#

101 0.0 8.2 12.2#

130 2.7 18.2 27.4#



Abundance Ion 70.00 (69.70 to 70.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 101.00 (100.70 to 101.70): BGC
Ion 130.00 (129.70 to 130.70): BGC





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.91 min Scan# 1297

Delta R.T. -0.00 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39

Instrument :

BNA_G

ClientSampleId :

EP2-FD-02

Tgt Ion: 136 Resp: 183828


Ion Ratio Lower Upper

136 100

137 11.4 9.6 14.4

54 10.0 7.9 11.9

68 6.0 4.8 7.2






Abundance Ion 136.00 (135.70 to 136.70): E

150000 Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC



#23

Nitrobenzene-d5

Concen: 80.765 ng

RT: 9.26 min Scan# 1017

Delta R.T. -0.00 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39


Tgt Ion: 82 Resp: 277353

Ion Ratio Lower Upper

82 100

128 43.8 34.6 51.8



54 59.7 45.3 67.9




Abundance Ion 82.00 (81.70 to 82.70): BGC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1946

Delta R.T. -0.00 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39

Instrument :

BNA_G

ClientSampleId :

EP2-FD-02


Tgt Ion:164 Resp: 115085

Ion Ratio Lower Upper

164 100

162 102.3 81.3 121.9




160 43.3 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 108.578 ng

RT: 16.21 min Scan# 2200

Delta R.T. -0.00 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39


Tgt Ion:330 Resp: 142511

Ion Ratio Lower Upper

330 100

332 97.4 78.4 117.6



141 42.4 32.2 48.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 72.190 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG038171.D
 Acq: 27 Nov 2018 17:39




Instrument :
 BNA_G
 ClientSampleId :
 EP2-FD-02

Tgt Ion:172 Resp: 570274
 Ion Ratio Lower Upper
 172 100
 171 37.6 31.0 46.4
 170 25.3 20.2 30.2



#51
 2,6-Dinitrotoluene
 Concen: 7.125 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. 0.42 min
 Lab File: BG038171.D
 Acq: 27 Nov 2018 17:39

Tgt Ion:165 Resp: 14712
 Ion Ratio Lower Upper
 165 100
 63 2.4 43.4 65.2#
 89 1.7 45.8 68.6#






#57
 2,4-Dinitrotoluene
 Concen: 5.236 ng
 RT: 14.72 min Scan# 1946
 Delta R.T. -0.37 min
 Lab File: BG038171.D
 Acq: 27 Nov 2018 17:39

Instrument :
 BNA_G
 ClientSampled :
 EP2-FD-02

Tgt Ion	Ratio	Lower	Upper
165	100		
63	2.4	33.4	50.0#
89	1.7	57.2	85.8#
182	0.0	2.6	4.0#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC


Ion 89.00 (88.70 to 89.70): BGC

Ion 182.00 (181.70 to 182.70): E



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2414
 Delta R.T. -0.00 min
 Lab File: BG038171.D
 Acq: 27 Nov 2018 17:39



Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.1	7.2	10.8
80	9.2	7.7	11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BGC

Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 3.708 ng
RT: 16.21 min Scan# 2199
Delta R.T. -0.45 min
Lab File: BG038171.D
Acq: 27 Nov 2018 17:39

Instrument :
BNA_G
ClientSampled :
EP2-FD-02

Tgt Ion:248 Resp: 10207
Ion Ratio Lower Upper
248 100
250 186.0 77.0 115.6#
141 439.3 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.75 min Scan# 3143
Delta R.T. -0.00 min
Lab File: BG038171.D
Acq: 27 Nov 2018 17:39

Tgt Ion:240 Resp: 229241
Ion Ratio Lower Upper
240 100
120 11.4 8.1 12.1
236 26.3 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 85.191 ng

RT: 20.07 min Scan# 2857

Delta R.T. 0.01 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39

Instrument :

BNA_G

ClientSampleId :

EP2-FD-02


Tgt Ion:244 Resp: 829968

Ion Ratio Lower Upper

244 100

212 8.2 6.5 9.7




122 9.9 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.08 min Scan# 3709

Delta R.T. -0.00 min

Lab File: BG038171.D

Acq: 27 Nov 2018 17:39


Tgt Ion:264 Resp: 237124

Ion Ratio Lower Upper

264 100

260 22.6 18.2 27.4

265 20.6 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

