

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112718\
 Data File : BG038196.D
 Acq On : 28 Nov 2018 11:24
 Operator : JU/SJ
 Sample : J6070-05
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 112118-DBRI-E-D-S

Quant Time: Nov 28 13:11:52 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	36029	20.00	ng	0.00
21) Naphthalene-d8	10.90	136	164747	20.00	ng	0.00
39) Acenaphthene-d10	14.72	164	104837	20.00	ng	0.00
64) Phenanthrene-d10	17.47	188	234943	20.00	ng	0.00
76) Chrysene-d12	21.76	240	218231	20.00	ng	0.00
87) Perylene-d12	25.09	264	213231	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.63	112	100698	48.26	ng	0.00
7) Phenol-d6	7.23	99	88429	29.69	ng	0.00
23) Nitrobenzene-d5	9.26	82	296398	96.31	ng	0.00
42) 2,4,6-Tribromophenol	16.21	330	109496	91.58	ng	0.00
45) 2-Fluorobiphenyl	13.34	172	663067	92.14	ng	0.00
79) Terphenyl-d14	20.07	244	980493	105.72	ng	0.00
Target Compounds						
10) Phenol	7.26	94	10056	3.187	ng	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG112718\
Data File : BG038196.D
Acq On : 28 Nov 2018 11:24
Operator : JU/SJ
Sample : J6070-05
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
112118-DBRI-E-D-S

Quant Time: Nov 28 13:11:52 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.08 min Scan# 816
Delta R.T. -0.01 min
Lab File: BG038196.D
Acq: 28 Nov 2018 11:24

Instrument :
BNA_G
ClientSampleId :
112118-DBRI-E-D-S

Tot Ion:152 Resp: 36029
Ion Ratio Lower Upper
152 100
150 144.4 126.0 189.0
115 57.5 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 48.256 ng
RT: 5.63 min Scan# 399
Delta R.T. 0.00 min
Lab File: BG038196.D
Acq: 28 Nov 2018 11:24

Tgt Ion:112 Resp: 100698
Ion Ratio Lower Upper
112 100
64 68.8 53.1 79.7
63 35.3 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 29.687 ng

RT: 7.23 min Scan# 671

Delta R.T. 0.00 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24

Instrument :

BNA_G

ClientSampleId :

112118-DBRI-E-D-S


Tot Ion: 99 Resp: 88429

Ion Ratio Lower Upper




99 100

42 19.5 15.0 22.4

71 32.1 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 3.187 ng

RT: 7.26 min Scan# 676

Delta R.T. 0.00 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24


Tgt Ion: 94 Resp: 10056

Ion Ratio Lower Upper



94 100


65 31.2 9.7 49.7

66 39.4 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.90 min Scan# 1296

Delta R.T. -0.01 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24

Instrument :

BNA_G

ClientSampleId :

112118-DBRI-E-D-S

Tot Ion:136 Resp: 164747


Ion Ratio Lower Upper

136 100

137 11.9 9.6 14.4

54 10.8 7.9 11.9

68 7.3 4.8 7.2#






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BGC

Ion 68.00 (67.70 to 68.70): BGC



#23

Nitrobenzene-d5

Concen: 96.307 ng

RT: 9.26 min Scan# 1017

Delta R.T. 0.00 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24


Tgt Ion: 82 Resp: 296398

Ion Ratio Lower Upper

82 100

128 43.2 34.6 51.8



54 57.9 45.3 67.9




Abundance Ion 82.00 (81.70 to 82.70): BGC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.72 min Scan# 1946

Delta R.T. 0.00 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24

Instrument :

BNA_G

ClientSampleId :

112118-DBRI-E-D-S


Tot Ion:164 Resp: 104837

Ion Ratio Lower Upper

164 100

162 104.3 81.3 121.9




160 46.5 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 91.579 ng

RT: 16.21 min Scan# 2199

Delta R.T. -0.01 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24


Tgt Ion:330 Resp: 109496

Ion Ratio Lower Upper

330 100

332 95.9 78.4 117.6



141 41.6 32.2 48.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 92.142 ng
 RT: 13.34 min Scan# 1711
 Delta R.T. -0.01 min
 Lab File: BG038196.D
 Acq: 28 Nov 2018 11:24




Instrument :
 BNA_G
 ClientSampleId :
 112118-DBRI-E-D-S


Tot Ion	Ratio	Lower	Upper
172	100		
171	38.1	31.0	46.4
170	24.8	20.2	30.2



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.47 min Scan# 2413
 Delta R.T. -0.01 min
 Lab File: BG038196.D
 Acq: 28 Nov 2018 11:24

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.0	7.2	10.8
80	9.7	7.7	11.5





#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.76 min Scan# 3143

Delta R.T. 0.00 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24

Instrument :

BNA_G

ClientSampleId :

112118-DBRI-E-D-S


Tot Ion:240 Resp: 218231

Ion Ratio Lower Upper

240 100

120 10.0 8.1 12.1




236 27.5 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#79

Terphenyl-d14

Concen: 105.719 ng

RT: 20.07 min Scan# 2856

Delta R.T. 0.00 min

Lab File: BG038196.D

Acq: 28 Nov 2018 11:24


Tgt Ion:244 Resp: 980493

Ion Ratio Lower Upper

244 100

212 8.1 6.5 9.7



122 10.4 9.0 13.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 25.09 min Scan# 3710
Delta R.T. 0.01 min
Lab File: BG038196.D
Acq: 28 Nov 2018 11:24

Instrument :
BNA_G
ClientSampleId :
112118-DBRI-E-D-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.2	27.4
265	21.5	17.9	26.9

