

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120118\
 Data File : BG038296.D
 Acq On : 1 Dec 2018 20:45
 Operator : JU/SJ
 Sample : J6128-10
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 112718-CHDE-F-D-M

Quant Time: Dec 03 03:10:43 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 16:39:28 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.08	152	27272	20.00	ng	-0.01
21) Naphthalene-d8	10.90	136	118923	20.00	ng	-0.01
39) Acenaphthene-d10	14.71	164	78087	20.00	ng	-0.01
64) Phenanthrene-d10	17.46	188	201958	20.00	ng	-0.01
76) Chrysene-d12	21.74	240	198067	20.00	ng	-0.01
87) Perylene-d12	25.06	264	201125	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	64916	41.10	ng	-0.01
7) Phenol-d6	7.22	99	54992	24.39	ng	0.00
23) Nitrobenzene-d5	9.26	82	210448	94.73	ng	0.00
42) 2,4,6-Tribromophenol	16.20	330	90601	101.73	ng	-0.01
45) 2-Fluorobiphenyl	13.33	172	506532	94.50	ng	-0.01
79) Terphenyl-d14	20.06	244	840960	99.90	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120118\
Data File : BG038296.D
Acq On : 1 Dec 2018 20:45
Operator : JU/SJ
Sample : J6128-10
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
112718-CHDE-F-D-M

Quant Time: Dec 03 03:10:43 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG111318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 16:39:28 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.08 min Scan# 815
Delta R.T. -0.01 min
Lab File: BG038296.D
Acq: 1 Dec 2018 20:45

Instrument :
BNA_G
ClientSampleId :
112718-CHDE-F-D-M

Tot Ion:152 Resp: 27272
Ion Ratio Lower Upper
152 100
150 168.7 126.0 189.0
115 61.1 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.098 ng
RT: 5.62 min Scan# 397
Delta R.T. -0.01 min
Lab File: BG038296.D
Acq: 1 Dec 2018 20:45

Tgt Ion:112 Resp: 64916
Ion Ratio Lower Upper
112 100
64 67.7 53.1 79.7
63 36.9 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 24.390 ng

RT: 7.22 min Scan# 670

Delta R.T. -0.01 min

Lab File: BG038296.D

Acq: 1 Dec 2018 20:45

Instrument :

BNA_G

ClientSampleId :

112718-CHDE-F-D-M


Tot Ion: 99 Resp: 54992

Ion Ratio Lower Upper




99 100

42 20.2 15.0 22.4

71 33.2 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.90 min Scan# 1295

Delta R.T. -0.01 min

Lab File: BG038296.D

Acq: 1 Dec 2018 20:45

Tgt Ion: 136 Resp: 118923


Ion Ratio Lower Upper

136 100



137 11.6 9.6 14.4


54 11.9 7.9 11.9#

68 6.0 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 94.728 ng
RT: 9.26 min Scan# 1016
Delta R.T. -0.01 min
Lab File: BG038296.D
Acq: 1 Dec 2018 20:45




Instrument :
BNA_G
ClientSampleId :
112718-CHDE-F-D-M


Tot Ion: 82 Resp: 210448
Ion Ratio Lower Upper
82 100
128 41.0 34.6 51.8
54 58.9 45.3 67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.71 min Scan# 1944
Delta R.T. -0.01 min
Lab File: BG038296.D
Acq: 1 Dec 2018 20:45

Tgt Ion: 164 Resp: 78087
Ion Ratio Lower Upper
164 100
162 102.0 81.3 121.9
160 45.0 36.3 54.5








#42
 2,4,6-Tribromophenol
 Concen: 101.734 ng
 RT: 16.20 min Scan# 2198
 Delta R.T. -0.01 min
 Lab File: BG038296.D
 Acq: 1 Dec 2018 20:45

Instrument :
 BNA_G
 ClientSampleId :
 112718-CHDE-F-D-M

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	78.4	117.6
141	40.6	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 94.503 ng
 RT: 13.33 min Scan# 1710
 Delta R.T. -0.01 min
 Lab File: BG038296.D
 Acq: 1 Dec 2018 20:45

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.7	31.0	46.4
170	24.7	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.46 min Scan# 2412
Delta R.T. -0.01 min
Lab File: BG038296.D
Acq: 1 Dec 2018 20:45

Instrument :
BNA_G
ClientSampleId :
112718-CHDE-F-D-M

Tot Ion:188 Resp: 201958
Ion Ratio Lower Upper
188 100
94 9.3 7.2 10.8
80 9.6 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGO
Ion 80.00 (79.70 to 80.70): BGO





#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.74 min Scan# 3141
Delta R.T. -0.01 min
Lab File: BG038296.D
Acq: 1 Dec 2018 20:45

Tgt Ion:240 Resp: 198067
Ion Ratio Lower Upper
240 100
120 10.0 8.1 12.1
236 27.1 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 99.905 ng

RT: 20.06 min Scan# 2855

Delta R.T. -0.01 min

Lab File: BG038296.D

Acq: 1 Dec 2018 20:45

Instrument :

BNA_G

ClientSampleId :

112718-CHDE-F-D-M


Tot Ion:244 Resp: 840960

Ion Ratio Lower Upper

244 100

212 8.5 6.5 9.7

122 9.8 9.0 13.4






Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E

20.06



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.06 min Scan# 3705

Delta R.T. -0.02 min

Lab File: BG038296.D

Acq: 1 Dec 2018 20:45


Tgt Ion:264 Resp: 201125

Ion Ratio Lower Upper

264 100

260 23.7 18.2 27.4

265 20.9 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

25.06

