

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120423\
 Data File : BG059938.D
 Acq On : 4 Dec 2023 19:25
 Operator : MA/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020

Quant Time: Dec 05 01:45:17 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG120423.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 05 01:36:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.958	152	55302	20.000	ng	# 0.00
21) Naphthalene-d8	10.767	136	205965	20.000	ng	# 0.00
39) Acenaphthene-d10	14.597	164	215829	20.000	ng	0.00
64) Phenanthrene-d10	17.347	188	777969	20.000	ng	0.00
76) Chrysene-d12	21.619	240	1134497	20.000	ng	0.00
86) Perylene-d12	24.815	264	1349154	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.526	112	112524	45.160	ng	0.00
7) Phenol-d6	7.106	99	186504	48.814	ng	0.00
23) Nitrobenzene-d5	9.121	82	232987	39.169	ng	0.00
42) 2,4,6-Tribromophenol	16.084	330	286634	37.178	ng	0.00
45) 2-Fluorobiphenyl	13.223	172	749386	35.886	ng	0.00
79) Terphenyl-d14	19.968	244	2814919	42.650	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.434	88	23732	28.456	ng	95
3) Pyridine	3.828	79	52765	21.831	ng	93
4) n-Nitrosodimethylamine	3.745	42	39464	23.307	ng	# 89
6) Aniline	7.282	93	94012	22.910	ng	98
8) 2-Chlorophenol	7.523	128	56818	22.660	ng	99
9) Benzaldehyde	7.094	77	69199	23.780	ng	97
10) Phenol	7.136	94	91298	23.892	ng	96
11) bis(2-Chloroethyl)ether	7.376	93	66821	27.892	ng	91
12) 1,3-Dichlorobenzene	7.846	146	90390	22.842	ng	93
13) 1,4-Dichlorobenzene	8.316	146	85256	21.233	ng	92
14) 1,2-Dichlorobenzene	8.316	146	85256	20.889	ng	96
15) Benzyl Alcohol	8.187	79	87176	19.762	ng	93
16) 2,2'-oxybis(1-Chloropr...	8.481	45	35064	38.942	ng	# 72
17) 2-Methylphenol	8.393	107	62794	22.955	ng	92
18) Hexachloroethane	9.045	117	32945	19.195	ng	92
19) n-Nitroso-di-n-propyla...	8.769	70	70647	22.841	ng	# 90
20) 3+4-Methylphenols	8.716	107	88164	22.380	ng	90
22) Acetophenone	8.781	105	136739	20.660	ng	# 96
24) Nitrobenzene	9.163	77	120778	20.884	ng	93
25) Isophorone	9.680	82	216110	23.831	ng	# 92
26) 2-Nitrophenol	9.873	139	42016	22.834	ng	# 89
27) 2,4-Dimethylphenol	9.926	122	53912	24.220	ng	82
28) bis(2-Chloroethoxy)met...	10.167	93	97952	25.924	ng	# 96
29) 2,4-Dichlorophenol	10.402	162	109763	20.620	ng	84
30) 1,2,4-Trichlorobenzene	10.626	180	155533	19.274	ng	97
31) Naphthalene	10.814	128	218910	21.106	ng	# 94
32) Benzoic acid	10.009	122	48477	22.902	ng	# 81
33) 4-Chloroaniline	10.919	127	82123	21.110	ng	95
34) Hexachlorobutadiene	11.101	225	172707	18.129	ng	94
35) Caprolactam	11.666	113	20660	21.652	ng	# 67
36) 4-Chloro-3-methylphenol	12.030	107	78324	16.857	ng	96
37) 2-Methylnaphthalene	12.423	142	168706	17.043	ng	97
38) 1-Methylnaphthalene	12.423	142	168706	17.704	ng	97
40) 1,2,4,5-Tetrachloroben...	12.788	216	284268	18.537	ng	97
41) Hexachlorocyclopentadiene	12.770	237	141225	18.689	ng	87
43) 2,4,6-Trichlorophenol	13.023	196	148478	18.690	ng	93

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120423\
 Data File : BG059938.D
 Acq On : 4 Dec 2023 19:25
 Operator : MA/JU
 Sample : SSTDICC020
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020


Quant Time: Dec 05 01:45:17 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG120423.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 05 01:36:25 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	13.087	196	166743	18.755	ng	93
46) 1,1'-Biphenyl	13.434	154	292308	18.919	ng	98
47) 2-Chloronaphthalene	13.469	162	267144	19.349	ng	95
48) 2-Nitroaniline	13.669	65	48928	17.821	ng	94
49) Acenaphthylene	14.321	152	364592	20.386	ng	97
50) Dimethylphthalate	14.051	163	367415	19.745	ng	# 96
51) 2,6-Dinitrotoluene	14.168	165	82292	20.700	ng	97
52) Acenaphthene	14.662	154	277560	20.704	ng	99
53) 3-Nitroaniline	14.492	138	48774	20.503	ng	98
54) 2,4-Dinitrophenol	14.691	184	71716	21.482	ng	# 83
55) Dibenzofuran	14.997	168	473052	20.053	ng	96
56) 4-Nitrophenol	14.785	139	44639	23.947	ng	# 87
57) 2,4-Dinitrotoluene	14.950	165	114504	19.409	ng	98
58) Fluorene	15.643	166	393785	18.963	ng	96
59) 2,3,4,6-Tetrachlorophenol	15.214	232	208058	19.529	ng	99
60) Diethylphthalate	15.420	149	329662	20.742	ng	100
61) 4-Chlorophenyl-phenyle...	15.643	204	353003	19.180	ng	97
62) 4-Nitroaniline	15.655	138	55625	20.418	ng	# 82
63) Azobenzene	15.931	77	347862	21.408	ng	98
65) 4,6-Dinitro-2-methylph...	15.714	198	120125	20.218	ng	95
66) n-Nitrosodiphenylamine	15.855	169	352731	20.879	ng	93
67) 4-Bromophenyl-phenylether	16.536	248	272077	18.327	ng	97
68) Hexachlorobenzene	16.648	284	307047	18.620	ng	96
69) Atrazine	16.801	200	188187	20.761	ng	97
70) Pentachlorophenol	16.989	266	214838	19.257	ng	96
71) Phenanthrene	17.388	178	757886	20.780	ng	98
72) Anthracene	17.476	178	758523	20.422	ng	98
73) Carbazole	17.747	167	587565	21.502	ng	99
74) Di-n-butylphthalate	18.317	149	502667	22.059	ng	97
75) Fluoranthene	19.403	202	1280603	20.668	ng	99
77) Benzidine	19.586	184	214843	18.472	ng	97
78) Pyrene	19.768	202	1301901	21.230	ng	97
80) Butylbenzylphthalate	20.667	149	177307	21.467	ng	97
81) Benzo(a)anthracene	21.601	228	1615317	21.480	ng	96
82) 3,3'-Dichlorobenzidine	21.519	252	501348	20.407	ng	# 98
83) Chrysene	21.666	228	1519207	21.337	ng	97
84) Bis(2-ethylhexyl)phtha...	21.525	149	262089	21.754	ng	98
85) Di-n-octyl phthalate	22.735	149	453369	21.118	ng	# 99
87) Indeno(1,2,3-cd)pyrene	28.452	276	2042104	20.459	ng	# 99
88) Benzo(b)fluoranthene	23.798	252	1748135	20.274	ng	96
89) Benzo(k)fluoranthene	23.869	252	1678889	20.178	ng	# 98
90) Benzo(a)pyrene	24.668	252	1512219	20.492	ng	# 97
91) Dibenzo(a,h)anthracene	28.528	278	1705224	20.012	ng	99
92) Benzo(g,h,i)perylene	29.592	276	1662041	20.660	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Dec 05 01:45:17 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG120423.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 05 01:36:25 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.958 min Scan# 81
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:152 Resp: 55302
Ion Ratio Lower Upper
152 100
150 156.3 136.9 205.3
115 60.9 32.9 49.3#



#2
1,4-Dioxane
Concen: 28.456 ng
RT: 3.434 min Scan# 59
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 88 Resp: 23732
Ion Ratio Lower Upper
88 100
58 45.2 38.2 57.2
43 29.4 21.0 31.4









#3
Pyridine
Concen: 21.831 ng
RT: 3.828 min Scan# 111
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 79 Resp: 52765
Ion Ratio Lower Upper
79 100
52 44.5 29.8 44.8
51 36.8 30.3 45.5



#4
n-Nitrosodimethylamine
Concen: 23.307 ng
RT: 3.745 min Scan# 112
Delta R.T. 0.005 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 42 Resp: 39464
Ion Ratio Lower Upper
42 100
74 121.1 87.4 131.2
44 3.6 3.7 5.5#









#5
2-Fluorophenol
Concen: 45.160 ng
RT: 5.526 min Scan# 414
Delta R.T. 0.005 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:112 Resp: 112524
Ion Ratio Lower Upper
112 100
64 56.6 39.4 59.0
63 52.5 31.2 46.8#



#6
Aniline
Concen: 22.910 ng
RT: 7.282 min Scan# 714
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 93 Resp: 94012
Ion Ratio Lower Upper
93 100
66 40.6 31.4 47.0
65 19.1 16.2 24.2









#7
Phenol-d6
Concen: 48.814 ng
RT: 7.106 min Scan# 684
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 99 Resp: 186504
Ion Ratio Lower Upper
99 100
42 22.3 20.1 30.1
71 59.6 53.8 80.6



#8
2-Chlorophenol
Concen: 22.660 ng
RT: 7.523 min Scan# 755
Delta R.T. 0.005 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 128 Resp: 56818
Ion Ratio Lower Upper
128 100
130 31.7 10.9 50.9
64 50.8 30.3 70.3









#9
Benzaldehyde
Concen: 23.780 ng
RT: 7.094 min Scan# 61
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 77 Resp: 69199
Ion Ratio Lower Upper
77 100
105 87.5 64.2 104.2
106 76.7 55.6 95.6



#10
Phenol
Concen: 23.892 ng
RT: 7.136 min Scan# 689
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 94 Resp: 91298
Ion Ratio Lower Upper
94 100
65 42.5 20.6 60.6
66 76.5 52.1 92.1









#11
bis(2-Chloroethyl)ether
Concen: 27.892 ng
RT: 7.376 min Scan# 71
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 93 Resp: 66821
Ion Ratio Lower Upper
93 100
63 62.9 52.9 92.9
95 29.3 9.9 49.9



#12
1,3-Dichlorobenzene
Concen: 22.842 ng
RT: 7.846 min Scan# 810
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:146 Resp: 90390
Ion Ratio Lower Upper
146 100
148 59.1 52.9 79.3
75 48.3 40.7 61.1









#13
1,4-Dichlorobenzene
Concen: 21.233 ng
RT: 8.316 min Scan# 890
Delta R.T. 0.322 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:146 Resp: 85256
Ion Ratio Lower Upper
146 100
148 69.9 48.8 73.2
111 46.9 39.1 58.7



#14
1,2-Dichlorobenzene
Concen: 20.889 ng
RT: 8.316 min Scan# 890
Delta R.T. 0.005 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:146 Resp: 85256
Ion Ratio Lower Upper
146 100
148 69.9 52.4 78.6
111 46.9 36.7 55.1









#15
Benzyl Alcohol
Concen: 19.762 ng
RT: 8.187 min Scan# 80
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 79	Resp: 87176
Ion Ratio	Lower Upper
79 100	
108 61.9	42.7 64.1
77 68.3	56.3 84.5



#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.942 ng
RT: 8.481 min Scan# 918
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 45	Resp: 35064
Ion Ratio	Lower Upper
45 100	
77 26.1	26.2 66.2#
79 44.6	11.2 51.2









#17
2-Methylphenol
Concen: 22.955 ng
RT: 8.393 min Scan# 903
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:	107	Resp:	62794
Ion	Ratio	Lower	Upper
107	100		
108	124.1	92.2	138.4
77	78.4	63.7	95.5
79	71.9	67.7	101.5



#18
Hexachloroethane
Concen: 19.195 ng
RT: 9.045 min Scan# 1014
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:	117	Resp:	32945
Ion	Ratio	Lower	Upper
117	100		
119	89.4	67.5	101.3
201	242.4	183.0	274.6









#19
n-Nitroso-di-n-propylamine
Concen: 22.841 ng
RT: 8.769 min Scan# 90
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 70 Resp: 70647
Ion Ratio Lower Upper
70 100
42 39.3 38.1 57.1
101 8.3 8.6 13.0#
130 11.9 11.5 17.3



#20
3+4-Methylphenols
Concen: 22.380 ng
RT: 8.716 min Scan# 958
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 107 Resp: 88164
Ion Ratio Lower Upper
107 100
108 75.4 60.7 100.7
77 61.5 32.2 72.2
79 39.9 28.4 68.4









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.767 min Scan# 11
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:136 Resp: 205965
Ion Ratio Lower Upper
136 100
137 9.2 9.8 14.6#
54 7.0 5.8 8.6
68 4.4 3.4 5.2



#22
Acetophenone
Concen: 20.660 ng
RT: 8.781 min Scan# 969
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:105 Resp: 136739
Ion Ratio Lower Upper
105 100
71 1.2 3.0 4.4#
51 31.3 24.4 36.6
120 12.2 12.2 18.2









#23
Nitrobenzene-d5
Concen: 39.169 ng
RT: 9.121 min Scan# 1027
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 82 Resp: 232987
Ion Ratio Lower Upper
82 100
128 27.2 21.0 31.6
54 43.5 32.6 48.8



#24
Nitrobenzene
Concen: 20.884 ng
RT: 9.163 min Scan# 1034
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 77 Resp: 120778
Ion Ratio Lower Upper
77 100
123 32.8 22.7 34.1
65 14.7 10.6 16.0









#25
Isophorone
Concen: 23.831 ng
RT: 9.680 min Scan# 1122
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 82 Resp: 216110
Ion Ratio Lower Upper
82 100
95 8.1 11.2 16.8#
138 13.4 11.0 16.4



#26
2-Nitrophenol
Concen: 22.834 ng
RT: 9.873 min Scan# 1155
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:139 Resp: 42016
Ion Ratio Lower Upper
139 100
109 49.1 50.2 75.2#
65 55.7 46.8 70.2





#27

2,4-Dimethylphenol

Concen: 24.220 ng

RT: 9.926 min Scan# 1164

Delta R.T. -0.001 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:122 Resp: 53912

Ion Ratio Lower Upper

122 100

107 127.6 126.1 189.1

121 58.0 50.3 75.5



#28

bis(2-Chloroethoxy)methane

Concen: 25.924 ng

RT: 10.167 min Scan# 1205

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion: 93 Resp: 97952


Ion Ratio Lower Upper

93 100

95 27.8 21.0 31.4

123 10.3 6.7 10.1#





#29

2,4-Dichlorophenol

Concen: 20.620 ng

RT: 10.402 min Scan# 1245

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:162 Resp: 109763

Ion Ratio Lower Upper

162 100

164 72.7 36.7 76.7

98 25.9 7.4 47.4



#30

1,2,4-Trichlorobenzene

Concen: 19.274 ng

RT: 10.626 min Scan# 1283

Delta R.T. -0.001 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:180 Resp: 155533


Ion Ratio Lower Upper

180 100

182 101.1 79.0 118.6

145 17.5 17.4 26.0





#31

Naphthalene

Concen: 21.106 ng

RT: 10.814 min Scan# 1178

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:128 Resp: 218910

Ion Ratio Lower Upper

128 100

129 10.5 7.6 11.4

127 15.6 9.9 14.9#



#32

Benzoic acid

Concen: 22.902 ng

RT: 10.009 min Scan# 1178

Delta R.T. -0.042 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:122 Resp: 48477


Ion Ratio Lower Upper

122 100

105 115.1 123.9 163.9#

77 100.8 94.6 134.6









#33
4-Chloroaniline
Concen: 21.110 ng
RT: 10.919 min Scan# 1333
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:127	Resp:	82123
Ion	Ratio	Lower Upper
127	100	
129	37.9	26.6 40.0
65	51.9	40.4 60.6
92	26.1	23.7 35.5



#34
Hexachlorobutadiene
Concen: 18.129 ng
RT: 11.101 min Scan# 1364
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:225	Resp:	172707
Ion	Ratio	Lower Upper
225	100	
223	67.2	47.0 70.6
227	62.2	50.2 75.4





#35

Caprolactam

Concen: 21.652 ng

RT: 11.666 min Scan# 1460

Delta R.T. -0.036 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:113 Resp: 20660

Ion Ratio Lower Upper

113 100

55 61.2 93.5 133.5#

56 80.6 74.9 114.9



#36

4-Chloro-3-methylphenol

Concen: 16.857 ng

RT: 12.030 min Scan# 1522

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:107 Resp: 78324


Ion Ratio Lower Upper

107 100

144 27.1 21.6 32.4

142 76.3 64.6 97.0





#37

2-Methylnaphthalene

Concen: 17.043 ng

RT: 12.423 min Scan# 1589

Delta R.T. -0.001 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:142 Resp: 168706

Ion Ratio Lower Upper

142 100

141 96.6 73.4 110.2

115 61.0 48.1 72.1



#38

1-Methylnaphthalene

Concen: 17.704 ng

RT: 12.423 min Scan# 1589

Delta R.T. -0.219 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:142 Resp: 168706


Ion Ratio Lower Upper

142 100

141 96.6 79.4 119.2

116 8.2 6.2 9.4









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.597 min Scan# 1959
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:164 Resp: 215829
Ion Ratio Lower Upper
164 100
162 105.5 85.0 127.6
160 43.7 38.1 57.1



#40
1,2,4,5-Tetrachlorobenzene
Concen: 18.537 ng
RT: 12.788 min Scan# 1651
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:216 Resp: 284268
Ion Ratio Lower Upper
216 100
214 76.3 58.3 87.5
179 12.4 10.2 15.4
108 9.6 7.2 10.8









#41
Hexachlorocyclopentadiene
Concen: 18.689 ng
RT: 12.770 min Scan# 1
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:237 Resp: 141225
Ion Ratio Lower Upper
237 100
235 57.3 49.4 89.4
272 13.2 0.0 34.6



#42
2,4,6-Tribromophenol
Concen: 37.178 ng
RT: 16.084 min Scan# 2212
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:330 Resp: 286634
Ion Ratio Lower Upper
330 100
332 94.5 76.5 114.7
141 18.2 15.0 22.6





#43

2,4,6-Trichlorophenol

Concen: 18.690 ng

RT: 13.023 min Scan# 1

Delta R.T. -0.001 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:196 Resp: 148478

Ion Ratio Lower Upper

196 100

198 82.3 72.6 109.0

200 32.1 25.6 38.4



#44

2,4,5-Trichlorophenol

Concen: 18.755 ng

RT: 13.087 min Scan# 1702

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Tgt Ion:196 Resp: 166743




Ion Ratio Lower Upper


196 100

198 89.7 78.3 117.5

97 35.2 30.2 45.4

132 10.0 7.7 11.5









#45
2-Fluorobiphenyl
Concen: 35.886 ng
RT: 13.223 min Scan# 1725
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:172 Resp: 749386
Ion Ratio Lower Upper
172 100
171 36.4 28.6 43.0
170 23.8 19.8 29.8



#46
1,1'-Biphenyl
Concen: 18.919 ng
RT: 13.434 min Scan# 1761
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:154 Resp: 292308
Ion Ratio Lower Upper
154 100
153 39.2 20.8 60.8
76 8.1 0.0 27.4









#47
2-Chloronaphthalene
Concen: 19.349 ng
RT: 13.469 min Scan# 1767
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:162 Resp: 267144
Ion Ratio Lower Upper
162 100
127 26.9 22.6 33.8
164 29.9 27.4 41.0



#48
2-Nitroaniline
Concen: 17.821 ng
RT: 13.669 min Scan# 1801
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion: 65 Resp: 48928
Ion Ratio Lower Upper
65 100
92 69.3 55.4 83.2
138 100.0 71.8 107.6









#49
Acenaphthylene
Concen: 20.386 ng
RT: 14.321 min Scan# 1912
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:152 Resp: 364592
Ion Ratio Lower Upper
152 100
151 18.1 15.3 22.9
153 13.5 11.7 17.5



#50
Dimethylphthalate
Concen: 19.745 ng
RT: 14.051 min Scan# 1866
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:163 Resp: 367415
Ion Ratio Lower Upper
163 100
194 5.9 4.6 7.0
164 12.2 8.1 12.1#









#51
2,6-Dinitrotoluene
Concen: 20.700 ng
RT: 14.168 min Scan# 1886
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:165 Resp: 82292
Ion Ratio Lower Upper
165 100
63 60.4 47.2 70.8
89 68.6 57.1 85.7



#52
Acenaphthene
Concen: 20.704 ng
RT: 14.662 min Scan# 1970
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:154 Resp: 277560
Ion Ratio Lower Upper
154 100
153 120.6 95.8 143.6
152 57.8 45.0 67.4









#53
3-Nitroaniline
Concen: 20.503 ng
RT: 14.492 min Scan# 1941
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:138 Resp: 48774
Ion Ratio Lower Upper
138 100
108 9.7 9.6 14.4
92 139.5 109.8 164.6



#54
2,4-Dinitrophenol
Concen: 21.482 ng
RT: 14.691 min Scan# 1975
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:184 Resp: 71716
Ion Ratio Lower Upper
184 100
63 31.4 38.2 57.4#
154 56.4 52.6 78.8









#55
Dibenzenofuran
Concen: 20.053 ng
RT: 14.997 min Scan# 20
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:168 Resp: 473052
Ion Ratio Lower Upper
168 100
139 30.4 27.0 40.6
169 14.5 11.6 17.4



#56
4-Nitrophenol
Concen: 23.947 ng
RT: 14.785 min Scan# 1991
Delta R.T. -0.013 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:139 Resp: 44639
Ion Ratio Lower Upper
139 100
109 194.2 167.9 207.9
65 158.6 108.1 148.1#





#57

2,4-Dinitrotoluene

Concen: 19.409 ng

RT: 14.950 min Scan# 20

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020

Tgt Ion:165 Resp: 114504





Ion Ratio Lower Upper

165 100

63 39.5 32.8 49.2

89 77.5 60.6 90.8

182 3.6 2.6 3.8



#58

Fluorene

Concen: 18.963 ng

RT: 15.643 min Scan# 2137

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:166 Resp: 393785


Ion Ratio Lower Upper

166 100

165 104.8 80.6 121.0

167 14.1 9.9 14.9









#59
2,3,4,6-Tetrachlorophenol
Concen: 19.529 ng
RT: 15.214 min Scan# 2064
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:232 Resp: 208058
Ion Ratio Lower Upper
232 100
131 18.1 14.8 22.2
130 1.4 1.2 1.8
166 14.4 12.2 18.4



#60
Diethylphthalate
Concen: 20.742 ng
RT: 15.420 min Scan# 2099
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:149 Resp: 329662
Ion Ratio Lower Upper
149 100
177 30.7 24.6 37.0
150 12.4 9.6 14.4









#61
4-Chlorophenyl-phenylether
Concen: 19.180 ng
RT: 15.643 min Scan# 2137
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:204 Resp: 353003
Ion Ratio Lower Upper
204 100
206 33.9 25.8 38.8
141 28.5 21.4 32.2



#62
4-Nitroaniline
Concen: 20.418 ng
RT: 15.655 min Scan# 2139
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:138 Resp: 55625
Ion Ratio Lower Upper
138 100
92 68.7 50.8 90.8
108 164.7 181.0 221.0#









#63
Azobenzene
Concen: 21.408 ng
RT: 15.931 min Scan# 2186
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion: 77	Resp: 347862
Ion Ratio	Lower Upper
77 100	
182 35.2	15.7 55.7
105 12.0	0.0 31.5
51 35.9	18.2 58.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.347 min Scan# 2427
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:188	Resp: 777969
Ion Ratio	Lower Upper
188 100	
94 2.2	1.8 2.6
80 2.7	2.2 3.4









#65
4,6-Dinitro-2-methylphenol
Concen: 20.218 ng
RT: 15.714 min Scan# 2149
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:198 Resp: 120125
Ion Ratio Lower Upper
198 100
51 17.2 0.0 34.4
105 17.2 0.0 39.0



#66
n-Nitrosodiphenylamine
Concen: 20.879 ng
RT: 15.855 min Scan# 2173
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:169 Resp: 352731
Ion Ratio Lower Upper
169 100
168 59.9 53.5 80.3
167 34.4 29.2 43.8









#67
4-Bromophenyl-phenylether
Concen: 18.327 ng
RT: 16.536 min Scan# 2289
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:248 Resp: 272077
Ion Ratio Lower Upper
248 100
250 97.2 79.0 118.4
141 32.8 22.3 33.5



#68
Hexachlorobenzene
Concen: 18.620 ng
RT: 16.648 min Scan# 2308
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:284 Resp: 307047
Ion Ratio Lower Upper
284 100
142 16.4 11.4 17.0
249 32.0 24.2 36.2









#69
Atrazine
Concen: 20.761 ng
RT: 16.801 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:200 Resp: 188187
Ion Ratio Lower Upper
200 100
173 16.8 0.0 34.0
215 58.0 36.5 76.5



#70
Pentachlorophenol
Concen: 19.257 ng
RT: 16.989 min Scan# 2366
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:266 Resp: 214838
Ion Ratio Lower Upper
266 100
268 64.7 49.3 73.9
264 62.6 53.2 79.8









#71
Phenanthrene
Concen: 20.780 ng
RT: 17.388 min Scan# 2434
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:178 Resp: 757886
Ion Ratio Lower Upper
178 100
176 18.2 15.8 23.8
179 15.3 12.6 19.0



#72
Anthracene
Concen: 20.422 ng
RT: 17.476 min Scan# 2449
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:178 Resp: 758523
Ion Ratio Lower Upper
178 100
176 17.6 14.7 22.1
179 15.8 13.2 19.8









#73
 Carbazole
 Concen: 21.502 ng
 RT: 17.747 min Scan# 2495
 Delta R.T. -0.001 min
 Lab File: BG059938.D
 Acq: 4 Dec 2023 19:25




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020


Tgt Ion:167 Resp: 587565
 Ion Ratio Lower Upper
 167 100
 166 21.1 16.7 25.1
 139 10.5 8.0 12.0



#74
 Di-n-butylphthalate
 Concen: 22.059 ng
 RT: 18.317 min Scan# 2592
 Delta R.T. -0.001 min
 Lab File: BG059938.D
 Acq: 4 Dec 2023 19:25

Tgt Ion:149 Resp: 502667
 Ion Ratio Lower Upper
 149 100
 150 8.2 7.4 11.0
 104 6.6 6.2 9.2









#75
Fluoranthene
Concen: 20.668 ng
RT: 19.403 min Scan# 21
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:202 Resp: 1280603
Ion Ratio Lower Upper
202 100
101 1.9 0.0 21.6
203 20.4 0.9 40.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.619 min Scan# 3154
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:240 Resp: 1134497
Ion Ratio Lower Upper
240 100
120 1.1 1.0 1.4
236 26.0 20.8 31.2









#77
Benzidine
Concen: 18.472 ng
RT: 19.586 min Scan# 21
Delta R.T. 0.005 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:184 Resp: 214843
Ion Ratio Lower Upper
184 100
185 12.7 12.0 18.0
183 12.0 9.7 14.5



#78
Pyrene
Concen: 21.230 ng
RT: 19.768 min Scan# 2839
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:202 Resp: 1301901
Ion Ratio Lower Upper
202 100
200 20.4 17.8 26.6
203 18.7 15.4 23.0









#79
 Terphenyl-d14
 Concen: 42.650 ng
 RT: 19.968 min Scan# 2874
 Delta R.T. -0.007 min
 Lab File: BG059938.D
 Acq: 4 Dec 2023 19:25




Instrument :
 BNA_G
 ClientSampleId :
 SSTDICC020


Tgt Ion:244 Resp: 2814919
 Ion Ratio Lower Upper
 244 100
 212 7.9 8.6 13.0#
 122 2.1 2.1 3.1



#80
 Butylbenzylphthalate
 Concen: 21.467 ng
 RT: 20.667 min Scan# 2992
 Delta R.T. -0.001 min
 Lab File: BG059938.D
 Acq: 4 Dec 2023 19:25

Tgt Ion:149 Resp: 177307
 Ion Ratio Lower Upper
 149 100
 91 50.7 42.9 64.3
 206 44.8 36.7 55.1





#81

Benzo(a)anthracene

Concen: 21.480 ng

RT: 21.601 min Scan# 3151

Delta R.T. -0.001 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:228 Resp: 1615317

Ion Ratio Lower Upper

228 100

226 27.5 23.4 35.2

229 19.0 17.4 26.2



#82

3,3'-Dichlorobenzidine

Concen: 20.407 ng

RT: 21.519 min Scan# 3137

Delta R.T. -0.001 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:252 Resp: 501348


Ion Ratio Lower Upper

252 100

254 66.8 51.9 77.9

126 2.5 1.4 2.2#





#83

Chrysene

Concen: 21.337 ng

RT: 21.666 min Scan# 3162

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:228 Resp: 1519207

Ion Ratio Lower Upper

228 100

226 29.5 25.4 38.2

229 20.4 17.1 25.7



#84

Bis(2-ethylhexyl)phthalate

Concen: 21.754 ng

RT: 21.525 min Scan# 3138

Delta R.T. -0.001 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:149 Resp: 262089


Ion Ratio Lower Upper

149 100

167 34.2 26.1 39.1

279 10.2 8.6 12.8









#85
Di-n-octyl phthalate
Concen: 21.118 ng
RT: 22.735 min Scan# 31
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:149 Resp: 453369
Ion Ratio Lower Upper
149 100
167 1.6 1.7 2.5#
43 4.6 3.6 5.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 24.815 min Scan# 3698
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:264 Resp: 1349154
Ion Ratio Lower Upper
264 100
260 21.3 15.8 23.6
265 23.3 18.1 27.1





#87

Indeno(1,2,3-cd)pyrene

Concen: 20.459 ng

RT: 28.452 min Scan# 41

Delta R.T. -0.013 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25

Instrument :

BNA_G

ClientSampleId :

SSTDICC020





Tgt Ion:276 Resp: 2042104

Ion Ratio Lower Upper

276 100

138 2.2 0.0 0.0#

277 24.5 19.9 29.9



#88

Benzo(b)fluoranthene

Concen: 20.274 ng

RT: 23.798 min Scan# 3525

Delta R.T. -0.007 min

Lab File: BG059938.D

Acq: 4 Dec 2023 19:25




Tgt Ion:252 Resp: 1748135


Ion Ratio Lower Upper

252 100

253 21.1 18.5 27.7

125 1.2 1.2 1.8









#89
Benzo(k)fluoranthene
Concen: 20.178 ng
RT: 23.869 min Scan# 3538
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25




Instrument :
BNA_G
ClientSampleId :
SSTDICC020


Tgt Ion:252 Resp: 1678889
Ion Ratio Lower Upper
252 100
253 22.1 18.3 27.5
125 1.2 1.3 1.9#



#90
Benzo(a)pyrene
Concen: 20.492 ng
RT: 24.668 min Scan# 3673
Delta R.T. -0.001 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:252 Resp: 1512219
Ion Ratio Lower Upper
252 100
253 22.6 17.0 25.6
125 2.0 0.9 1.3#









#91
Dibenzo(a,h)anthracene
Concen: 20.012 ng
RT: 28.528 min Scan# 411
Delta R.T. -0.007 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Instrument :
BNA_G
ClientSampleId :
SSTDICC020

Tgt Ion:278 Resp: 1705224
Ion Ratio Lower Upper
278 100
139 2.3 1.7 2.5
279 24.3 18.8 28.2



#92
Benzo(g,h,i)perylene
Concen: 20.660 ng
RT: 29.592 min Scan# 4511
Delta R.T. -0.013 min
Lab File: BG059938.D
Acq: 4 Dec 2023 19:25

Tgt Ion:276 Resp: 1662041
Ion Ratio Lower Upper
276 100
277 21.4 18.1 27.1
138 2.3 1.6 2.4

