

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG120617\
 Data File : BG031383.D
 Acq On : 6 Dec 2017 22:43
 Operator : SJ/JU
 Sample : I6718-12
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Dec 07 02:42:32 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 06 17:58:37 2017
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.13	152	67025	20.00	ng	0.00
21) Naphthalene-d8	10.94	136	281421	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	189792	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	497631	20.00	ng	0.00
75) Chrysene-d12	21.77	240	537539	20.00	ng	0.00
86) Perylene-d12	25.07	264	494963	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	476246	121.84	ng	0.00
7) Phenol-d6	7.30	99	561608	106.65	ng	0.00
23) Nitrobenzene-d5	9.30	82	407884	85.88	ng	0.00
41) 2,4,6-Tribromophenol	16.24	330	284632	92.71	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	1153931	87.36	ng	0.00
78) Terphenyl-d14	20.08	244	2054555	84.40	ng	0.00
Target Compounds						
31) Naphthalene	11.00	128	31229	2.257	ng	Qvalue # 93
55) 4-Nitrophenol	15.17	139	6595	2.578	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\SV0ASRV\HPCHEM1\BNA G\DATA\BG120617\
Data File : BG031383.D
Acq On : 6 Dec 2017 22:43
Operator : SJ/JU
Sample : I6718-12
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Dec 07 02:42:32 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 06 17:58:37 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.13 min Scan# 824
Delta R.T. 0.00 min
Lab File: BG031383.D
Acq: 6 Dec 2017 22:43

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 67025
Ion Ratio Lower Upper
152 100
150 152.7 126.6 189.8
115 54.4 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 121.842 ng
RT: 5.69 min Scan# 409
Delta R.T. 0.01 min
Lab File: BG031383.D
Acq: 6 Dec 2017 22:43

Tgt Ion:112 Resp: 476246
Ion Ratio Lower Upper
112 100
64 57.9 56.3 84.5
63 29.3 30.1 45.1#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 106.650 ng

RT: 7.30 min Scan# 682

Delta R.T. 0.00 min

Lab File: BG031383.D

Acq: 6 Dec 2017 22:43

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 561608

Ion Ratio Lower Upper




99 100

42 18.2 14.1 21.1

71 34.9 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.94 min Scan# 1303

Delta R.T. 0.00 min

Lab File: BG031383.D

Acq: 6 Dec 2017 22:43

Tgt Ion: 136 Resp: 281421


Ion Ratio Lower Upper

136 100



137 11.0 9.2 13.8

54 7.9 10.3 15.5#

68 5.6 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 85.884 ng
RT: 9.30 min Scan# 1023
Delta R.T. 0.00 min
Lab File: BG031383.D
Acq: 6 Dec 2017 22:43




Instrument :
BNA_G
ClientSampleId :


Tot Ion: 82 Resp: 407884
Ion Ratio Lower Upper
82 100
128 43.8 29.7 44.5
54 50.1 43.1 64.7



#31
Naphthalene
Concen: 2.257 ng
RT: 11.00 min Scan# 1313
Delta R.T. 0.01 min
Lab File: BG031383.D
Acq: 6 Dec 2017 22:43

Tgt Ion:128 Resp: 31229
Ion Ratio Lower Upper
128 100
129 11.9 8.6 12.8
127 10.2 11.6 17.4#









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.75 min Scan# 1951
 Delta R.T. 0.00 min
 Lab File: BG031383.D
 Acq: 6 Dec 2017 22:43




Instrument :
 BNA_G
 ClientSampleId :


Tot Ion:164 Resp: 189792
 Ion Ratio Lower Upper
 164 100
 162 104.2 78.8 118.2
 160 44.0 35.4 53.0



#41
 2,4,6-Tribromophenol
 Concen: 92.707 ng
 RT: 16.24 min Scan# 2204
 Delta R.T. 0.00 min
 Lab File: BG031383.D
 Acq: 6 Dec 2017 22:43

Tgt Ion:330 Resp: 284632
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.0 115.6
 141 37.0 25.2 37.8









#44
 2-Fluorobiphenyl
 Concen: 87.363 ng
 RT: 13.37 min Scan# 1716
 Delta R.T. 0.00 min
 Lab File: BG031383.D
 Acq: 6 Dec 2017 22:43

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:172 Resp: 1153931




Ion	Ratio	Lower	Upper
172	100		
171	38.5	30.0	45.0
170	23.7	19.5	29.3




#55
 4-Nitrophenol
 Concen: 2.578 ng
 RT: 15.17 min Scan# 2022
 Delta R.T. 0.18 min
 Lab File: BG031383.D
 Acq: 6 Dec 2017 22:43

Tgt Ion:139 Resp: 6595

Ion	Ratio	Lower	Upper
139	100		
109	0.0	62.2	102.2#
65	0.0	97.2	137.2#









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2418
Delta R.T. 0.00 min
Lab File: BG031383.D
Acq: 6 Dec 2017 22:43




Instrument :
BNA_G
ClientSampleId :


Tot Ion:188 Resp: 497631
Ion Ratio Lower Upper
188 100
94 7.3 6.9 10.3
80 7.7 7.7 11.5#



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.01 min
Lab File: BG031383.D
Acq: 6 Dec 2017 22:43

Tgt Ion:240 Resp: 537539
Ion Ratio Lower Upper
240 100
120 7.8 6.8 10.2
236 27.4 20.9 31.3





#78

Terphenyl-d14

Concen: 84.396 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.01 min

Lab File: BG031383.D

Acq: 6 Dec 2017 22:43

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 2054555

Ion Ratio Lower Upper

244 100

212 8.7 5.8 8.8




122 9.1 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.07 min Scan# 3707

Delta R.T. 0.00 min

Lab File: BG031383.D

Acq: 6 Dec 2017 22:43


Tgt Ion:264 Resp: 494963

Ion Ratio Lower Upper

264 100

260 22.8 17.4 26.0

265 21.3 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

