

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120617\
 Data File : BG031375.D
 Acq On : 6 Dec 2017 17:43
 Operator : SJ/JU
 Sample : I6303-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HD-02-120417

Quant Time: Dec 07 02:52:49 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 06 17:58:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	71970	20.00	ng	0.00
21) Naphthalene-d8	10.95	136	299237	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	192239	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	497161	20.00	ng	0.00
75) Chrysene-d12	21.77	240	556576	20.00	ng	0.00
86) Perylene-d12	25.06	264	529446	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	561415	133.76	ng	0.00
7) Phenol-d6	7.30	99	656520	116.11	ng	0.00
23) Nitrobenzene-d5	9.29	82	473073	93.68	ng	0.00
41) 2,4,6-Tribromophenol	16.24	330	330683	106.34	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	1293754	96.70	ng	0.00
78) Terphenyl-d14	20.08	244	2256567	89.52	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120617\
Data File : BG031375.D
Acq On : 6 Dec 2017 17:43
Operator : SJ/JU
Sample : I6303-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HD-02-120417

Quant Time: Dec 07 02:52:49 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 06 17:58:37 2017
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.12 min Scan# 823
Delta R.T. -0.00 min
Lab File: BG031375.D
Acq: 6 Dec 2017 17:43

Instrument :
BNA_G
ClientSampleId :
HD-02-120417

Tot Ion:152 Resp: 71970
Ion Ratio Lower Upper
152 100
150 151.7 126.6 189.8
115 56.6 53.0 79.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 133.763 ng
RT: 5.69 min Scan# 409
Delta R.T. 0.01 min
Lab File: BG031375.D
Acq: 6 Dec 2017 17:43

Tgt Ion:112 Resp: 561415
Ion Ratio Lower Upper
112 100
64 57.9 56.3 84.5
63 32.0 30.1 45.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 116.108 ng

RT: 7.30 min Scan# 682

Delta R.T. 0.00 min

Lab File: BG031375.D

Acq: 6 Dec 2017 17:43

Instrument :

BNA_G

ClientSampleId :

HD-02-120417


Tot Ion: 99 Resp: 656520

Ion Ratio Lower Upper




99 100

42 18.1 14.1 21.1

71 35.0 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.95 min Scan# 1303

Delta R.T. 0.00 min

Lab File: BG031375.D

Acq: 6 Dec 2017 17:43

Tgt Ion: 136 Resp: 299237


Ion Ratio Lower Upper

136 100



137 11.1 9.2 13.8


54 7.3 10.3 15.5#

68 4.9 4.5 6.7



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 93.680 ng
RT: 9.29 min Scan# 1022
Delta R.T. -0.00 min
Lab File: BG031375.D
Acq: 6 Dec 2017 17:43

Instrument :
BNA_G
ClientSampleId :
HD-02-120417

Tot Ion: 82 Resp: 473073
Ion Ratio Lower Upper
82 100
128 44.1 29.7 44.5
54 49.8 43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.75 min Scan# 1951
Delta R.T. 0.00 min
Lab File: BG031375.D
Acq: 6 Dec 2017 17:43

Tgt Ion:164 Resp: 192239
Ion Ratio Lower Upper
164 100
162 107.9 78.8 118.2
160 46.7 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 106.336 ng
 RT: 16.24 min Scan# 2204
 Delta R.T. 0.00 min
 Lab File: BG031375.D
 Acq: 6 Dec 2017 17:43

Instrument :
 BNA_G
 ClientSampleId :
 HD-02-120417

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.0	115.6
141	35.9	25.2	37.8




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 96.702 ng
 RT: 13.37 min Scan# 1716
 Delta R.T. 0.00 min
 Lab File: BG031375.D
 Acq: 6 Dec 2017 17:43

Tgt Ion	Ratio	Lower	Upper
172	100		
171	38.6	30.0	45.0
170	24.0	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2417
Delta R.T. -0.00 min
Lab File: BG031375.D
Acq: 6 Dec 2017 17:43




Instrument :
BNA_G
ClientSampleId :
HD-02-120417


Tot Ion:188 Resp: 497161
Ion Ratio Lower Upper
188 100
94 7.2 6.9 10.3
80 8.0 7.7 11.5



#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.00 min
Lab File: BG031375.D
Acq: 6 Dec 2017 17:43

Tgt Ion:240 Resp: 556576
Ion Ratio Lower Upper
240 100
120 7.3 6.8 10.2
236 26.8 20.9 31.3





#78

Terphenyl-d14

Concen: 89.524 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.00 min

Lab File: BG031375.D

Acq: 6 Dec 2017 17:43

Instrument :

BNA_G

ClientSampleId :

HD-02-120417


Tot Ion:244 Resp: 2256567

Ion Ratio Lower Upper

244 100

212 9.0 5.8 8.8#




122 9.2 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.06 min Scan# 3706

Delta R.T. -0.00 min

Lab File: BG031375.D

Acq: 6 Dec 2017 17:43


Tgt Ion:264 Resp: 529446

Ion Ratio Lower Upper

264 100

260 24.8 17.4 26.0

265 22.5 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

