

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120618\
 Data File : BG038395.D
 Acq On : 6 Dec 2018 23:47
 Operator : JU/SJ
 Sample : J6225-05
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Dec 07 01:57:58 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG120418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 04 17:15:40 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	25435	20.00	ng	0.00
21) Naphthalene-d8	10.89	136	193686	20.00	ng	0.00
39) Acenaphthene-d10	14.71	164	76197	20.00	ng	0.00
64) Phenanthrene-d10	17.45	188	193365	20.00	ng	0.00
76) Chrysene-d12	21.73	240	186009	20.00	ng	0.00
87) Perylene-d12	25.04	264	190140	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	60670	42.21	ng	0.00
7) Phenol-d6	7.22	99	50290	24.21	ng	0.00
23) Nitrobenzene-d5	9.25	82	202009	51.78	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	83582	89.35	ng	0.00
45) 2-Fluorobiphenyl	13.33	172	446561	83.51	ng	0.00
79) Terphenyl-d14	20.05	244	763694	87.95	ng	0.00
Target Compounds						
10) Phenol	7.24	94	9173	4.179	ng	74
19) n-Nitroso-di-n-propylamine	9.25	70	26406	16.136	ng	# 68
50) Dimethylphthalate	14.15	163	17855	2.921	ng	96
51) 2,6-Dinitrotoluene	14.71	165	9969	7.141	ng	# 23
57) 2,4-Dinitrotoluene	14.71	165	9969	5.177	ng	# 23
67) 4-Bromophenyl-phenylether	16.19	248	5740	2.749	ng	# 1
77) Benzidine	20.05	184	12936	2.061	ng	# 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120618\
Data File : BG038395.D
Acq On : 6 Dec 2018 23:47
Operator : JU/SJ
Sample : J6225-05
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Dec 07 01:57:58 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG120418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 04 17:15:40 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.07 min Scan# 813
Delta R.T. -0.00 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47

Instrument :
BNA_G
ClientSampleId :

Tot Ion:152 Resp: 25435
Ion Ratio Lower Upper
152 100
150 157.6 126.0 189.0
115 64.4 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.211 ng
RT: 5.62 min Scan# 396
Delta R.T. 0.00 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47

Tgt Ion:112 Resp: 60670
Ion Ratio Lower Upper
112 100
64 65.0 53.1 79.7
63 33.6 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BGC
Ion 63.00 (62.70 to 63.70): BGC





#7

Phenol-d6

Concen: 24.208 ng

RT: 7.22 min Scan# 668

Delta R.T. -0.01 min

Lab File: BG038395.D

Acq: 6 Dec 2018 23:47

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 50290

Ion Ratio Lower Upper




99 100

42 21.7 15.0 22.4

71 34.5 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 4.179 ng

RT: 7.24 min Scan# 673

Delta R.T. -0.00 min

Lab File: BG038395.D

Acq: 6 Dec 2018 23:47


Tgt Ion: 94 Resp: 9173

Ion Ratio Lower Upper



94 100


65 40.3 9.7 49.7

66 53.8 15.9 55.9



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#19
n-Nitroso-di-n-propylamine
Concen: 16.136 ng
RT: 9.25 min Scan# 1014
Delta R.T. 0.37 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47




Instrument :
BNA_G
ClientSampleId :


Tot Ion: 70 Resp: 26406
Ion Ratio Lower Upper
70 100
42 44.2 53.9 80.9#
101 0.0 8.2 12.2#
130 2.3 18.2 27.4#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.89 min Scan# 1293
Delta R.T. -0.00 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47

Tgt Ion: 136 Resp: 193686
Ion Ratio Lower Upper
136 100
137 10.8 9.6 14.4
54 9.4 7.9 11.9
68 6.7 4.8 7.2









#23
Nitrobenzene-d5
Concen: 51.781 ng
RT: 9.25 min Scan# 1014
Delta R.T. -0.00 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47

Instrument :
BNA_G
ClientSampled :

Tot Ion: 82 Resp: 202009
Ion Ratio Lower Upper
82 100
128 44.9 34.6 51.8
54 60.3 45.3 67.9




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.71 min Scan# 1943
Delta R.T. -0.00 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47

Tgt Ion:164 Resp: 76197
Ion Ratio Lower Upper
164 100
162 102.5 81.3 121.9
160 46.0 36.3 54.5



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 89.353 ng
 RT: 16.19 min Scan# 2196
 Delta R.T. -0.01 min
 Lab File: BG038395.D
 Acq: 6 Dec 2018 23:47

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.6	78.4	117.6
141	38.0	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 83.509 ng
 RT: 13.33 min Scan# 1708
 Delta R.T. -0.00 min
 Lab File: BG038395.D
 Acq: 6 Dec 2018 23:47

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	31.0	46.4
170	24.4	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 2.921 ng

RT: 14.15 min Scan# 1849

Delta R.T. -0.00 min

Lab File: BG038395.D

Acq: 6 Dec 2018 23:47

Instrument :

BNA_G

ClientSampled :


Tot Ion:163 Resp: 17855

Ion Ratio Lower Upper

163 100

194 4.1 3.5 5.3




164 8.6 8.5 12.7



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#51

2,6-Dinitrotoluene

Concen: 7.141 ng

RT: 14.71 min Scan# 1943

Delta R.T. 0.41 min

Lab File: BG038395.D

Acq: 6 Dec 2018 23:47


Tgt Ion:165 Resp: 9969

Ion Ratio Lower Upper

165 100

63 0.0 43.4 65.2#



89 0.0 45.8 68.6#




Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BGC

Ion 89.00 (88.70 to 89.70): BGC









#57
 2,4-Dinitrotoluene
 Concen: 5.177 ng
 RT: 14.71 min Scan# 1943
 Delta R.T. -0.37 min
 Lab File: BG038395.D
 Acq: 6 Dec 2018 23:47

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:165 Resp: 9969
 Ion Ratio Lower Upper
 165 100
 63 0.0 33.4 50.0#
 89 0.0 57.2 85.8#
 182 0.0 2.6 4.0#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.45 min Scan# 2410
 Delta R.T. -0.01 min
 Lab File: BG038395.D
 Acq: 6 Dec 2018 23:47

Tgt Ion:188 Resp: 193365
 Ion Ratio Lower Upper
 188 100
 94 8.1 7.2 10.8
 80 9.0 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
4-Bromophenyl-phenylether
Concen: 2.749 ng
RT: 16.19 min Scan# 2196
Delta R.T. -0.44 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47

Instrument :
BNA_G
ClientSampled :

Tot Ion:248 Resp: 5740
Ion Ratio Lower Upper
248 100
250 195.8 77.0 115.6#
141 398.7 55.5 83.3#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.73 min Scan# 3139
Delta R.T. -0.01 min
Lab File: BG038395.D
Acq: 6 Dec 2018 23:47

Tgt Ion:240 Resp: 186009
Ion Ratio Lower Upper
240 100
120 8.6 8.1 12.1
236 26.8 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.061 ng

RT: 20.05 min Scan# 2853

Delta R.T. 0.36 min

Lab File: BG038395.D

Acq: 6 Dec 2018 23:47

Instrument :

BNA_G

ClientSampleId :


Tot Ion:184 Resp: 12936

Ion Ratio Lower Upper

184 100

185 19.0 12.6 18.8#




183 8.4 10.2 15.2#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 87.954 ng

RT: 20.05 min Scan# 2853

Delta R.T. -0.00 min

Lab File: BG038395.D

Acq: 6 Dec 2018 23:47


Tgt Ion:244 Resp: 763694

Ion Ratio Lower Upper

244 100

212 7.9 6.5 9.7



122 8.6 9.0 13.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E






#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 25.04 min Scan# 3701
 Delta R.T. -0.02 min
 Lab File: BG038395.D
 Acq: 6 Dec 2018 23:47

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion:264 Resp: 190140
 Ion Ratio Lower Upper
 264 100
 260 20.8 18.2 27.4
 265 21.3 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

