

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120618\
 Data File : BG038378.D
 Acq On : 6 Dec 2018 10:54
 Operator : JU/SJ
 Sample : PB115166BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115166BL

Quant Time: Dec 06 11:31:49 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG120418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 04 17:15:40 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.07	152	25013	20.00	ng	0.00
21) Naphthalene-d8	10.89	136	106592	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	74970	20.00	ng	0.00
64) Phenanthrene-d10	17.45	188	191255	20.00	ng	0.00
76) Chrysene-d12	21.73	240	193551	20.00	ng	-0.01
87) Perylene-d12	25.03	264	198553	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.62	112	187008	132.31	ng	0.00
7) Phenol-d6	7.22	99	257864	126.22	ng	0.00
23) Nitrobenzene-d5	9.25	82	162490	75.68	ng	0.00
42) 2,4,6-Tribromophenol	16.20	330	118309	128.55	ng	0.00
45) 2-Fluorobiphenyl	13.33	172	392816	74.66	ng	0.00
79) Terphenyl-d14	20.06	244	761271	84.26	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120618\
Data File : BG038378.D
Acq On : 6 Dec 2018 10:54
Operator : JU/SJ
Sample : PB115166BL
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115166BL

Quant Time: Dec 06 11:31:49 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG120418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 04 17:15:40 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.07 min Scan# 814
Delta R.T. 0.00 min
Lab File: BG038378.D
Acq: 6 Dec 2018 10:54

Instrument :
BNA_G
ClientSampleId :
PB115166BL

Tot Ion:152 Resp: 25013
Ion Ratio Lower Upper
152 100
150 152.4 126.0 189.0
115 56.2 45.5 68.3




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 132.306 ng
RT: 5.62 min Scan# 396
Delta R.T. 0.00 min
Lab File: BG038378.D
Acq: 6 Dec 2018 10:54

Tgt Ion:112 Resp: 187008
Ion Ratio Lower Upper
112 100
64 66.2 53.1 79.7
63 36.7 27.3 40.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 126.224 ng

RT: 7.22 min Scan# 669

Delta R.T. -0.01 min

Lab File: BG038378.D

Acq: 6 Dec 2018 10:54

Instrument :

BNA_G

ClientSampleId :

PB115166BL


Tot Ion: 99 Resp: 257864

Ion Ratio Lower Upper




99 100

42 21.7 15.0 22.4

71 35.2 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.89 min Scan# 1294

Delta R.T. -0.00 min

Lab File: BG038378.D

Acq: 6 Dec 2018 10:54

Tgt Ion: 136 Resp: 106592


Ion Ratio Lower Upper

136 100



137 10.7 9.6 14.4


54 11.2 7.9 11.9

68 5.8 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 75.684 ng
RT: 9.25 min Scan# 1014
Delta R.T. -0.01 min
Lab File: BG038378.D
Acq: 6 Dec 2018 10:54




Instrument :
BNA_G
ClientSampleId :
PB115166BL


Tot Ion: 82 Resp: 162490
Ion Ratio Lower Upper
82 100
128 43.5 34.6 51.8
54 60.5 45.3 67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.70 min Scan# 1943
Delta R.T. -0.01 min
Lab File: BG038378.D
Acq: 6 Dec 2018 10:54

Tgt Ion:164 Resp: 74970
Ion Ratio Lower Upper
164 100
162 107.3 81.3 121.9
160 44.4 36.3 54.5









#42
 2,4,6-Tribromophenol
 Concen: 128.548 ng
 RT: 16.20 min Scan# 2197
 Delta R.T. -0.01 min
 Lab File: BG038378.D
 Acq: 6 Dec 2018 10:54

Instrument :
 BNA_G
 ClientSampleId :
 PB115166BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.3	78.4	117.6
141	39.7	32.2	48.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 74.660 ng
 RT: 13.33 min Scan# 1709
 Delta R.T. 0.00 min
 Lab File: BG038378.D
 Acq: 6 Dec 2018 10:54

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	31.0	46.4
170	23.6	20.2	30.2



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.45 min Scan# 2411
Delta R.T. -0.01 min
Lab File: BG038378.D
Acq: 6 Dec 2018 10:54

Instrument :
BNA_G
ClientSampleId :
PB115166BL

Tot Ion:188 Resp: 191255
Ion Ratio Lower Upper
188 100
94 8.1 7.2 10.8
80 9.0 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.73 min Scan# 3139
Delta R.T. -0.01 min
Lab File: BG038378.D
Acq: 6 Dec 2018 10:54

Tgt Ion:240 Resp: 193551
Ion Ratio Lower Upper
240 100
120 9.0 8.1 12.1
236 26.3 21.4 32.0



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 84.259 ng

RT: 20.06 min Scan# 2854

Delta R.T. -0.00 min

Lab File: BG038378.D

Acq: 6 Dec 2018 10:54

Instrument :

BNA_G

ClientSampleId :

PB115166BL


Tot Ion:244 Resp: 761271

Ion Ratio Lower Upper

244 100

212 7.5 6.5 9.7




122 9.1 9.0 13.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.03 min Scan# 3701

Delta R.T. -0.02 min

Lab File: BG038378.D

Acq: 6 Dec 2018 10:54


Tgt Ion:264 Resp: 198553

Ion Ratio Lower Upper

264 100

260 24.4 18.2 27.4

265 20.8 17.9 26.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

