

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120817\
 Data File : BG031422.D
 Acq On : 8 Dec 2017 14:12
 Operator : SJ/JU
 Sample : PB104851BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :

Quant Time: Dec 08 16:29:02 2017
 Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 06 17:58:37 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.12	152	34976	20.00	ng	0.00
21) Naphthalene-d8	10.94	136	153288	20.00	ng	0.00
38) Acenaphthene-d10	14.75	164	115159	20.00	ng	0.00
63) Phenanthrene-d10	17.49	188	366529	20.00	ng	0.00
75) Chrysene-d12	21.77	240	434932	20.00	ng	0.00
86) Perylene-d12	25.06	264	414690	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.69	112	251557	123.33	ng	0.00
7) Phenol-d6	7.29	99	337097	122.67	ng	0.00
23) Nitrobenzene-d5	9.29	82	198024	76.55	ng	0.00
41) 2,4,6-Tribromophenol	16.24	330	197613	106.08	ng	0.00
44) 2-Fluorobiphenyl	13.37	172	622792	77.71	ng	0.00
78) Terphenyl-d14	20.08	244	1543307	78.35	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA G\DATA\BG120817\
Data File : BG031422.D
Acq On : 8 Dec 2017 14:12
Operator : SJ/JU
Sample : PB104851BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :

Quant Time: Dec 08 16:29:02 2017
Quant Method : Z:\HPCHEM1\BNA G\METHODS\8270-BG111017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 06 17:58:37 2017
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.12 min Scan# 823
Delta R.T. -0.00 min
Lab File: BG031422.D
Acq: 8 Dec 2017 14:12

Instrument :
BNA_G
ClientSampleId :




Tot Ion:152 Resp: 34976
Ion Ratio Lower Upper
152 100
150 155.8 126.6 189.8
115 54.5 53.0 79.4




#5

2-Fluorophenol
Concen: 123.330 ng
RT: 5.69 min Scan# 408
Delta R.T. 0.00 min
Lab File: BG031422.D
Acq: 8 Dec 2017 14:12

Tgt Ion:112 Resp: 251557
Ion Ratio Lower Upper
112 100
64 60.1 56.3 84.5
63 32.3 30.1 45.1





#7

Phenol-d6

Concen: 122.673 ng

RT: 7.29 min Scan# 681

Delta R.T. -0.00 min

Lab File: BG031422.D

Acq: 8 Dec 2017 14:12

Instrument :

BNA_G

ClientSampleId :


Tot Ion: 99 Resp: 337097

Ion Ratio Lower Upper




99 100

42 19.9 14.1 21.1

71 34.9 26.1 39.1



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.94 min Scan# 1303

Delta R.T. 0.00 min

Lab File: BG031422.D

Acq: 8 Dec 2017 14:12

Tgt Ion: 136 Resp: 153288


Ion Ratio Lower Upper

136 100



137 12.2 9.2 13.8


54 7.4 10.3 15.5#

68 4.4 4.5 6.7#



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
 Nitrobenzene-d5
 Concen: 76.550 ng
 RT: 9.29 min Scan# 1022
 Delta R.T. -0.00 min
 Lab File: BG031422.D
 Acq: 8 Dec 2017 14:12

Instrument :
 BNA_G
 ClientSampled :

Tot Ion: 82 Resp: 198024
 Ion Ratio Lower Upper
 82 100
 128 43.7 29.7 44.5
 54 51.2 43.1 64.7




Abundance Ion 82.00 (81.70 to 82.70): BGC
 Ion 128.00 (127.70 to 128.70): BGC
 Ion 54.00 (53.70 to 54.70): BGC






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.75 min Scan# 1951
 Delta R.T. 0.00 min
 Lab File: BG031422.D
 Acq: 8 Dec 2017 14:12

Tgt Ion:164 Resp: 115159
 Ion Ratio Lower Upper
 164 100
 162 102.3 78.8 118.2
 160 41.6 35.4 53.0



Abundance Ion 164.00 (163.70 to 164.70): BGC
 Ion 162.00 (161.70 to 162.70): BGC
 Ion 160.00 (159.70 to 160.70): BGC









#41
 2,4,6-Tribromophenol
 Concen: 106.078 ng
 RT: 16.24 min Scan# 2204
 Delta R.T. 0.00 min
 Lab File: BG031422.D
 Acq: 8 Dec 2017 14:12

Instrument :
 BNA_G
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
330	100		
332	94.7	77.0	115.6
141	38.9	25.2	37.8#




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 77.709 ng
 RT: 13.37 min Scan# 1716
 Delta R.T. 0.00 min
 Lab File: BG031422.D
 Acq: 8 Dec 2017 14:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	30.0	45.0
170	24.2	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.49 min Scan# 2417
Delta R.T. -0.00 min
Lab File: BG031422.D
Acq: 8 Dec 2017 14:12

Instrument :
BNA_G
ClientSampleId :

Tot Ion:188 Resp: 366529
Ion Ratio Lower Upper
188 100
94 7.7 6.9 10.3
80 8.5 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BGC
Ion 80.00 (79.70 to 80.70): BGC






#75
Chrysene-d12
Concen: 20.000 ng
RT: 21.77 min Scan# 3145
Delta R.T. -0.00 min
Lab File: BG031422.D
Acq: 8 Dec 2017 14:12

Tgt Ion:240 Resp: 434932
Ion Ratio Lower Upper
240 100
120 7.4 6.8 10.2
236 25.9 20.9 31.3



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#78

Terphenyl-d14

Concen: 78.351 ng

RT: 20.08 min Scan# 2858

Delta R.T. -0.00 min

Lab File: BG031422.D

Acq: 8 Dec 2017 14:12

Instrument :

BNA_G

ClientSampleId :


Tot Ion:244 Resp: 1543307

Ion Ratio Lower Upper

244 100

212 8.3 5.8 8.8




122 8.4 7.0 10.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.06 min Scan# 3706

Delta R.T. -0.00 min

Lab File: BG031422.D

Acq: 8 Dec 2017 14:12


Tgt Ion:264 Resp: 414690

Ion Ratio Lower Upper

264 100

260 24.6 17.4 26.0

265 21.5 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

