


Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120820\
Data File : BG047683.D
Acq On : 9 Dec 2020 21:21
Operator : CG/JU
Sample : L4941-08
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
C0B10

Manual Integrations
APPROVED

mohammad
12/10/2020 8:37:58 AM

Quant Time: Dec 10 01:45:58 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 08 17:39:41 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120820\
 Data File : BG047683.D
 Acq On : 9 Dec 2020 21:21
 Operator : CG/JU
 Sample : L4941-08
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0B10

Manual Integrations
 APPROVED

mohammad
 12/10/2020 8:37:58 AM

Quant Time: Dec 10 00:45:23 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 08 17:39:41 2020
 Response via : Initial Calibration



TIC: BG047683.D

(3) 1,4-Dioxane-d8 (S)

3.539min (-0.005) 1.97ng/uL

response 1414

Ion	Exp%	Act%
96.00	100	100
64.00	84.30	60.17#
34.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120820\
 Data File : BG047683.D
 Acq On : 9 Dec 2020 21:21
 Operator : CG/JU
 Sample : L4941-08
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_G
ClientSampleId :
 C0B10

Manual Integrations
APPROVED

mohammad
 12/10/2020 8:37:58 AM

Quant Time: Dec 10 00:45:23 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 08 17:39:41 2020
 Response via : Initial Calibration



TIC: BG047683.D

(3) 1,4-Dioxane-d8 (S)

3.539min (-0.005) 2.50ng/uL m 12/11/2024

response 1793

Ion	Exp%	Act%
96.00	100	100
64.00	84.30	60.17#
34.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120820\
 Data File : BG047683.D
 Acq On : 9 Dec 2020 21:21
 Operator : CG/JU
 Sample : L4941-08
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0B10

Manual Integrations
 APPROVED

mohammad
 12/10/2020 8:37:58 AM

Quant Time: Dec 10 01:45:58 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 08 17:39:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.22	152	38188	20.00	ng/ul	0.00
18) Naphthalene-d8	11.04	136	139632	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.84	164	108228	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.58	188	269669	20.00	ng/ul	0.00
78) Chrysene-d12	21.85	240	264600	20.00	ng/ul	0.00
86) Perylene-d12	25.21	264	277766	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.54	96	1793m>	2.50	ng/uL>	0.00 12/11/2020
5) Phenol-d5	7.35	99	37920	11.60	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.53	67	20276	12.07	ng/ul	0.00
9) 2-Chlorophenol-d4	7.74	132	29362	11.85	ng/ul	0.00
13) 4-Methylphenol-d8	8.91	113	28167	10.86	ng/ul	0.00
19) Nitrobenzene-d5	9.38	128	14218	12.49	ng/ul	0.00
22) 2-Nitrophenol-d4	10.11	143	16351	11.91	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.65	165	35510	11.92	ng/ul	0.00
29) 4-Chloroaniline-d4	11.17	131	34838	12.73	ng/ul	0.00
44) Dimethylphthalate-d6	14.23	166	112873	12.01	ng/ul	0.00
47) Acenaphthylene-d8	14.53	160	138085	12.86	ng/ul	0.00
52) 4-Nitrophenol-d4	15.00	143	14677	10.53	ng/ul	0.00
58) Fluorene-d10	15.82	176	103419	11.95	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.93	200	17050	9.34	ng/ul	0.00
71) Anthracene-d10	17.67	188	175487	13.05	ng/ul	0.00
79) Pyrene-d10	19.94	212	216484	13.84	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.98	264	213884	13.18	ng/ul	0.00
Target Compounds						
6) Phenol	7.38	94	7494	2.427	ng/ul	92
45) Dimethylphthalate	14.27	163	19067	2.002	ng/ul#	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed