

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120820\
 Data File : BG047655.D
 Acq On : 8 Dec 2020 19:34
 Operator : CG/JU
 Sample : L4921-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 C0FT9

Manual Integrations
 APPROVED

mohammad
 12/9/2020 12:28:01 PM

Quant Time: Dec 09 02:53:34 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Tue Dec 08 17:39:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.22	152	21431	20.00	ng/ul	0.00
18) Naphthalene-d8	11.04	136	83370	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.83	164	68855	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.57	188	185899	20.00	ng/ul	0.00
78) Chrysene-d12	21.85	240	193848	20.00	ng/ul	0.00
86) Perylene-d12	25.21	264	198610	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.53	96	2493	6.19	ng/uL	0.00
5) Phenol-d5	7.36	99	11621m	6.34	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.53	67	26482	28.09	ng/ul	0.00
9) 2-Chlorophenol-d4	7.73	132	35002	25.16	ng/ul	0.00
13) 4-Methylphenol-d8	8.91	113	21414	14.71	ng/ul	0.00
19) Nitrobenzene-d5	9.38	128	20194	29.71	ng/ul	0.00
22) 2-Nitrophenol-d4	10.11	143	23730	28.96	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.65	165	45602	25.63	ng/ul	0.00
29) 4-Chloroaniline-d4	11.17	131	4410	2.70	ng/ul	0.00
44) Dimethylphthalate-d6	14.23	166	189753	31.73	ng/ul	0.00
47) Acenaphthylene-d8	14.53	160	216523	31.70	ng/ul	0.00
52) 4-Nitrophenol-d4	15.00	143	8435	9.51	ng/ul	0.00
58) Fluorene-d10	15.82	176	174116	31.62	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.93	200	47120	37.45	ng/ul	0.00
71) Anthracene-d10	17.67	188	358623m	38.68	ng/ul	0.00
79) Pyrene-d10	19.94	212	450724	39.34	ng/ul	0.00
90) Benzo(a)pyrene-d12	24.98	264	442947	38.18	ng/ul	0.00

Target Compounds

					Ovalue	
6) Phenol	7.38	94	2184	1.260	ng/ul#	83
20) Nitrobenzene	9.43	77	156735	72.864	ng/ul#	94
23) 2-Nitrophenol	10.14	139	1458	1.740	ng/ul	91
37) 1,2,4,5-Tetrachlorobenzene	13.04	216	2830	1.034	ng/ul#	80
45) Dimethylphthalate	14.27	163	8759	1.446	ng/ul	99
73) 1,2,3,4-Tetrachlorobenzene	13.64	216	20686	7.101	ng/uL	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG120820\
Data File : BG047655.D
Acq On : 8 Dec 2020 19:34
Operator : CG/JU
Sample : L4921-01
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
BNA_G
ClientSampleId :
C0FT9

Manual Integrations
APPROVED

mohammad
12/9/2020 12:28:01 PM

Quant Time: Dec 09 02:53:34 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\SOM-EPA-BG120720MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Tue Dec 08 17:39:41 2020
Response via : Initial Calibration





#6

Phenol

Concen: 1.260 ng/ul

RT: 7.38 min Scan# 687

Delta R.T. -0.00 min

Lab File: BG047655.D

Acq: 8 Dec 2020 19:34

Instrument :

BNA_G





ClientSampled :

C0FT9

Tot Ion:	94	Resp:	2184
Ion	Ratio	Lower	Upper
94	100		
65	61.8	35.9	53.9#
66	70.5	50.1	75.1

Manual Integrations
APPROVED

mohammad
12/9/2020 12:28:01 PM



#20

Nitrobenzene

Concen: 72.864 ng/ul




RT: 9.43 min Scan# 1036


Delta R.T. 0.00 min

Lab File: BG047655.D

Acq: 8 Dec 2020 19:34

Tgt Ion:	77	Resp:	156735
Ion	Ratio	Lower	Upper
77	100		
123	38.3	28.5	42.7
65	18.6	12.2	18.2#









#23
2-Nitrophenol
Concen: 1.740 ng/ul
RT: 10.14 min Scan# 1158
Delta R.T. 0.00 min
Lab File: BG047655.D
Acq: 8 Dec 2020 19:34

Instrument :
BNA_G
ClientSampleId :
C0FT9

Tot Ion	Ratio	Lower	Upper
139	100		
65	89.4	63.4	95.0
109	71.4	53.0	79.6




Manual Integrations
APPROVED


mohammad
12/9/2020 12:28:01 PM



#37
1,2,4,5-Tetrachlorobenzene
Concen: 1.034 ng/ul
RT: 13.04 min Scan# 1651
Delta R.T. -0.00 min
Lab File: BG047655.D
Acq: 8 Dec 2020 19:34

Tgt Ion	Ratio	Lower	Upper
216	100		
214	71.7	62.5	93.7
179	35.5	15.0	22.6#
108	43.8	14.5	21.7#









#45
Dimethylphthalate
Concen: 1.446 ng/ul
RT: 14.27 min Scan# 1861
Delta R.T. -0.00 min
Lab File: BG047655.D
Acq: 8 Dec 2020 19:34

Instrument :
BNA_G
ClientSampled :
C0FT9

Tot Ion	Ratio	Lower	Upper
163	100		
194	5.8	3.9	5.9
164	9.1	7.4	11.2

Manual Integrations
APPROVED

mohammad
12/9/2020 12:28:01 PM



#73
1,2,3,4-Tetrachlorobenzene
Concen: 7.101 ng/uL
RT: 13.64 min Scan# 1753
Delta R.T. -0.00 min
Lab File: BG047655.D
Acq: 8 Dec 2020 19:34

Tgt Ion	Ratio	Lower	Upper
216	100		
214	90.5	61.7	92.5
218	51.2	39.3	58.9

