

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120822\
 Data File : BG055928.D
 Acq On : 8 Dec 2022 15:20
 Operator : CG/JU
 Sample : N5868-02
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 TP-0

Quant Time: Dec 09 08:09:55 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 09 07:57:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.142	152	25822	20.000	ng	0.00
21) Naphthalene-d8	10.974	136	103114	20.000	ng	0.00
39) Acenaphthene-d10	14.775	164	73777	20.000	ng	0.00
64) Phenanthrene-d10	17.519	188	205190	20.000	ng	0.00
76) Chrysene-d12	21.796	240	198095	20.000	ng	0.00
86) Perylene-d12	25.128	264	218144	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.674	112	201932	141.351	ng	0.00
7) Phenol-d6	7.301	99	237158	124.710	ng	0.00
23) Nitrobenzene-d5	9.317	82	176319	90.379	ng	0.00
42) 2,4,6-Tribromophenol	16.267	330	160024	154.036	ng	0.00
45) 2-Fluorobiphenyl	13.400	172	438075	88.956	ng	0.00
79) Terphenyl-d14	20.110	244	957098	96.636	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120822\
Data File : BG055928.D
Acq On : 8 Dec 2022 15:20
Operator : CG/JU
Sample : N5868-02
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
TP-0

Quant Time: Dec 09 08:09:55 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 09 07:57:14 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.142 min Scan# 81
Delta R.T. 0.002 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20




Instrument :
BNA_G
ClientSampleId :
TP-0


Tgt Ion:152 Resp: 25822
Ion Ratio Lower Upper
152 100
150 159.6 123.0 184.6
115 59.8 47.0 70.4



#5
2-Fluorophenol
Concen: 141.351 ng
RT: 5.674 min Scan# 406
Delta R.T. 0.001 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20

Tgt Ion:112 Resp: 201932
Ion Ratio Lower Upper
112 100
64 66.5 50.6 76.0
63 36.4 27.5 41.3









#7
Phenol-d6
Concen: 124.710 ng
RT: 7.301 min Scan# 68
Delta R.T. 0.001 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20




Instrument :
BNA_G
ClientSampleId :
TP-0


Tgt Ion: 99 Resp: 237158
Ion Ratio Lower Upper
99 100
42 23.7 18.0 27.0
71 39.1 29.0 43.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.974 min Scan# 1308
Delta R.T. 0.001 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20

Tgt Ion:136 Resp: 103114
Ion Ratio Lower Upper
136 100
137 10.9 9.0 13.6
54 9.2 7.8 11.6
68 5.5 5.0 7.4









#23
Nitrobenzene-d5
Concen: 90.379 ng
RT: 9.317 min Scan# 1045
Delta R.T. -0.005 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20




Instrument :
BNA_G
ClientSampleId :
TP-0


Tgt Ion: 82 Resp: 176319
Ion Ratio Lower Upper
82 100
128 42.4 34.1 51.1
54 61.3 47.3 70.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.775 min Scan# 1955
Delta R.T. -0.005 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20

Tgt Ion:164 Resp: 73777
Ion Ratio Lower Upper
164 100
162 102.5 81.1 121.7
160 46.4 34.8 52.2





#42

2,4,6-Tribromophenol

Concen: 154.036 ng

RT: 16.267 min Scan# 21

Delta R.T. 0.001 min

Lab File: BG055928.D


Acq: 8 Dec 2022 15:20

Instrument :

BNA_G

ClientSampleId :

TP-0






Tgt Ion:330 Resp: 160024

Ion Ratio Lower Upper

330 100

332 97.3 77.8 116.8

141 30.7 23.9 35.9



#45

2-Fluorobiphenyl

Concen: 88.956 ng

RT: 13.400 min Scan# 1721

Delta R.T. -0.005 min

Lab File: BG055928.D

Acq: 8 Dec 2022 15:20




Tgt Ion:172 Resp: 438075


Ion Ratio Lower Upper

172 100

171 36.5 29.8 44.6

170 24.1 20.2 30.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.519 min Scan# 24
Delta R.T. -0.005 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20




Instrument :
BNA_G
ClientSampleId :
TP-0


Tgt Ion:188 Resp: 205190
Ion Ratio Lower Upper
188 100
94 7.4 5.4 8.2
80 8.1 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.796 min Scan# 3150
Delta R.T. -0.005 min
Lab File: BG055928.D
Acq: 8 Dec 2022 15:20

Tgt Ion:240 Resp: 198095
Ion Ratio Lower Upper
240 100
120 8.2 6.3 9.5
236 26.3 21.9 32.9





#79

Terphenyl-d14

Concen: 96.636 ng

RT: 20.110 min Scan# 2879

Delta R.T. 0.001 min

Lab File: BG055928.D

Acq: 8 Dec 2022 15:20

Instrument :

BNA_G

ClientSampleId :

TP-0





Tgt Ion:244 Resp: 957098

Ion Ratio Lower Upper

244 100

212 8.0 6.3 9.5

122 8.7 6.9 10.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.128 min Scan# 3717

Delta R.T. -0.005 min

Lab File: BG055928.D

Acq: 8 Dec 2022 15:20

Tgt Ion:264 Resp: 218144

Ion Ratio Lower Upper

264 100

260 24.5 19.5 29.3

265 21.5 17.1 25.7

