

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120822\
 Data File : BG055938.D
 Acq On : 8 Dec 2022 22:11
 Operator : CG/JU
 Sample : N5926-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PFG-CONCRETE-1207

Quant Time: Dec 09 08:13:47 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 09 07:57:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.142	152	36893	20.000	ng	0.00
21) Naphthalene-d8	10.968	136	157533	20.000	ng	0.00
39) Acenaphthene-d10	14.775	164	99389	20.000	ng	0.00
64) Phenanthrene-d10	17.519	188	210098	20.000	ng	0.00
76) Chrysene-d12	21.802	240	170487	20.000	ng	# 0.00
86) Perylene-d12	25.151	264	203549	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.674	112	216755	106.196	ng	0.00
7) Phenol-d6	7.307	99	320010	117.780	ng	0.00
23) Nitrobenzene-d5	9.317	82	215606	72.339	ng	0.00
42) 2,4,6-Tribromophenol	16.267	330	134319	95.975	ng	0.00
45) 2-Fluorobiphenyl	13.400	172	544312	82.046	ng	0.00
79) Terphenyl-d14	20.110	244	756377	88.737	ng	0.00
Target Compounds						
80) Butylbenzylphthalate	20.786	149	22548	4.991	ng	Qvalue 93
84) Bis(2-ethylhexyl)phtha...	21.649	149	87809	13.525	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_G\Data\BG120822\
Data File : BG055938.D
Acq On : 8 Dec 2022 22:11
Operator : CG/JU
Sample : N5926-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PFG-CONCRETE-1207

Quant Time: Dec 09 08:13:47 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_G\Methods\8270-BG111622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 09 07:57:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.142 min Scan# 81
Delta R.T. 0.002 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11




Instrument :
BNA_G
ClientSampleId :
PFG-CONCRETE-1207


Tgt Ion:152 Resp: 36893
Ion Ratio Lower Upper
152 100
150 152.1 123.0 184.6
115 58.6 47.0 70.4



#5
2-Fluorophenol
Concen: 106.196 ng
RT: 5.674 min Scan# 406
Delta R.T. 0.001 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11

Tgt Ion:112 Resp: 216755
Ion Ratio Lower Upper
112 100
64 64.3 50.6 76.0
63 35.4 27.5 41.3









#7
Phenol-d6
Concen: 117.780 ng
RT: 7.307 min Scan# 68
Delta R.T. 0.007 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11




Instrument :
BNA_G
ClientSampleId :
PFG-CONCRETE-1207


Tgt Ion: 99 Resp: 320010
Ion Ratio Lower Upper
99 100
42 23.0 18.0 27.0
71 37.4 29.0 43.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.968 min Scan# 1307
Delta R.T. -0.005 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11

Tgt Ion: 136 Resp: 157533
Ion Ratio Lower Upper
136 100
137 11.0 9.0 13.6
54 10.2 7.8 11.6
68 5.7 5.0 7.4





#23

Nitrobenzene-d5

Concen: 72.339 ng

RT: 9.317 min Scan# 1045

Delta R.T. -0.005 min

Lab File: BG055938.D

Acq: 8 Dec 2022 22:11

Instrument :

BNA_G

ClientSampleId :

PFG-CONCRETE-1207





Tgt Ion: 82 Resp: 215606

Ion Ratio Lower Upper

82 100

128 42.1 34.1 51.1

54 59.2 47.3 70.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.775 min Scan# 1955

Delta R.T. -0.005 min

Lab File: BG055938.D

Acq: 8 Dec 2022 22:11




Tgt Ion:164 Resp: 99389


Ion Ratio Lower Upper

164 100

162 102.2 81.1 121.7


160 43.6 34.8 52.2








#42
2,4,6-Tribromophenol
Concen: 95.975 ng
RT: 16.267 min Scan# 21
Delta R.T. 0.001 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11

Instrument :
BNA_G
ClientSampleId :
PFG-CONCRETE-1207







Tgt Ion:330 Resp: 134319
Ion Ratio Lower Upper
330 100
332 96.6 77.8 116.8
141 31.3 23.9 35.9



#45
2-Fluorobiphenyl
Concen: 82.046 ng
RT: 13.400 min Scan# 1721
Delta R.T. -0.005 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11

Tgt Ion:172 Resp: 544312
Ion Ratio Lower Upper
172 100
171 37.0 29.8 44.6
170 24.9 20.2 30.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.519 min Scan# 2439
Delta R.T. -0.005 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11




Instrument :
BNA_G
ClientSampleId :
PFG-CONCRETE-1207


Tgt Ion:188 Resp: 210098
Ion Ratio Lower Upper
188 100
94 7.1 5.4 8.2
80 8.7 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.802 min Scan# 3151
Delta R.T. 0.001 min
Lab File: BG055938.D
Acq: 8 Dec 2022 22:11

Tgt Ion:240 Resp: 170487
Ion Ratio Lower Upper
240 100
120 9.9 6.3 9.5#
236 27.0 21.9 32.9









#79
 Terphenyl-d14
 Concen: 88.737 ng
 RT: 20.110 min Scan# 2879
 Delta R.T. 0.001 min
 Lab File: BG055938.D
 Acq: 8 Dec 2022 22:11




Instrument :
 BNA_G
 ClientSampleId :
 PFG-CONCRETE-1207


Tgt Ion:244 Resp: 756377
 Ion Ratio Lower Upper
 244 100
 212 8.1 6.3 9.5
 122 8.6 6.9 10.3



#80
 Butylbenzylphthalate
 Concen: 4.991 ng
 RT: 20.786 min Scan# 2978
 Delta R.T. 0.001 min
 Lab File: BG055938.D
 Acq: 8 Dec 2022 22:11

Tgt Ion:149 Resp: 22548
 Ion Ratio Lower Upper
 149 100
 91 74.9 54.6 81.8
 206 21.5 18.3 27.5





#84

Bis(2-ethylhexyl)phthalate

Concen: 13.525 ng

RT: 21.649 min Scan# 31

Delta R.T. 0.001 min

Lab File: BG055938.D

Acq: 8 Dec 2022 22:11

Instrument :

BNA_G

ClientSampleId :

PFG-CONCRETE-1207





Tgt Ion:149 Resp: 87809

Ion Ratio Lower Upper

149 100

167 29.5 22.0 33.0

279 4.8 3.7 5.5



#86

Perylene-d12

Concen: 20.000 ng

RT: 25.151 min Scan# 3721

Delta R.T. 0.019 min

Lab File: BG055938.D

Acq: 8 Dec 2022 22:11

Tgt Ion:264 Resp: 203549

Ion Ratio Lower Upper

264 100

260 24.3 19.5 29.3

265 22.0 17.1 25.7

