

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121218\
 Data File : BG038525.D
 Acq On : 13 Dec 2018 10:11
 Operator : JU/SJ
 Sample : PB115474BL
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115474BL

Quant Time: Dec 13 16:40:33 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	18420	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	75714	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	50717	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	141143	20.00	ng	0.00
76) Chrysene-d12	21.72	240	159459	20.00	ng	0.00
87) Perylene-d12	25.01	264	167958	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	149185	143.65	ng	0.00
7) Phenol-d6	7.21	99	199867	140.19	ng	0.00
23) Nitrobenzene-d5	9.24	82	130748	88.22	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	95784	137.04	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	320830	86.78	ng	0.00
79) Terphenyl-d14	20.05	244	725562	99.03	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121218\
Data File : BG038525.D
Acq On : 13 Dec 2018 10:11
Operator : JU/SJ
Sample : PB115474BL
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115474BL

Quant Time: Dec 13 16:40:33 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. 0.00 min
Lab File: BG038525.D
Acq: 13 Dec 2018 10:11

Instrument :
BNA_G
ClientSampleId :
PB115474BL

Tot Ion:152 Resp: 18420
Ion Ratio Lower Upper
152 100
150 152.3 119.5 179.3
115 57.9 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 143.649 ng
RT: 5.61 min Scan# 428
Delta R.T. 0.00 min
Lab File: BG038525.D
Acq: 13 Dec 2018 10:11

Tgt Ion:112 Resp: 149185
Ion Ratio Lower Upper
112 100
64 65.6 53.4 80.2
63 38.4 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 140.188 ng

RT: 7.21 min Scan# 701

Delta R.T. 0.00 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11

Instrument :

BNA_G

ClientSampleId :

PB115474BL


Tot Ion: 99 Resp: 199867

Ion Ratio Lower Upper




99 100

42 24.3 18.5 27.7

71 39.1 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.88 min Scan# 1325

Delta R.T. -0.00 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11

Tgt Ion:136 Resp: 75714


Ion Ratio Lower Upper

136 100



137 12.0 9.3 13.9


54 11.1 8.5 12.7

68 4.7 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC





#23

Nitrobenzene-d5

Concen: 88.221 ng

RT: 9.24 min Scan# 1046

Delta R.T. -0.00 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11

Instrument :

BNA_G

ClientSampleId :

PB115474BL


Tot Ion: 82 Resp: 130748

Ion Ratio Lower Upper




82 100

128 40.7 34.6 52.0

54 64.2 50.6 76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.00 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11


Tgt Ion:164 Resp: 50717

Ion Ratio Lower Upper



164 100


162 106.8 86.6 130.0

160 48.3 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC





#42

2,4,6-Tribromophenol

Concen: 137.036 ng

RT: 16.19 min Scan# 2229

Delta R.T. -0.00 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11

Instrument :

BNA_G

ClientSampleId :

PB115474BL


Tot Ion:330 Resp: 95784

Ion Ratio Lower Upper

330 100

332 94.7 76.9 115.3




141 38.1 28.8 43.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 86.782 ng

RT: 13.31 min Scan# 1740

Delta R.T. -0.00 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11


Tgt Ion:172 Resp: 320830

Ion Ratio Lower Upper

172 100

171 36.6 29.8 44.6



170 24.5 19.5 29.3




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.44 min Scan# 2443
Delta R.T. 0.00 min
Lab File: BG038525.D
Acq: 13 Dec 2018 10:11

Instrument :
BNA_G
ClientSampleId :
PB115474BL

Tot Ion:188 Resp: 141143
Ion Ratio Lower Upper
188 100
94 6.9 5.1 7.7
80 7.2 6.1 9.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.00 min
Lab File: BG038525.D
Acq: 13 Dec 2018 10:11

Tgt Ion:240 Resp: 159459
Ion Ratio Lower Upper
240 100
120 6.7 5.3 7.9
236 25.9 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 99.026 ng

RT: 20.05 min Scan# 2886

Delta R.T. 0.00 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11

Instrument :

BNA_G

ClientSampleId :

PB115474BL


Tot Ion:244 Resp: 725562

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2




122 6.9 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3731

Delta R.T. -0.01 min

Lab File: BG038525.D

Acq: 13 Dec 2018 10:11


Tgt Ion:264 Resp: 167958

Ion Ratio Lower Upper

264 100

260 24.1 18.9 28.3

265 20.6 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

