

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121218\
 Data File : BG038532.D
 Acq On : 13 Dec 2018 14:46
 Operator : JU/SJ
 Sample : J6275-04
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 BF-04-120418

Quant Time: Dec 13 17:08:57 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.05	152	19293	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	82290	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	53907	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	150895	20.00	ng	0.00
76) Chrysene-d12	21.72	240	159369	20.00	ng	0.00
87) Perylene-d12	25.02	264	171025	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.60	112	185541	170.57	ng	0.00
7) Phenol-d6	7.21	99	253989	170.09	ng	0.00
23) Nitrobenzene-d5	9.23	82	165175	102.54	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	127010	170.96	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	380040	96.71	ng	0.00
79) Terphenyl-d14	20.05	244	759912	103.77	ng	0.00
Target Compounds						
10) Phenol	7.24	94	16794	10.586	ng	93
50) Dimethylphthalate	14.14	163	50595	11.493	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121218\
Data File : BG038532.D
Acq On : 13 Dec 2018 14:46
Operator : JU/SJ
Sample : J6275-04
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
BF-04-120418

Quant Time: Dec 13 17:08:57 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.05 min Scan# 845
Delta R.T. -0.01 min
Lab File: BG038532.D
Acq: 13 Dec 2018 14:46

Instrument :
BNA_G
ClientSampleId :
BF-04-120418

Tot Ion:152 Resp: 19293
Ion Ratio Lower Upper
152 100
150 152.0 119.5 179.3
115 55.3 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 170.572 ng
RT: 5.60 min Scan# 428
Delta R.T. 0.00 min
Lab File: BG038532.D
Acq: 13 Dec 2018 14:46

Tgt Ion:112 Resp: 185541
Ion Ratio Lower Upper
112 100
64 69.1 53.4 80.2
63 38.1 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 170.088 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.00 min

Lab File: BG038532.D

Acq: 13 Dec 2018 14:46

Instrument :

BNA_G

ClientSampleId :

BF-04-120418


Tot Ion: 99 Resp: 253989

Ion Ratio Lower Upper




99 100

42 24.6 18.5 27.7

71 39.9 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#10

Phenol

Concen: 10.586 ng

RT: 7.24 min Scan# 706

Delta R.T. -0.00 min

Lab File: BG038532.D

Acq: 13 Dec 2018 14:46


Tgt Ion: 94 Resp: 16794

Ion Ratio Lower Upper



94 100

65 35.4 12.6 52.6

66 49.3 24.1 64.1



Abundance Ion 94.00 (93.70 to 94.70): BGC
Ion 65.00 (64.70 to 65.70): BGC
Ion 66.00 (65.70 to 66.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BG038532.D
Acq: 13 Dec 2018 14:46




Instrument :
BNA_G
ClientSampleId :
BF-04-120418


Tot Ion:136	Resp:	82290
Ion	Ratio	Lower Upper
136	100	
137	12.0	9.3 13.9
54	10.5	8.5 12.7
68	6.1	3.5 5.3#



#23
Nitrobenzene-d5
Concen: 102.544 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038532.D
Acq: 13 Dec 2018 14:46

Tgt Ion: 82	Resp:	165175
Ion	Ratio	Lower Upper
82	100	
128	41.1	34.6 52.0
54	64.9	50.6 76.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.69 min Scan# 1975

Delta R.T. -0.01 min

Lab File: BG038532.D

Acq: 13 Dec 2018 14:46

Instrument :

BNA_G

ClientSampleId :

BF-04-120418


Tot Ion:164 Resp: 53907

Ion Ratio Lower Upper

164 100

162 110.1 86.6 130.0




160 45.7 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 170.957 ng

RT: 16.19 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038532.D

Acq: 13 Dec 2018 14:46


Tgt Ion:330 Resp: 127010

Ion Ratio Lower Upper

330 100

332 95.8 76.9 115.3



141 37.0 28.8 43.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 96.714 ng
 RT: 13.32 min Scan# 1741
 Delta R.T. -0.00 min
 Lab File: BG038532.D
 Acq: 13 Dec 2018 14:46




Instrument :
 BNA_G
 ClientSampleId :
 BF-04-120418


Tot Ion:172 Resp: 380040
 Ion Ratio Lower Upper
 172 100
 171 36.4 29.8 44.6
 170 24.6 19.5 29.3



#50
 Dimethylphthalate
 Concen: 11.493 ng
 RT: 14.14 min Scan# 1881
 Delta R.T. -0.01 min
 Lab File: BG038532.D
 Acq: 13 Dec 2018 14:46

Tgt Ion:163 Resp: 50595
 Ion Ratio Lower Upper
 163 100
 194 3.9 3.7 5.5
 164 11.9 8.6 12.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.44 min Scan# 2443
Delta R.T. -0.00 min
Lab File: BG038532.D
Acq: 13 Dec 2018 14:46

Instrument :
BNA_G
ClientSampleId :
BF-04-120418

Tot Ion	Ratio	Lower	Upper
188	100		
94	6.6	5.1	7.7
80	8.5	6.1	9.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.01 min
Lab File: BG038532.D
Acq: 13 Dec 2018 14:46

Tgt Ion	Ratio	Lower	Upper
240	100		
120	8.0	5.3	7.9#
236	26.0	21.4	32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 103.773 ng

RT: 20.05 min Scan# 2886

Delta R.T. 0.00 min

Lab File: BG038532.D

Acq: 13 Dec 2018 14:46

Instrument :

BNA_G

ClientSampleId :

BF-04-120418


Tot Ion:244 Resp: 759912

Ion Ratio Lower Upper

244 100

212 8.0 6.2 9.2




122 7.4 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.01 min

Lab File: BG038532.D

Acq: 13 Dec 2018 14:46


Tgt Ion:264 Resp: 171025

Ion Ratio Lower Upper

264 100

260 23.0 18.9 28.3

265 23.3 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

