

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE121418\
 Data File : BE098440.D
 Acq On : 14 Dec 2018 17:47
 Operator : SJ/JU
 Sample : PB115633BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115633BL

Quant Time: Dec 14 23:32:21 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE121018.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 10 14:59:55 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	746	0.40	ng	0.00
7) Naphthalene-d8	10.67	136	2862	0.40	ng	0.00
13) Acenaphthene-d10	14.53	164	1861	0.40	ng	0.00
19) Phenanthrene-d10	17.28	188	5086	0.40	ng	0.00
27) Chrysene-d12	21.46	240	6115	0.40	ng	0.00
34) Perylene-d12	24.00	264	5691	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.46	112	689	0.39	ng	0.01
5) Phenol-d6	7.07	99	602	0.24	ng	0.02
8) Nitrobenzene-d5	9.08	82	513	0.20	ng	0.06
11) 2-Methylnaphthalene-d10	12.28	152	1355	0.29	ng	0.01
14) 2,4,6-Tribromophenol	16.04	330	204	0.30	ng	0.02
15) 2-Fluorobiphenyl	13.16	172	1946	0.25	ng	0.01
25) Fluoranthene-d10	19.31	212	20993	0.32	ng	0.00
29) Terphenyl-d14	19.91	244	3174	0.21	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.39	88	38	0.029	ng	# 42
3) n-Nitrosodimethylamine	3.74	42	31	0.027	ng	# 100
22) Pentachlorophenol	16.98	266	8	0.034	ng	# 69


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_E\DATA\BE121418\
Data File : BE098440.D
Acq On : 14 Dec 2018 17:47
Operator : SJ/JU
Sample : PB115633BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115633BL

Quant Time: Dec 14 23:32:21 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_E\METHODS\8270-SIM-BE121018.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 10 14:59:55 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.86 min Scan# 434
Delta R.T. -0.00 min
Lab File: BE098440.D
Acq: 14 Dec 2018 17:47

Instrument :
BNA_G
ClientSampleId :
PB115633BL

Tgt Ion: 152 Resp: 746
Ion Ratio Lower Upper
152 100
150 141.8 124.2 186.4
115 71.4 53.9 80.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2


1,4-Dioxane
Concen: 0.029 ng
RT: 3.39 min Scan# 46
Delta R.T. 0.02 min
Lab File: BE098440.D
Acq: 14 Dec 2018 17:47

Tgt Ion: 88 Resp: 38
Ion Ratio Lower Upper
88 100
58 44.7 75.0 112.6#
43 0.0 38.3 57.5#



Abundance Ion 88.00 (87.70 to 88.70): BE0
Ion 58.00 (57.70 to 58.70): BE0
Ion 43.00 (42.70 to 43.70): BE0









#3

n-Nitrosodimethylamine
 Concen: 0.027 ng
 RT: 3.74 min Scan# 76
 Delta R.T. 0.04 min
 Lab File: BE098440.D
 Acq: 14 Dec 2018 17:47

Instrument :
 BNA_G
 ClientSampleId :
 PB115633BL




Tgt Ion:	42	Resp:	31
Ion	Ratio	Lower	Upper
42	100		
74	0.0	0.0	0.0
44	0.0	0.0	0.0




#4

2-Fluorophenol
 Concen: 0.395 ng
 RT: 5.46 min Scan# 225
 Delta R.T. 0.01 min
 Lab File: BE098440.D
 Acq: 14 Dec 2018 17:47

Tgt Ion:	112	Resp:	689
Ion	Ratio	Lower	Upper
112	100		
64	81.4	59.8	89.8
63	177.4	133.7	200.5





#5

Phenol-d6

Concen: 0.243 ng

RT: 7.07 min Scan# 365

Delta R.T. 0.02 min

Lab File: BE098440.D

Acq: 14 Dec 2018 17:47

Instrument :

BNA_G

ClientSampleId :

PB115633BL


Tgt Ion: 99 Resp: 602

Ion Ratio Lower Upper

99 100

42 37.4 26.3 39.5

71 42.0 33.6 50.4






Abundance

Ion 99.00 (98.70 to 99.70): BE0

Ion 42.00 (41.70 to 42.70): BE0

Ion 71.00 (70.70 to 71.70): BE0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.67 min Scan# 654

Delta R.T. -0.00 min

Lab File: BE098440.D

Acq: 14 Dec 2018 17:47

Tgt Ion: 136 Resp: 2862


Ion Ratio Lower Upper

136 100

137 16.0 9.2 13.8#

54 61.6 28.4 42.6#

68 10.2 5.4 8.0#





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BE0

Ion 68.00 (67.70 to 68.70): BE0









#8
 Nitrobenzene-d5
 Concen: 0.197 ng
 RT: 9.08 min Scan# 532
 Delta R.T. 0.06 min
 Lab File: BE098440.D
 Acq: 14 Dec 2018 17:47




Instrument :
 BNA_G
 ClientSampleId :
 PB115633BL


Tgt Ion: 82 Resp: 513
 Ion Ratio Lower Upper
 82 100
 128 246.3 102.4 153.6#
 54 332.2 221.8 332.8



#11
 2-Methylnaphthalene-d10
 Concen: 0.291 ng
 RT: 12.28 min Scan# 768
 Delta R.T. 0.01 min
 Lab File: BE098440.D
 Acq: 14 Dec 2018 17:47

Tgt Ion: 152 Resp: 1355
 Ion Ratio Lower Upper
 152 100
 151 17.9 16.2 24.4





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.53 min Scan# 924

Delta R.T. 0.00 min

Lab File: BE098440.D

Acq: 14 Dec 2018 17:47

Instrument :

BNA_G

ClientSampleId :

PB115633BL


Tgt Ion:164 Resp: 1861

Ion Ratio Lower Upper

164 100

162 100.7 77.6 116.4




160 51.3 36.0 54.0



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.299 ng

RT: 16.04 min Scan# 1043

Delta R.T. 0.02 min

Lab File: BE098440.D

Acq: 14 Dec 2018 17:47


Tgt Ion:330 Resp: 204

Ion Ratio Lower Upper

330 100

332 113.2 76.2 114.4



141 49.0 39.0 58.4




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.248 ng
RT: 13.16 min Scan# 829
Delta R.T. 0.01 min
Lab File: BE098440.D
Acq: 14 Dec 2018 17:47

Instrument :
BNA_G
ClientSampleId :
PB115633BL

Tgt Ion:172 Resp: 1946
Ion Ratio Lower Upper
172 100
171 37.7 27.5 41.3
170 30.3 19.6 29.4#




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E








#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.28 min Scan# 1149
Delta R.T. -0.00 min
Lab File: BE098440.D
Acq: 14 Dec 2018 17:47

Tgt Ion:188 Resp: 5086
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.5 7.2 10.8#



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BE0
Ion 80.00 (79.70 to 80.70): BE0









#22
Pentachlorophenol
Concen: 0.034 ng
RT: 16.98 min Scan# 1123
Delta R.T. 0.03 min
Lab File: BE098440.D
Acq: 14 Dec 2018 17:47


Instrument :
BNA_G
ClientSampleId :
PB115633BL


Tgt Ion:266 Resp: 8
Ion Ratio Lower Upper
266 100
264 93.8 59.0 88.4#
268 100.0 55.1 82.7#



#25
Fluoranthene-d10
Concen: 0.322 ng
RT: 19.31 min Scan# 1433
Delta R.T. 0.00 min
Lab File: BE098440.D
Acq: 14 Dec 2018 17:47

Tgt Ion:212 Resp: 20993
Ion Ratio Lower Upper
212 100
106 2.4 2.2 3.2
104 1.5 1.3 1.9









#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.46 min Scan# 1671
 Delta R.T. -0.00 min
 Lab File: BE098440.D
 Acq: 14 Dec 2018 17:47




Instrument :
 BNA_G
 ClientSampleId :
 PB115633BL




Tgt Ion:240 Resp: 6115
 Ion Ratio Lower Upper
 240 100
 120 9.6 9.5 14.3
 236 27.7 22.7 34.1



#29
 Terphenyl-d14
 Concen: 0.214 ng
 RT: 19.91 min Scan# 1537
 Delta R.T. 0.00 min
 Lab File: BE098440.D
 Acq: 14 Dec 2018 17:47

Tgt Ion:244 Resp: 3174
 Ion Ratio Lower Upper
 244 100
 212 43.6 27.4 41.0#
 122 12.0 8.3 12.5





#34

Perylene-d12

Concen: 0.400 ng

RT: 24.00 min Scan# 2270

Delta R.T. -0.01 min

Lab File: BE098440.D

Acq: 14 Dec 2018 17:47

Instrument :

BNA_G

ClientSampleId :

PB115633BL

Tgt Ion:264 Resp: 5691

Ion Ratio Lower Upper

264 100

260 26.1 20.2 30.2

265 30.9 25.2 37.8

