

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121318\
 Data File : BG038560.D
 Acq On : 14 Dec 2018 9:08
 Operator : JU/SJ
 Sample : J6189-04
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 HR-05-121118-B

Quant Time: Dec 14 10:33:04 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	20562	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	82720	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	54077	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	145838	20.00	ng	0.00
76) Chrysene-d12	21.72	240	155229	20.00	ng	0.00
87) Perylene-d12	25.01	264	166255	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	166889	143.96	ng	0.00
7) Phenol-d6	7.21	99	197651	124.19	ng	0.00
23) Nitrobenzene-d5	9.23	82	166207	102.65	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	126397	169.60	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	389871	98.90	ng	0.00
79) Terphenyl-d14	20.04	244	808946	113.42	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121318\
Data File : BG038560.D
Acq On : 14 Dec 2018 9:08
Operator : JU/SJ
Sample : J6189-04
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
HR-05-121118-B

Quant Time: Dec 14 10:33:04 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 846
Delta R.T. -0.00 min
Lab File: BG038560.D
Acq: 14 Dec 2018 9:08

Instrument :
BNA_G
ClientSampleId :
HR-05-121118-B

Tot Ion:152 Resp: 20562
Ion Ratio Lower Upper
152 100
150 154.3 119.5 179.3
115 53.9 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 143.956 ng
RT: 5.61 min Scan# 429
Delta R.T. 0.01 min
Lab File: BG038560.D
Acq: 14 Dec 2018 9:08

Tgt Ion:112 Resp: 166889
Ion Ratio Lower Upper
112 100
64 69.9 53.4 80.2
63 39.0 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 124.192 ng

RT: 7.21 min Scan# 701

Delta R.T. -0.00 min

Lab File: BG038560.D

Acq: 14 Dec 2018 9:08

Instrument :

BNA_G

ClientSampleId :

HR-05-121118-B


Tot Ion: 99 Resp: 197651

Ion Ratio Lower Upper



99 100

42 25.3 18.5 27.7

71 38.6 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.88 min Scan# 1326

Delta R.T. -0.00 min

Lab File: BG038560.D

Acq: 14 Dec 2018 9:08

Tgt Ion: 136 Resp: 82720


Ion Ratio Lower Upper

136 100



137 11.5 9.3 13.9

54 10.1 8.5 12.7

68 5.3 3.5 5.3



Abundance Ion 136.00 (135.70 to 136.70): BGC
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC









#23
Nitrobenzene-d5
Concen: 102.648 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038560.D
Acq: 14 Dec 2018 9:08

Instrument :
BNA_G
ClientSampleId :
HR-05-121118-B

Tot Ion: 82 Resp: 166207
Ion Ratio Lower Upper
82 100
128 43.1 34.6 52.0
54 64.2 50.6 76.0




Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): BGC
Ion 54.00 (53.70 to 54.70): BGC






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.69 min Scan# 1975
Delta R.T. -0.01 min
Lab File: BG038560.D
Acq: 14 Dec 2018 9:08

Tgt Ion: 164 Resp: 54077
Ion Ratio Lower Upper
164 100
162 105.7 86.6 130.0
160 42.6 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): BGC
Ion 162.00 (161.70 to 162.70): BGC
Ion 160.00 (159.70 to 160.70): BGC









#42
 2,4,6-Tribromophenol
 Concen: 169.597 ng
 RT: 16.18 min Scan# 2229
 Delta R.T. -0.01 min
 Lab File: BG038560.D
 Acq: 14 Dec 2018 9:08

Instrument :
 BNA_G
 ClientSampleId :
 HR-05-121118-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	93.3	76.9	115.3
141	36.6	28.8	43.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 98.904 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.01 min
 Lab File: BG038560.D
 Acq: 14 Dec 2018 9:08

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.8	29.8	44.6
170	25.4	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.44 min Scan# 2443
Delta R.T. -0.00 min
Lab File: BG038560.D
Acq: 14 Dec 2018 9:08

Instrument :
BNA_G
ClientSampleId :
HR-05-121118-B

Tot Ion:188 Resp: 145838
Ion Ratio Lower Upper
188 100
94 7.0 5.1 7.7
80 7.2 6.1 9.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3171
Delta R.T. -0.01 min
Lab File: BG038560.D
Acq: 14 Dec 2018 9:08

Tgt Ion:240 Resp: 155229
Ion Ratio Lower Upper
240 100
120 7.5 5.3 7.9
236 26.2 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 113.415 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038560.D

Acq: 14 Dec 2018 9:08

Instrument :

BNA_G

ClientSampleId :

HR-05-121118-B


Tot Ion:244 Resp: 808946

Ion Ratio Lower Upper

244 100

212 8.0 6.2 9.2




122 7.3 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.01 min Scan# 3731

Delta R.T. -0.01 min

Lab File: BG038560.D

Acq: 14 Dec 2018 9:08


Tgt Ion:264 Resp: 166255

Ion Ratio Lower Upper

264 100

260 23.6 18.9 28.3

265 21.1 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

