

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121418\
 Data File : BG038579.D
 Acq On : 14 Dec 2018 22:25
 Operator : JU/SJ
 Sample : PB115428BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115428BL

Quant Time: Dec 14 23:28:10 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	19776	20.00	ng	0.00
21) Naphthalene-d8	10.87	136	75168	20.00	ng	0.00
39) Acenaphthene-d10	14.70	164	48814	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	126745	20.00	ng	0.00
76) Chrysene-d12	21.72	240	138718	20.00	ng	0.00
87) Perylene-d12	25.02	264	145985	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	143605	128.80	ng	0.00
7) Phenol-d6	7.21	99	192089	125.49	ng	0.00
23) Nitrobenzene-d5	9.23	82	121286	82.43	ng	0.00
42) 2,4,6-Tribromophenol	16.18	330	79755	118.55	ng	0.00
45) 2-Fluorobiphenyl	13.32	172	296970	83.46	ng	0.00
79) Terphenyl-d14	20.04	244	598746	93.94	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.23	70	16457	15.308	ng	# 71
51) 2,6-Dinitrotoluene	14.69	165	6307	6.982	ng	# 19
57) 2,4-Dinitrotoluene	14.69	165	6307	4.957	ng	# 21
67) 4-Bromophenyl-phenylether	16.18	248	5449	3.520	ng	# 1
77) Benzidine	20.04	184	9942	2.423	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_G\DATA\BG121418\
Data File : BG038579.D
Acq On : 14 Dec 2018 22:25
Operator : JU/SJ
Sample : PB115428BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115428BL

Quant Time: Dec 14 23:28:10 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 8.06 min Scan# 846
 Delta R.T. -0.00 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25

Instrument :
 BNA_G
 ClientSampleId :
 PB115428BL

Tgt Ion:152 Resp: 19776
 Ion Ratio Lower Upper
 152 100
 150 155.9 119.5 179.3
 115 60.3 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5
 2-Fluorophenol
 Concen: 128.795 ng
 RT: 5.61 min Scan# 429
 Delta R.T. 0.01 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25

Tgt Ion:112 Resp: 143605
 Ion Ratio Lower Upper
 112 100
 64 67.1 53.4 80.2
 63 37.2 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BG
 Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 125.494 ng

RT: 7.21 min Scan# 702

Delta R.T. 0.01 min

Lab File: BG038579.D

Acq: 14 Dec 2018 22:25

Instrument :

BNA_G

ClientSampled :

PB115428BL


Tgt Ion: 99 Resp: 192089

Ion Ratio Lower Upper

99 100

42 24.4 18.5 27.7




71 38.3 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 71.00 (70.70 to 71.70): BGC



#19

n-Nitroso-di-n-propylamine

Concen: 15.308 ng

RT: 9.23 min Scan# 1046

Delta R.T. 0.37 min

Lab File: BG038579.D

Acq: 14 Dec 2018 22:25

Tgt Ion: 70 Resp: 16457


Ion Ratio Lower Upper

70 100

42 57.3 63.6 95.4#

101 0.0 9.2 13.8#

130 2.9 18.5 27.7#






Abundance Ion 70.00 (69.70 to 70.70): BGC

Ion 42.00 (41.70 to 42.70): BGC

Ion 101.00 (100.70 to 101.70): BGC

Ion 130.00 (129.70 to 130.70): BGC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.87 min Scan# 1325
Delta R.T. -0.01 min
Lab File: BG038579.D
Acq: 14 Dec 2018 22:25

Instrument :
BNA_G
ClientSampleId :
PB115428BL

Tgt Ion:	136	Resp:	75168
Ion	Ratio	Lower	Upper
136	100		
137	10.9	9.3	13.9
54	9.8	8.5	12.7
68	4.6	3.5	5.3




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC






#23
Nitrobenzene-d5
Concen: 82.431 ng
RT: 9.23 min Scan# 1046
Delta R.T. -0.01 min
Lab File: BG038579.D
Acq: 14 Dec 2018 22:25

Tgt Ion:	82	Resp:	121286
Ion	Ratio	Lower	Upper
82	100		
128	41.2	34.6	52.0
54	65.0	50.6	76.0



Abundance Ion 82.00 (81.70 to 82.70): BGC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BGC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.70 min Scan# 1976

Delta R.T. -0.00 min

Lab File: BG038579.D

Acq: 14 Dec 2018 22:25

Instrument :

BNA_G

ClientSampleId :

PB115428BL


Tgt Ion:164 Resp: 48814

Ion Ratio Lower Upper

164 100

162 105.0 86.6 130.0




160 46.2 34.2 51.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 118.552 ng

RT: 16.18 min Scan# 2229

Delta R.T. -0.01 min

Lab File: BG038579.D

Acq: 14 Dec 2018 22:25


Tgt Ion:330 Resp: 79755

Ion Ratio Lower Upper

330 100

332 94.4 76.9 115.3



141 37.2 28.8 43.2




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 83.459 ng
 RT: 13.32 min Scan# 1741
 Delta R.T. -0.00 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25




Instrument :
 BNA_G
 ClientSampleId :
 PB115428BL


Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.6	29.8	44.6
170	24.3	19.5	29.3



#51
 2,6-Dinitrotoluene
 Concen: 6.982 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. 0.41 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	51.8	77.6#
89	0.0	47.9	71.9#









#57
 2,4-Dinitrotoluene
 Concen: 4.957 ng
 RT: 14.69 min Scan# 1975
 Delta R.T. -0.37 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25

Instrument :
 BNA_G
 ClientSampleId :
 PB115428BL

Tgt Ion:165 Resp: 6307
 Ion Ratio Lower Upper
 165 100
 63 0.0 39.0 58.4#
 89 0.0 58.0 87.0#
 182 0.0 2.3 3.5#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BGC
 Ion 89.00 (88.70 to 89.70): BGC
 Ion 182.00 (181.70 to 182.70): E






#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.44 min Scan# 2443
 Delta R.T. -0.00 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25

Tgt Ion:188 Resp: 126745
 Ion Ratio Lower Upper
 188 100
 94 7.0 5.1 7.7
 80 8.0 6.1 9.1



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BGC
 Ion 80.00 (79.70 to 80.70): BGC









#67
 4-Bromophenyl-phenylether
 Concen: 3.520 ng
 RT: 16.18 min Scan# 2229
 Delta R.T. -0.44 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25

Instrument :
 BNA_G
 ClientSampleId :
 PB115428BL

Tgt Ion:248 Resp: 5449
 Ion Ratio Lower Upper
 248 100
 250 227.5 73.4 110.2#
 141 481.1 52.9 79.3#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.72 min Scan# 3171
 Delta R.T. -0.01 min
 Lab File: BG038579.D
 Acq: 14 Dec 2018 22:25

Tgt Ion:240 Resp: 138718
 Ion Ratio Lower Upper
 240 100
 120 8.2 5.3 7.9#
 236 27.5 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#77

Benzidine

Concen: 2.423 ng

RT: 20.04 min Scan# 2886

Delta R.T. 0.36 min

Lab File: BG038579.D

Acq: 14 Dec 2018 22:25

Instrument :

BNA_G

ClientSampleId :

PB115428BL


Tgt Ion:184 Resp: 9942

Ion Ratio Lower Upper

184 100

185 18.1 12.2 18.2




183 9.2 9.6 14.4#



Abundance Ion 184.00 (183.70 to 184.70): E

Ion 185.00 (184.70 to 185.70): E

Ion 183.00 (182.70 to 183.70): E



#79

Terphenyl-d14

Concen: 93.937 ng

RT: 20.04 min Scan# 2886

Delta R.T. -0.00 min

Lab File: BG038579.D

Acq: 14 Dec 2018 22:25


Tgt Ion:244 Resp: 598746

Ion Ratio Lower Upper

244 100

212 7.6 6.2 9.2



122 7.1 6.3 9.5




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 25.02 min Scan# 3732
Delta R.T. -0.01 min
Lab File: BG038579.D
Acq: 14 Dec 2018 22:25

Instrument :
BNA_G
ClientSampleId :
PB115428BL

Tgt Ion	Ratio	Lower	Upper
264	100		
260	22.4	18.9	28.3
265	19.8	17.0	25.4

