

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121418\
 Data File : BG038572.D
 Acq On : 14 Dec 2018 17:48
 Operator : JU/SJ
 Sample : PB115343BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_G
 ClientSampleId :
 PB115343BL

Quant Time: Dec 14 23:05:09 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 12 15:26:27 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	8.06	152	21811	20.00	ng	0.00
21) Naphthalene-d8	10.88	136	89596	20.00	ng	0.00
39) Acenaphthene-d10	14.69	164	58737	20.00	ng	0.00
64) Phenanthrene-d10	17.44	188	153503	20.00	ng	0.00
76) Chrysene-d12	21.72	240	160853	20.00	ng	0.00
87) Perylene-d12	25.02	264	165679	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.61	112	147221	119.72	ng	0.00
7) Phenol-d6	7.21	99	197657	117.08	ng	0.00
23) Nitrobenzene-d5	9.24	82	125614	71.62	ng	0.00
42) 2,4,6-Tribromophenol	16.19	330	83306	102.91	ng	0.00
45) 2-Fluorobiphenyl	13.31	172	305339	71.31	ng	0.00
79) Terphenyl-d14	20.04	244	606494	82.06	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA G\DATA\BG121418\
Data File : BG038572.D
Acq On : 14 Dec 2018 17:48
Operator : JU/SJ
Sample : PB115343BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_G
ClientSampleId :
PB115343BL

Quant Time: Dec 14 23:05:09 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA G\METHODS\8270-BG121218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 12 15:26:27 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 8.06 min Scan# 845
Delta R.T. -0.00 min
Lab File: BG038572.D
Acq: 14 Dec 2018 17:48

Instrument :
BNA_G
ClientSampleId :
PB115343BL

Tot Ion:152 Resp: 21811
Ion Ratio Lower Upper
152 100
150 156.7 119.5 179.3
115 54.5 49.6 74.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 119.719 ng
RT: 5.61 min Scan# 428
Delta R.T. 0.00 min
Lab File: BG038572.D
Acq: 14 Dec 2018 17:48

Tgt Ion:112 Resp: 147221
Ion Ratio Lower Upper
112 100
64 66.6 53.4 80.2
63 38.9 29.3 43.9



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BG
Ion 63.00 (62.70 to 63.70): BG





#7

Phenol-d6

Concen: 117.083 ng

RT: 7.21 min Scan# 701

Delta R.T. 0.00 min

Lab File: BG038572.D

Acq: 14 Dec 2018 17:48

Instrument :

BNA_G

ClientSampleId :

PB115343BL


Tot Ion: 99 Resp: 197657

Ion Ratio Lower Upper




99 100

42 22.5 18.5 27.7

71 38.4 31.1 46.7



Abundance Ion 99.00 (98.70 to 99.70): BGC
150000
Ion 42.00 (41.70 to 42.70): BGC
Ion 71.00 (70.70 to 71.70): BGC



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.88 min Scan# 1325

Delta R.T. -0.00 min

Lab File: BG038572.D

Acq: 14 Dec 2018 17:48

Tgt Ion:136 Resp: 89596


Ion Ratio Lower Upper

136 100



137 11.7 9.3 13.9


54 10.7 8.5 12.7

68 5.4 3.5 5.3#



Abundance Ion 136.00 (135.70 to 136.70): BGC
60000
Ion 137.00 (136.70 to 137.70): BGC
Ion 54.00 (53.70 to 54.70): BGC
Ion 68.00 (67.70 to 68.70): BGC








#23
Nitrobenzene-d5
Concen: 71.624 ng
RT: 9.24 min Scan# 1046
Delta R.T. -0.00 min
Lab File: BG038572.D
Acq: 14 Dec 2018 17:48




Instrument :
BNA_G
ClientSampleId :
PB115343BL

Tot Ion: 82 Resp: 125614
Ion Ratio Lower Upper
82 100
128 41.2 34.6 52.0
54 62.7 50.6 76.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.69 min Scan# 1975
Delta R.T. -0.00 min
Lab File: BG038572.D
Acq: 14 Dec 2018 17:48

Tgt Ion:164 Resp: 58737
Ion Ratio Lower Upper
164 100
162 108.4 86.6 130.0
160 49.0 34.2 51.2








#42
 2,4,6-Tribromophenol
 Concen: 102.910 ng
 RT: 16.19 min Scan# 2229
 Delta R.T. -0.00 min
 Lab File: BG038572.D
 Acq: 14 Dec 2018 17:48

Instrument :
 BNA_G
 ClientSampleId :
 PB115343BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.9	76.9	115.3
141	36.7	28.8	43.2




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 71.314 ng
 RT: 13.31 min Scan# 1740
 Delta R.T. -0.00 min
 Lab File: BG038572.D
 Acq: 14 Dec 2018 17:48

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.4	29.8	44.6
170	24.4	19.5	29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.44 min Scan# 2442
Delta R.T. -0.00 min
Lab File: BG038572.D
Acq: 14 Dec 2018 17:48

Instrument :
BNA_G
ClientSampleId :
PB115343BL

Tot Ion:188 Resp: 153503
Ion Ratio Lower Upper
188 100
94 7.3 5.1 7.7
80 6.6 6.1 9.1




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BG
Ion 80.00 (79.70 to 80.70): BG






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.72 min Scan# 3170
Delta R.T. -0.01 min
Lab File: BG038572.D
Acq: 14 Dec 2018 17:48

Tgt Ion:240 Resp: 160853
Ion Ratio Lower Upper
240 100
120 7.6 5.3 7.9
236 25.7 21.4 32.2



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 82.058 ng

RT: 20.04 min Scan# 2885

Delta R.T. -0.00 min

Lab File: BG038572.D

Acq: 14 Dec 2018 17:48

Instrument :

BNA_G

ClientSampleId :

PB115343BL


Tot Ion:244 Resp: 606494

Ion Ratio Lower Upper

244 100

212 7.9 6.2 9.2




122 7.9 6.3 9.5



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 25.02 min Scan# 3732

Delta R.T. -0.00 min

Lab File: BG038572.D

Acq: 14 Dec 2018 17:48


Tgt Ion:264 Resp: 165679

Ion Ratio Lower Upper

264 100

260 22.9 18.9 28.3

265 21.4 17.0 25.4



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

